




BSS SPRAY GUNS

WENLING BSS AIR TOOLS CO.,LTD.

HTTP://WWW.BSSAIRTOOLS.COM E-MAIL:WEB@6481888.COM



BSS SPRAY GUNS

温岭百事顺气动工具有限公司

WENLING BSS AIR TOOLS CO.,LTD.

Add:Wenqiao aokou industrial park ,Wenling,Zhejiang.

TEL:0086-576-86481888, 86970988

FAX:0086-576-86978456 , 86988456

Http://www.bssairtools.com E-mail:web@6481888.com



CE ISO9001

P04-P05

HIGH LEVEL SPRAY GUN



P28

WASHING GUN



P06-P09

H.V.L.P SPRAY GUN



P29

AIR HOPPER GUN



P10-P15

HIGH PRESSURE SPRAY GUN
& MINI SPRAY GUN



P30

TIRE INFLATING GUN
& SAND BLAST GUN



P16-P17

LOW PRESSURE SPRAY GUN
& PAINTING EQUIPMENT



P31-P33

AIR BRUSH &
MINI AIR COMPRESSOR



P18-P23

AIR TOOLS KIT



P34-P35

AIR UNIT



P24-P25

PAINTING CUP



P36

AIR CONNECTOR



P26-P27

AIR BLOW GUN



P37

AIR HOSE



BSS SPRAY GUNS

WENLING BSS AIR TOOLS CO.,LTD.



COMPANY PROFILE

Wenling BSS airtools co.,ltd is located in Zhejiang Wenling City which is a beautiful seashore city with convenience transportation.. The company is specializing in manufacturing middle and high-grade pneumatic tool and spray gun series. The company hold several middle and high grade brands including "BSS" and "えんだ", "Chengneng", "Yantian", "Hefu", "Muge" and "ALBB".

The company always devote developing and improving manufacturing technology of spray gun, it owns tens of senior engineers and technicians, It lead advanced die casting machine, gun body surface polishing machine and precise CNC machine.the products are applied widely to houshold,electrical apparatus,metal products,furniture and so on. the products have won good comments from all cusotmers for its good quality and reasonable price.

Product quality is enterprise's life,is the goal of our efforts, we will always persisted in advanced technology,excellent quality and perfect service.welcome to cooperate with us!



BSS



**PROFESSIONAL
MANUFACTURER
OF AIR TOOLS**



SPRAY GUNS SERIES

WENLING BSS AIR TOOLS CO.,LTD.



- HIGH LEVEL SPRAY GUN
- H.V.L.P SPRAY GUN
- HIGH PRESSURE SPRAY GUN & MIINI SPRAY GUN
- LOW PRESSURE SPRAY GUN & PAINTING EQUIPMENT
- AIR TOOLS KIT



  **ISO9001**

HIGH LEVEL SPRAY GUN

WENLING BSS AIR TOOLS CO.LTD

HTTP://WWW.BSSAIRTOOLS.COM E-MAIL:WEB@6481888.COM

This high Level Spray Guns Series made of high-quality imported material, and machined by CNC machining center, more excellent atomization is achieved, it is environment and saves much paint for the user. The product lifetime is twice longer than common series.

W-71S

Technical Data:

Type of feed: Gravity
Optional Nozzle: 1.0mm、1.3mm、1.5mm、1.8mm
Operating Pressure :2.9~5bar
Pattern Width:90~220mm
Cup capacity: 400cc
Color box: 10PCS (45x36x35cm) 8KG



W-71G

Technical Data:

Type of feed: Gravity
Optional Nozzle: 1.0mm、1.3mm、1.5mm、1.8mm
Operating Pressure :2.9~5bar
Pattern Width:90~220mm
Cup capacity: 400cc
Color box: 10PCS (45x36x35cm) 8KG

NEW-71S

Technical Data:

Type of feed: Suction
Optional Nozzle: 1.0mm、1.3mm、1.5mm、1.8mm
Operating Pressure :2.9~5bar
Pattern Width:90~220mm
Cup capacity: 600cc
Color box: 10PCS (42x35x40cm)9/8KG

HIGH LEVEL SPRAY GUN

WENLING BSS AIR TOOLS CO.LTD

HTTP://WWW.BSSAIRTOOLS.COM E-MAIL:WEB@6481888.COM



W-77S

Technical Data:

Type of feed: Suction
Optional Nozzle: 1.5mm、2.0mm、2.5mm、3.0mm
Operating Pressure :2.9~5bar
Pattern Width:90~220mm
Cup capacity:1000cc
Color box: 10PCS (59x22x32cm)11/10kg



HVLP SPRAY GUN

WENLING BSS AIR TOOLS CO.LTD

HTTP://WWW.BSSAIRTOOLS.COM E-MAIL:WEB@6481888.COM



H.V.L.P

HVLP SPRAY GUN

WENLING BSS AIR TOOLS CO.LTD

HTTP://WWW.BSSAIRTOOLS.COM E-MAIL:WEB@6481888.COM



MODEL:H-881C

- Nozzle size: 1.4, 1.7, 2.0mm, high atomization with low air pressure, saves paint and protects the environment, good design of construction. Better than 75% transfer efficiency with less than 10% PSI output pressure, complies with environmental regulations .
- Alternative set up available for dealing with all today's modern two pack primers, fillers and top coats, Nozzle and needle in stainless steel to allow using with water based paint

MODEL:S970C

- Includes adjustable fluid, pattern and air controls.
- Designed to provide equal atomization and particle size for all kinds of surface painting.
- Stainless steel needle and nozzle accommodate a variety of coatings
- Precise air cap set.
- Lightweight, ergonomic design and easy trigger pivot reduce operating fatigue.

HVLP SPRAY GUN

Parameters

MODEL	DESCRIPTION	AIR CONSUMPTION (100%)CFM	NOZZLE SIZE	CUP SIZE	Fluid(Water) Delivery	WEIGHT		AIR PRESSURE		AIR INLET
			mm	ml		kgs	lbs	psi	Kg/cm ²	
H-881C	TYPE OF FEED:GRAVITY	14.5	1.4/2.0	680	150-220	0.56	1.23	43	3	1/4"
S970C	TYPE OF FEED:GRAVITY	14.5	1.4/2.0	680	150-220	0.65	1.43	43	3	1/4"

HVLP SPRAY GUN


HTTP://WWW.BSSAIRTOOLS.COM
E-MAIL:WEB@6481888.COM

WENLING BSS AIR TOOLS CO.LTD

HTTP://WWW.BSSAIRTOOLS.COM E-MAIL:WEB@6481888.COM

MODEL:H-827A

Color box:20PCS(68X46X26cm)18/16KGS
Double blister:10PCS(68X30.5X42cm)13/11KGS



MODEL:H-827B

Color box:20PCS(68X46X26cm)18/16KGS
Double blister:10PCS(68X30.5X42cm)13/11KGS



MODEL:H-881A

Color box:20PCS(68X46X26cm)
18/16KGS
Double blister:10PCS(68X30.5X42cm)
13/11KGS

MODEL:H-881B

Color box:20PCS(68X46X26cm)18/16KGS
Double blister:10PCS(68X30.5X42cm)13/11KGS



MODEL:H-2000G1

H-2000G1.Color Box:20PCS(50x36x18cm)8/7KGS
Double blister:10PCS (52.5x20.5x28cm) 6/5KGS



MODEL:H-2000G2

H-2000G1.Color Box:20PCS(50x36x18cm)8/7KGS
Double blister:10PCS (52.5x20.5x28cm) 6/5KGS

Parameters


MODEL	DESCRIPTION	AIR CONSUMPTION (100%)CFM	NOZZLE SIZE	CUP SIZE	Fluid(Water) Delivery	WEIGHT		AIR PRESSURE		AIR INLET
			mm	ml		kgs	lbs	psi	Kg/cm ²	
H-827A	TYPE OF FEED:GRAVITY	14.5	1.4/2.0	680	160-220	0.65	1.43	43	3	1/4"
H-827B	TYPE OF FEED:GRAVITY	16.5	1.4/2.0	1000	110-180	0.64	1.43	43	3	1/4"
H-881A	TYPE OF FEED:GRAVITY	14.5	1.4/2.0	680	150-220	0.56	1.23	43	3	1/4"
H-2000G1	TYPE OF FEED:GRAVITY	8	0.8/1.0	100	70-100	0.29	0.64	30	2.1	1/4"
H-2000G2	TYPE OF FEED:GRAVITY	8	0.8/1.0	100	70-100	0.29	0.64	30	2.1	1/4"

Add:Wenjiao aokou industrial park ,Wenling,Zhejiang.
TEL:0086-576-86481888, 86970988
FAX:0086-576-86978456 , 86988456

HTTP://WWW.BSSAIRTOOLS.COM
E-MAIL:WEB@6481888.COM

HVLP SPRAY GUN

- HVLP(High volume low pressure) spray gun supply 10 psi Low pressure through the air cap which make the spraying softer, easily controlled and less over spray in high transfer efficiency.
- Includes adjustable fluid , pattern and air controls.
- Designed to provide equal atomization and particle size for all kinds of surface painting.
- Stainless steel needle and nozzle accommodate a variety of coatings. Precise air cap set.
- Light weight, economic design and easy trigger pivot,reduce operating fatigue.



MODEL:H-828B

Color box:20PCS(68X47X26cm)18/16KGS



MODEL:MZ415



MODEL:S1006



MODEL:H-8208



MODEL:AB-17

Color Box:20PCS(76X46X26cm)18/16KGS

Parameters

MODEL	DESCRIPTION	AIR CONSUMPTION (100%)CFM	NOZZLE SIZE	CUP SIZE	Fluid(Water) Delivery	WEIGHT		AIR PRESSURE		AIR INLET
			mm	ml		kgs	lbs	psi	Kg/cm ²	
H-828B	TYPE OF FEED:GRAVITY	14.5	1.4/2.0	680	160-220	0.65	1.43	43	3	1/4"
MZ415	TYPE OF FEED:GRAVITY	14	1.0/1.3/1.6	600	160-220			43	3	1/4"
S1006	TYPE OF FEED:GRAVITY	14.5	1.4/2.0	680	150-220	0.56	1.23	43	3	1/4"
H-8208	TYPE OF FEED:SUCTION	18	1.5/1.8/2.0	1000	210-280			43	3	1/4"
AB-17	TYPE OF FEED:SUCTION	14.5	1.4/2.0	1000	110-180	0.54	1.19	43	3	1/4"

HIGH PRESSURE SPRAY GUN

[HTTP://WWW.BSSAIRTOOLS.COM](http://www.bssairtools.com)
E-MAIL:WEB@6481888.COM

W-71G Technical Data:
Type of feed: Gravity
Optional Nozzle: 1.0mm、1.3mm、
1.5mm、1.8mm
Operating Pressure :2.9-5bar
Pattern Width:90-220mm
Cup capacity: 400cc
color box:20PCS(59x39.5x30cm)15/14KG



W-71S Technical Data:
Type of feed: Suction
Optional Nozzle: 1.0mm、1.3mm、
1.5mm、1.8mm
Operating Pressure :2.9-5bar
Pattern Width:90-220mm
Cup capacity: 600cc
Color box: 20PCS(59X39.5X30cm)16/15 KG



[HTTP://WWW.BSSAIRTOOLS.COM](http://www.bssairtools.com)
E-MAIL:WEB@6481888.COM

HIGH PRESSURE SPRAY GUN



MODEL:W-71G COLOR BOX:20PCS(59X39.5X30cm)15/16KGS
MODEL:S-770G COLOR BOX:20PCS(57X36X32cm)11/10KGS
MODEL:W-77G COLOR BOX:20PCS(45X36X39cm)19/18KGS
MODEL:S-710G COLOR BOX:20PCS(45X36X39cm)15/16KGS

MODEL	DESCRIPTION	AIR CONSUMPTION (100%)CFM	NOZZLE SIZE	CUP SIZE	Fluid(Water) Delivery	WEIGHT		AIR PRESSURE		AIR INLET
			mm	ml		kgs	lbs	psi	Kg/cm²	
W-71G	TYPE OF FEED:GRAVITY	12	1.0 1.5 1.8	400	150-270	0.44	0.97	50	3.5	1/4"
S-770G	TYPE OF FEED:GRAVITY	14	1.5 2.0 2.5	400	160-250	0.57	1.25	50	3.5	1/4"
W-77G	TYPE OF FEED:GRAVITY	14	1.5 2.0 2.5	400	210-280	0.55	1.21	50	3.5	1/4"
S-710G	TYPE OF FEED:GRAVITY	12	1.0 1.5 1.8	400	150-270	0.42	0.92	50	3.5	1/4"



MODEL:W-71S COLOR BOX:20PCS(59X39.5X30cm)18/19KGS
MODEL:S-770S COLOR BOX:20PCS(58X37X32cm)11.5/12.5KGS
MODEL:W-77S COLOR BOX:20PCS(59X36X45cm)18.5/19.5KGS
MODEL:S-710S COLOR BOX:20PCS(59X39.5X30cm)18/19KGS

MODEL	DESCRIPTION	AIR CONSUMPTION (100%)CFM	NOZZLE SIZE	CUP SIZE	Fluid(Water) Delivery	WEIGHT		AIR PRESSURE		AIR INLET
			mm	ml		kgs	lbs	psi	Kg/cm²	
W-71S	TYPE OF FEED:SUCTION	12	1.0 1.5 1.8	600	120-200	0.43	0.95	50	3.5	1/4"
S-770S	TYPE OF FEED:SUCTION	14	1.5 2.0 2.5	1000	120-180	0.57	1.25	50	3.5	1/4"
W-77S	TYPE OF FEED:SUCTION	14	1.5 2.0 2.5	1000	160-240	0.55	1.21	50	3.5	1/4"
S-710S	TYPE OF FEED:SUCTION	12	1.0 1.5 1.8	600	120-200	0.57	1.25	50	3.5	1/4"

Add:Wenjiao aokou industrial park ,Wenling,Zhejiang.
TEL:0086-576-86481888, 86970988
FAX:0086-576-86978456 , 86988456



HIGH PRESSURE SPRAY GUN

[HTTP://WWW.BSSAIRTOOLS.COM](http://www.bssairtools.com)
E-MAIL:WEB@6481888.COM



MODEL:F-75G
COLOR BOX:20PCS(57X31X41cm)13/14KGS



MODEL:E70G1
Color Box:10PCS(56.5x28.5x35.5cm),12/10KGS
Double blister:10PCS(67x27.5x36.5cm),12/10KGS



MODEL:CV



MODEL:G-80

MODEL	DESCRIPTION	AIR CONSUMPTION (100%)CFM	NOZZLE SIZE	CUP SIZE	Fluid(Water) Delivery	WEIGHT		AIR PRESSURE		AIR INLET
			mm	ml		kgs	lbs	psi	Kg/cm ²	
F-75G	TYPE OF FEED:GRAVITY	12	1.3 1.5 1.8	300	160-240	0.44	0.97	50	3.5	1/4"
E70G1	TYPE OF FEED:GRAVITY	12.5	1.6 1.8	680	260-320	0.5	1.1	50	3.5	1/4"
CV	TYPE OF FEED:GRAVITY	5	0.5 0.8	125	50			50	3	1/4"
G-80	TYPE OF FEED:GRAVITY	12.5	1.4	600	260-320	0.64	1.41	50	3.5	1/4"



MODEL:F-75S
COLOR BOX:14PCS(57X31X41cm)14/15KGS



MODEL:G-70S
Color Box:10PCS(57x34x29.5cm),13.5/10KGS



MODEL:CH202



MODEL:E-80

MODEL	DESCRIPTION	AIR CONSUMPTION (100%)CFM	NOZZLE SIZE	CUP SIZE	Fluid(Water) Delivery	WEIGHT		AIR PRESSURE		AIR INLET
			mm	ml		kgs	lbs	psi	Kg/cm ²	
F-75S	TYPE OF FEED:SUCTION	12	1.3 1.5 1.8	750	110-180	0.42	0.92	50	3.5	1/4"
G-70S	TYPE OF FEED:SUCTION	12.5	1.8	1000	180-260	0.54	1.19	50	3.5	1/4"
CH202	TYPE OF FEED:SUCTION	11.5	1.5 1.8 2.0 2.5	1000	160-230			50	3.5	1/4"
E-80	TYPE OF FEED:SUCTION	12.5	1.8	1000	180-260	0.64	1.41	50	3.5	1/4"

[HTTP://WWW.BSSAIRTOOLS.COM](http://www.bssairtools.com)
E-MAIL:WEB@6481888.COM

HIGH PRESSURE SPRAY GUN



MODEL:S-990-G1
Color box:20PCS(56.5X35.5X40cm)18/16KGS



MODEL:S-990-G2
Color box:20PCS(56.5X35.5X40cm)18/16KGS



MODEL:S-990-S
750CC Color box:10PCS(57X35X27cm)13/12KGS
1000CC Color box:10PCS(57X35X29cm)13/12KGS



MODEL:F100-S
Color box:10PCS(51.5X35.5X27.5cm)8/6KGS

MODEL	DESCRIPTION	AIR CONSUMPTION (100%)CFM	NOZZLE SIZE	CUP SIZE	Fluid(Water) Delivery	WEIGHT		AIR PRESSURE		AIR INLET
			mm	ml		kgs	lbs	psi	Kg/cm ²	
S-900-G1	TYPE OF FEED:GRAVITY	14	1.2 1.8	600	160-230	0.39	0.86	50	3.5	1/4"
S-990-G2	TYPE OF FEED:GRAVITY	14	1.2 1.8	680	160-230	0.39	0.86	50	3.5	1/4"
S-990-S	TYPE OF FEED:GRAVITY	14	1.5 1.8	750	110-200	0.42	0.92	50	3.5	1/4"
F-100S	TYPE OF FEED:GRAVITY	12	1.3	650	100-170	0.42	0.92	50	3.5	1/4"



MODEL:162A1
Color box:20PCS(56.5X35.5X40cm)
18/16KGS



MODEL:162A2
Color box:20PCS(56.5X35.5X40cm)
18/16KGS



MODEL:PQ-2
COLOR BOX:10PCS(57x35x31cm),10.5/11.5KGS



MODEL:F100-G
Color box:10PCS(62X43X27.5cm)12/10KGS

MODEL	DESCRIPTION	AIR CONSUMPTION (100%)CFM	NOZZLE SIZE	CUP SIZE	Fluid(Water) Delivery	WEIGHT		AIR PRESSURE		AIR INLET
			mm	ml		kgs	lbs	psi	Kg/cm ²	
162A1	TYPE OF FEED:SUCTION	12.5	1.5 1.8	600	160-230	0.38	0.84	50	3.5	1/4"
162A2	TYPE OF FEED:SUCTION	12.5	1.5 1.8	600	160-230	0.38	0.84	50	3.5	1/4"
PQ-2	TYPE OF FEED:SUCTION	12	1.8	1000	180-240	0.88	1.92	50	3.5	1/4"
F100-G	TYPE OF FEED:SUCTION	12	1.5 1.8	350	110-180	0.42	0.92	50	3.5	1/4"

Add:Wenjiao aokou industrial park ,Wenling,Zhejiang.
TEL:0086-576-86481888, 86970988
FAX:0086-576-86978456 , 86988456



HIGH PRESSURE SPRAY GUN

[HTTP://WWW.BSSAIRTOOLS.COM](http://www.bssairtools.com)
E-MAIL:WEB@6481888.COM



MODEL:T100U

Color Box:10PCS(57.5x27x33cm),12/10KGS
Double blister:10PCS(67x27.5x36.5cm),12/10KGS



MODEL:H-83

COLOR BOX:30PCS(43X40X33cm)12.5/13.5KGS



MODEL:H-85

COLOR BOX:30PCS(58x44x37cm),12/13KGS



MODEL:W-80B-G

Color box:20PCS(56.5X35.5X40cm)18/16KGS

MODEL	DESCRIPTION	AIR CONSUMPTION (100%)CFM	NOZZLE SIZE	CUP SIZE	Fluid(Water) Delivery	WEIGHT		AIR PRESSURE		AIR INLET
			mm	ml		kgs	lbs	psi	Kg/cm ²	
T100U	TYPE OF FEED:SUCTION	10	1.0 1.5	200	ml/min	0.26	0.57	50	3.5	1/4"
H-83	TYPE OF FEED:GRAVITY	6	1.0 1.5	400	ml/min	0.37	0.81	50	3.5	1/4"
H-85	TYPE OF FEED:GRAVITY	8	1.0 1.5	400	ml/min	0.37	0.81	50	3.5	1/4"
W-80B-G	TYPE OF FEED:GRAVITY	14	1.5 1.8	600	ml/min	0.39	0.86	50	3.5	1/4"



MODEL:PQ-1

COLOR BOX:30PCS(58x44x37cm),12/13KGS



MODEL:WF2000-S

COLOR BOX:10PCS(58x37x33cm),14.5/10KGS



MODEL:W-871

Color box:10PCS(56X39.5X30cm)
13/10KGS



MODEL:W-80B-S

Color box:20PCS(56.5X35.5X40cm)
18/16KGS

MODEL	DESCRIPTION	AIR CONSUMPTION (100%)CFM	NOZZLE SIZE	CUP SIZE	Fluid(Water) Delivery	WEIGHT		AIR PRESSURE		AIR INLET
			mm	ml		kgs	lbs	psi	Kg/cm ²	
PQ-1	TYPE OF FEED:SUCTION	12	1.8 2.0	550	ml/min	0.5	1.11	50	3.5	1/4"
WF2000-S	TYPE OF FEED:SUCTION	8	1.0 1.5	1000	ml/min	0.44	0.97	43	3	1/4"
W-871	TYPE OF FEED:SUCTION	13.5	2.5	1000	ml/min	0.58	1.28	50	3.5	1/4"
W-80B-S	TYPE OF FEED:SUCTION	14	1.5 1.8	750	ml/min	0.41	0.9	50	3.5	1/4"

[HTTP://WWW.BSSAIRTOOLS.COM](http://www.bssairtools.com)
E-MAIL:WEB@6481888.COM

HIGH PRESSURE SPRAY GUN



MODEL:4001

Color box:10PCS(58X36X33cm)13/14KGS



MODEL:4001B

Color box:10PCS(58X36X33cm)13/14KGS



MODEL:PQ-2U

COLOR BOX:10PCS(58x36x33cm),12/13KGS



MODEL:PQ-2UB

COLOR BOX:10PCS(58x36x33cm),12/13KGS

MODEL	DESCRIPTION	AIR CONSUMPTION (100%)CFM	NOZZLE SIZE	CUP SIZE	Fluid(Water) Delivery	WEIGHT		AIR PRESSURE		AIR INLET
			mm	ml		kgs	lbs	psi	Kg/cm ²	
4001	TYPE OF FEED:GRAVITY	12.5	1.8 2.0	1000	ml/min	0.61	1.34	50	3.5	1/4"
4001B	TYPE OF FEED:GRAVITY	12.5	1.8 2.0	1000	ml/min	0.48	1.06	50	3.5	1/4"
PQ-2U	TYPE OF FEED:GRAVITY	12.5	1.8 2.5	1000	ml/min	0.74	1.63	50	3.5	1/4"
PQ-2UB	TYPE OF FEED:GRAVITY	12.5	1.8 2.5	1000	ml/min	0.76	1.67	50	3.5	1/4"



MODEL:K-3

COLOR BOX:30PCS(43X40X33cm)12.5/13.5KGS



MODEL:F-3

COLOR BOX:30PCS(43X40X33cm)12.5/13.5KGS



MODEL:F-2

COLOR BOX:30PCS(43X40X33cm)12.5/13.5KGS



MODEL:HR-100

COLOR BOX:30PCS(43X40X33cm)
12.5/13.5KGS

MODEL	DESCRIPTION	AIR CONSUMPTION (100%)CFM	NOZZLE SIZE	CUP SIZE	Fluid(Water) Delivery	WEIGHT		AIR PRESSURE		AIR INLET
			mm	ml		kgs	lbs	psi	Kg/cm ²	
K-3	TYPE OF FEED:GRAVITY	6	0.5	100	ml/min	0.2	0.44	50	3.5	1/4"
F-3	TYPE OF FEED:GRAVITY	6	0.5	100	ml/min	0.2	0.44	50	3.5	1/4"
F-2	TYPE OF FEED:GRAVITY	6	0.5	100	ml/min	0.2	0.44	50	3.5	1/4"
HR-100	TYPE OF FEED:GRAVITY	6	0.8	100	ml/min	0.39	0.85	50	3.5	1/4"

Add:Wenjiao aokou industrial park ,Wenling,Zhejiang.
TEL:0086-576-86481888, 86970988
FAX:0086-576-86978456 , 86988456



ISO9001

LOW PRESSURE SPRAY GUN

HTTP://WWW.BSSAIRTOOLS.COM
E-MAIL:WEB@6481888.COM



MODEL:472B

Color Box:20PCS(57x31x56cm),17/15KGS



MODEL:527A

Color Box:20PCS(57x31x56cm),17/15KGS



MODEL:527B

Color Box:10PCS(57.5x27x33cm),12/10KGS



MODEL:472

Color Box:10PCS(57.5x27x33cm),12/10KGS
Double blister:10PCS(67x27.5x36.5cm),12/10KGS

MODEL	DESCRIPTION	AIR CONSUMPTION (100%)CFM	NOZZLE SIZE	CUP SIZE	Fluid(Water) Delivery	WEIGHT		AIR PRESSURE		AIR INLET
			mm	ml		kgs	lbs	psi	Kg/cm ²	
472B	LOW PRESSURE SPRAYGUN	8	1.3	1000	180-240	0.44	0.97	43	3	1/4"
527A	LOW PRESSURE SPRAYGUN	8	1.3	1000	180-240	0.44	0.97	43	3	1/4"
527B	LOW PRESSURE SPRAYGUN	8	1.3	1000	180-240	0.46	1.01	43	3	1/4"
472	LOW PRESSURE SPRAYGUN	8	1.3	1000	180-240	0.44	0.97	43	3	1/4"



MODEL:S112A

Color Box:10PCS(56.5x28.5x35.5cm),12/10KGS
Double blister:10PCS(67x27.5x36.5cm),12/10KGS



MODEL:S112B

Color Box:10PCS(56.5x28.5x35.5cm),12/10KGS
Double blister:10PCS(67x27.5x36.5cm),12/10KGS



MODEL:472A

Color Box:10PCS(57.5x27x33cm),12/10KGS
Double blister:10PCS(67x27.5x36.5cm),12/10KGS



MODEL:472A-2

Color Box:20PCS(59x31x57cm),18/16KGS
Double blister:10PCS(67x27.5x36.5cm),12/10KGS

MODEL	DESCRIPTION	AIR CONSUMPTION (100%)CFM	NOZZLE SIZE	CUP SIZE	Fluid(Water) Delivery	WEIGHT		AIR PRESSURE		AIR INLET
			mm	ml		kgs	lbs	psi	Kg/cm ²	
S112A	LOW PRESSURE SPRAYGUN	8	1.3	1000	180-240	0.6	1.32	50	3.5	1/4"
S112B	LOW PRESSURE SPRAYGUN	8	1.3	1000	180-240	0.38	0.84	50	3.5	1/4"
472A-2	LOW PRESSURE SPRAYGUN	8	1.5	1000	180-240	0.4	0.88	43	3	1/4"
472A	LOW PRESSURE SPRAYGUN	8	1.3	1000	180-240	0.44	0.97	43	3	1/4"

HTTP://WWW.BSSAIRTOOLS.COM
E-MAIL:WEB@6481888.COM


PAINTING EQUIPMENT

AIR POWER DIAPHRAGM PUMP

Top Quality Material
Available For Big Area Spraying High Efficiency



It is available for above spray gun



GLUE GUN

New design,excellent manufacture.
Fit for various of glue sticking working