

NINGBO NEWLAND IMPORT & EXPORT CO., LTD.

Add: No.69.Building 9, Qiming Rd 818, Yinzhou District, Ningbo, 315104, China
Tel:+86-574-87661144/88223566/88223866/88223966
Fax:+86-574-87661077
Email: admin@hk-newland.com
Website: https://www.hk-newland.com

Your Trusted One-Stop Veterinary Products Supplier Since 2002















BRIEF INTRODUCTION

NINGBO NEWLANDVET has been specializing in veterinary products since 2002 in China. Our extensive range of products include Poultry Drinkers and Feeders, Continuous Syringes, Metal Injectors, Plastic Steel Injectors, Various Needles, Drenches, Ear Marking , Pipe Fittings etc.

Our products are exported to Europe, the Americas, the Middle East, Africa and numerous other countries and regions worldwide, enjoying widespread global recognition. Boasting extensive OEM manufacturing experience, we are capable of custom-designing and developing diversified veterinary products tailored to specific functional requirements. With sustained R&D investment in technological innovation, we are committed to delivering comprehensive solutions for livestock identification and animal husbandry supplies.

NINGBO NEWLANDVET consistently strives to meet customers' high expectations through its skilled workforce, consistent premium quality and pioneering innovations. We implement full-process quality inspections covering everything from raw material procurement to final shipment. **NEWLANDVET** stays committed to manufacturing and supplying top-tier products at reasonable, competitive pricing.

We adhere to the development philosophy of "Mutual development for shared benefits".
Our core business tenets are competitive pricing, efficient production lead times and premium after-sales support. We aim to partner with more clients to pursue win-win growth. Prospective buyers are welcome to contact us, and our professional sales team will tailor full-range solutions to meet your needs.

CONTENTS

Veterinary Equipments

Continuous Injectors ---- 03-10
Veterinary Syringes ---- 11-16
Veterinary Needles ---- 17-22
Drenching Cannulas ---- 23-25
Measures ---- 26-31
Identifications ---- 32-42
Nipple Drinkers ---- 43-53
Bowls And Feeders ---- 54-80
Others ---- 81-103
Ai Equipments ---- 104-114

Farm Equipments

Animal Traps ---- 115-119
Fence & Insulators ---- 120-136
Farm Trolleys ---- 137
Pipe Fittings ---- 138-141

Equestrian Equipments

Horse Care ---- 142-156
Stable Products ---- 157-167

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL101 Double-barrel continuous injector

Description

- Left is 0.5ml , right is 1.0ml
- Double barrel
- Luer-lock adapter
- Brass raw material with chrome plated
- High-precision valve system
- Plastic handle
- Lightweight
- Easy to operate



NL102 1ml-A Continuous injector

Description

- Luer-lock adapter
- Brass raw material with chrome plated
- High-precision valve system
- Lightweight
- 0.1-1.0ml continuous and adjustable
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate



NL103 1ml-B Continuous injector

Description

- Luer-lock adapter
- Brass raw material with chrome plated
- High-precision valve system
- Lightweight
- 0.1-1.0ml continuous and adjustable
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate



NL104 1ml-C Continuous injector

Description

- Luer-lock adapter
- Brass raw material with chrome plated
- High-precision valve system
- Lightweight
- 0.1-1.0ml continuous and adjustable
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate



NL105 1ml-D Continuous injector

Description

- 1ml continuous injector with bottle holder
- Luer-lock adapter
- Brass raw material with chrome plated
- High-precision valve system
- Lightweight
- 0.1-1.0ml continuous and adjustable
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate



NL106 1ml-E Continuous injector

Description

- Luer-lock adapter
- Brass raw material with chrome plated
- High-precision valve system
- Lightweight
- 0.1-1.0ml continuous and adjustable
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate



NL107 2ml-A Continuous injector

Description

- Luer-lock adapter
- Brass raw material with chrome plated
- High-precision valve system
- Lightweight
- 0.1-2.0ml continuous and adjustable
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate



NL108 2ml-B Continuous injector

Description

- Luer-lock adapter
- Brass raw material with chrome plated
- High-precision valve system
- Lightweight
- 0.1-2.0ml continuous and adjustable
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL109 2ml-C Continuous injector

Description

- Luer-lock adapter
- Brass raw material with chrome plated
- High-precision valve system
- Lightweight
- 0.1-2.0ml continuous and adjustable
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate

Code	Spec.
NL109-1	2ml
NL109-2	10ml



NL110 2ml-D Continuous injector

Description

- 2ml continuous injector With bottle holder
- Luer-lock adapter
- Brass raw material with chrome plated
- High-precision valve system
- Lightweight
- 0.1-2.0ml continuous and adjustable
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate

Code	Spec.
NL110-1	2ml
NL110-2	5ml



NL111 2ml-E Continuous injector

Description

- Luer-lock adapter
- Brass raw material with chrome plated
- High-precision valve system
- Lightweight
- 0.1-2.0ml continuous and adjustable
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate



NL112 2ml-F Continuous injector

Description

- Luer-lock adapter with bottle holder
- Brass raw material with chrome plated
- High-precision valve system
- Lightweight
- 0.1-2.0ml continuous and adjustable
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate



NL113 Automatic syringe

Description

- Automatic syringe with tubing refilling
- Self-refilling with luer-lock adapter
- Polycarbonate heavy-duty body
- Transparent barrel
- Ergonomic shape handle design
- High calibration precision
- Can be sterilized at 130˚C

Code	Spec.
NL113-1	5ml-A automatic syringe
NL113-2	10ml-A automatic syringe



NL114 Automatic syringe

Description

- Automatic syringe with bottle holder
- Self-refilling with luer-lock adapter
- Polycarbonate heavy-duty body
- Transparent barrel
- Ergonomic shape handle design
- High calibration precision
- Can be sterilized at 130˚C

Code	Spec.
NL114-1	5ml-B automatic syringe
NL114-2	10ml-B automatic syringe



NL115 Automatic syringe with tube refilling

Description

Code	Spec.
NL115-1	1ml automatic syringe
NL115-2	2ml automatic syringe
NL115-3	5ml automatic syringe



NL116 Automatic syringe with bottle holder

Description

Code	Spec.
NL116-1	1ml automatic syringe
NL116-2	2ml automatic syringe
NL116-3	5ml automatic syringe

NEWLAND
NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL117 2ml Automatic syringe

Description

- 2ml automatic syringe with tube refilling
- Self-refilling with luer-lock adapter
- Polycarbonate heavy duty body
- Transparent barrel
- Ergonomic shape handle system
- High calibration accuracy
- Can be Sterilized at 130˚C



NL118 0.75ml Automatic syringe

Description

- 0.75ml automatic syringe with tube refilling
- Self-refilling with luer-lock adapter
- Polycarbonate heavy duty body
- Metal barrel
- Ergonomic shape handle system
- High calibration accuracy
- Can be Sterilized at 130˚C



NL119 3ml Automatic inoculator

Description

- New second-generation automatic inoculator for poultry
- Dosage: 3ml
- Smart & humanized design, light weight ensuring a safer & efficient inoculation.
- Made from premium material, oil-resistant, non-corrosive
- All parts & accessories can be autoclaved
- Easy to operate
- Comes with one set of disposable syringe as free replacement



NL120 6ml Automatic inoculator

Description

- New second generation automatic inoculator for poultry
- Dosage: 6cc
- Ergonomic shape handle for easy operation
- Double needles, more efficient
- Made from the best material, oil-proof, non-corrosive
- All parts & accessories can be autoclaved
- One set of disposable syringe as free replacement



NL121 Automatic self-filling syringe for injections with tube filling

Description

- Syringe capacity 2ml,5ml
- Dosage per stroke 0.5ml
- Premium plastic syringe with a very robust plastic barrel
- Wear-resistant metal fitting for cannulas
- Precise and stepless dosage adjustment
- Ergonomic design and easy to handle
- Supplied with hose



NL122 Automatic self-filling syringe for injections with bottle holder

Description

- With plastic basket for holding bottles
- Ergonomic design and simple to use for the smallest injection amounts
- Easily adjustable and precise dosing
- High dosing accuracy even for the smallest amounts
- Sturdy plastic basket protects against knocks or impact
- Medicine bottles can be changed quickly and easily
- Can be boiled

Code	Spec.
NL122-1	2ml
NL122-2	5ml



NL123 3ml Automatic injector with bottle holder

Description

- Metal/glass version
- High-tensile piston rod
- Shock and impact protection
- Quick and easy change of the medicine bottles



NL132 2ml Dual-needle high efficiency veterinary syringe equipment for poultry injection syringe

Description

- Left: 0.1-2ml, right: 0.5-2ml
- Luer-lock adapter
- Double barrel
- High-precision valve system
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL124 Automatic syringe with bottle holder

Description

- Syringe capacity 2ml and 5ml
- Ergonomic design for comfortable grip; enables prolonged use without hand fatigue
- Connect the long suction needle and external medicine barrel
- Install the liquid bottle for direct injection
- Constructed from premium stainless steel to resist chemical corrosion from medicines
- Sterilizable via boiling; ideal for high-volume injection on livestock farms

Code	Spec.
NL124-1	0.2-2ml
NL124-2	0.5-5ml



NL125 Multifunctional automatic continuous syringe for veterinary 1ml, 2ml & 5ml

Description

- Syringe capacity 1ml, 2ml and 5ml
- Accurate dosing with measurement markings
- Automatic self-filling for consistent delivery
- Durable metal & sturdy plastic construction for long life
- Easy to fill, clean & operate
- Smooth trigger pull and reliable liquid suction for high-efficiency vaccination

Code	Spec.
NL125-1	1ml
NL125-2	2ml
NL125-3	5ml



NL126 Self-refilling syringe

Description

- Syringe capacity 1ml, 2ml and 5ml
- Made of quality plastic stainless steel material, non-toxic and long-lasting
- Marked with a clear scale, the dosage is accurate
- Well-sealing design to prevent liquid leakage and reduce the waste of liquid
- Syringe can be operated with one hand, convenient and labor-saving
- Suitable for poultry and livestock, such as pigs, cattle and goats

Code	Spec.
NL126-1	1ml
NL126-2	2ml
NL126-3	5ml



NL127 2ml/5ml Continuous injector with bottle holder

Description

- Syringe capacity 2ml and 5ml
- Luer-lock adapter with bottle holder
- Brass raw material with chrome plated
- High-precision valve system
- Lightweight
- reusable and adjustable
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate

Code	Spec.
NL127-1	2ml
NL127-2	5ml



NL128 2ml/6ml Continuous injector with bottle holder

Description

- Luer-lock adapter with bottle holder
- Plastic material
- High-precision valve system
- Lightweight
- 0.5ml continuous and adjustable
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate

Code	Spec.
NL128-1	2ml
NL128-2	6ml



NL129 2ml/5ml Automatic injector with bottle holder

Description

- Luer-lock adapter with bottle holder
- Brass raw material with chrome plating
- High-precision valve system
- Lightweight
- 0.1-1ml continuous and adjustable
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate

Code	Spec.
NL129-1	2ml
NL129-2	5ml



NL130 2ml/6ml Automatic injector with bottle holder

Description

- Luer-lock adapter with bottle holder
- Brass raw material with chrome plating
- High-precision valve system
- Lightweight
- 0.1-1ml continuous and adjustable
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate

Code	Spec.
NL130-1	2ml
NL130-2	6ml



NL131 2ml/6ml Continuous vaccine bottle holder

Description

- Luer-lock adapter with bottle holder
- Metal and plastic material
- Highly accuracy, reusable
- Lightweight
- 0.5-6.0ml continuous and adjustable
- Precise dosage control
- Suitable for low-dosage injection
- Easy to operate

Code	Spec.
NL131-1	2ml
NL131-2	6ml

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL201 Metal syringe

Description

- Luer-lock adapter
- Brass raw material with chrome plating
- Glass barrel for effortless cleaning
- Adjustable rubber piston plunger
- Shock-resistant packaging with instruction paper

Code	Spec.	Code	Spec.
NL20110	10ml	NL20130	30ml
NL20120	20ml	NL20150	50ml
NL20120-B	20mlB	NL201100	100ml



NL202 20ml High-accuracy syringe

Description

- Luer-lock adapter
- Brass raw material with chrome plating
- Glass barrel for effortless cleaning
- Adjustable rubber piston plunger
- Shock-resistant packaging with instruction paper



NL203 Revolver syringe

Description

- All metal parts are made of brass material, nickel or chrome plated
- With calibration
- Marks on glass barrel
- Perfect dose adjustment
- Suitable for the inoculation of livestock
- Clean well with silicone oil & rubber washer can be replaced regularly

Code	Spec.
NL203-1	10ml revolver syringe dosage 0.25ml, 0.5ml and 1.0ml
NL203-2	30ml revolver syringe dosage 1.0–5.0ml
NL203-3	50ml revolver syringe dosage 1.0-5.0ml
NL203-4	20ml revolver syringe dosage 1.0-5.0ml



NL204 50ml Pistol syringe

Description

- Plastic handle is light and economic
- Metal handle is strong and durable
- Graduated barrel is made of TPX, which is able to endure high temperature and chemical corrosion
- Its simple dosage sleeve can be easily adjusted from 1-5ml
- The dosage is extremely accurate

Code	Spec.
NL204-1	50ml pistol syringe with plastic handle
NL204-2	50ml pistol syringe with metal handle



NL219 20ml/30ml Semi-automatic veterinary injection gun

Description

- Luer-lock adapter with bottle holder
- Brass raw material with chrome plated
- Adjustable
- Precise dosage control,1ml,2ml,3ml,5ml
- Suitable for low-dosage injection
- Easy to operate

Code	Spec.
NL219-1	20ml
NL219-2	30ml



NL220 50ml Syringe with metal handle plastic barrel precise and 5 step dosage setting (1-5ml) high accurate valve system

Description

- Automatic fixed-dose design delivers precise, fast vaccinations
- 50ml automatic syringe with sturdy plastic handle for effortless operation
- Ideal large-animal injection tool for cows, pigs and sheep
- Multi-dose syringe optimized for high-efficiency repeated injections



NL223 Semi-automatic continuous syringe

Description

- Lure-lock adapter
- The barrel is corrosion-resistant polymer PC
- The handle is aluminum alloy
- Fixed dosage enables one-handed continuous injection efficient and labor-saving
- Internal rubber seals prevent backflow and leakage

Code	Spec.
NL223-1	25ml
NL223-2	50ml



NL214 Stainless steel drencher gun

Description

- Stainless steel material barrel
- With an extra teat cannula
- Each piece with blister packaging

Code	Spec.
NL214-1	50ml
NL214-2	100ml

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL20505P NL20510P NL20520P NL20530P NL20550P

NL205 Plastic steel syringes without dose nut

Description

- Durable syringe with luer-lock adapter
- Ergonomic construction for comfortable grip
- Reusable
- High quality plastic(PC or TPX) with UV additive
- Available in assorted colors for piston, cap and handle
- Transparent barrel with engraved scale or transparent scale are favorable
- Sterilized by boiled water

Code	Spec.	Code	Spec.
NL20505P	5ml(PC)	NL20505T	5ml(TPX)
NL20510P	10ml(PC)	NL20510T	10ml(TPX)
NL20520P	20ml(PC)	NL20520T	20ml(TPX)
NL20530P	30ml(PC)	NL20530T	30ml(TPX)
NL20550P	50ml(PC)	NL20550T	50ml(TPX)



NL20610P NL20620P NL20630P NL20650P

NL206 Plastic steel syringes with dose nut

Description

- Durable syringe with luer-lock adapter
- Ergonomic construction for comfortable grip
- Reusable
- Metal plunger with engraved scale
- High quality plastic(PC or TPX) with UV additive
- Available in assorted colors for piston, cap and handle
- Transparent barrel with engraved scale or transparent scale are favorable
- Sterilized by boiled water

Code	Spec.	Code	Spec.
NL20610P	10ml(PC)	NL20610T	10ml(TPX)
NL20620P	20ml(PC)	NL20620T	20ml(TPX)
NL20630P	30ml(PC)	NL20630T	30ml(TPX)
NL20650P	50ml(PC)	NL20650T	50ml(TPX)



NL222-1 NL222-2 NL222-3 NL222-4

NL222 Plastic steel syringe

Description

- Suitable for livestock and veterinary

Code	Spec.
NL222-1	10ml
NL222-2	20ml
NL222-3	30ml
NL222-4	50ml



NL207 100ml Plastic steel syringe with rubber drenching nozzle

Description


- Durable syringe with luer lock adaptor or rubber drenching nozzle
- Ergonomic design
- Reusable
- High quality plastic(PC or TPX) with UV additive
- Color of plastic piston, cover and handle are favorable
- Transparent barrel with engraved scale or transparent scale are favorable
- Sterilized by boiled water



NL212 50ml Pistol syringe

Description

- Aluminum casting body with chrome plated
- Brass luer-lock with chrome plated
- With calibration
- Glass tube easy for cleaning
- Suitable for the inoculation of livestock
- Clean well with silicone oil & rubber washer can be replaced regularly



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL213 60ml Plastic drencher gun

Description

- 60ml plastic drencher gun with super nylon PP material handle white barrel
- Silicon gel tube with the length of 120cm
- Extra spring regard as tightening the joint of gun and tube
- Adjustable dosage 2.5ml, min 10ml and max 60ml
- Ergonomic shape handle system
- Logo printing available, color available
- Each piece with individual OPP bags, 25pcs per carton



NL215 Automatic animal continuous syringe drencher gun

Description

- Super chrome plated aluminum alloy drenching nozzle
- Ergonomic shape handle system, for longtime operation
- High transparent barrel with clear scale
- Each piece with blister packaging

Code	Spec.
NL21510	10ml continuous syringe drencher gun
NL21520	20ml continuous syringe drencher gun
NL21530	30ml continuous syringe drencher gun
NL21550	50ml continuous syringe drencher gun



NL216 Long arm continuous injector

Description

- Luer-lock adapter
- Long arm handle designed for big grumpy animals to prevent any possible danger
- Material: Brass with chrome plated cylinder, steel alloy arm, stainless steel push rod

Code	Spec.
NL216-1	10ml
NL216-2	20ml
NL216-3	30ml
NL216-4	50ml



NL226 Long arm continuous syringe

Description

- Luer-lock adapter
- Long arm handle designed for big grumpy animals to prevent any possible danger
- Material: Brass with chrome plated cylinder, steel alloy arm, stainless steel push rod

Code	Spec.
NL226-1	25ml
NL226-2	50ml



NL217 Metal drencher gun

Description

- Material: Brass with chrome plated cylinder
- Quartz glass with accurate graduation
- Accessories included

Code	Spec.
NL217-1	5ml
NL217-2	10ml
NL217-3	20ml
NL217-4	30ml



NL218 20ml/30ml Metal variable dose drencher with 90mm Nozzle

Description

- Brass with chrome-plated
- Designed to ensure livestock are medicated correctly, supporting high animal welfare standards and helping reduce resistance build-up
- For cattle, sheep, swine & large animals
- High-flow, blockage resistant valves delivers thick drench
- Easy to use dose adjustment system
- Calibrated in 1ml increments

Code	Spec.
NL218-1	20ml
NL218-2	30ml



NL221 Continuous drencher

Description

- Made of high-quality eco-friendly plastic: tough, durable and non-toxic
- Rounded tip design ensures safe administration for animals
- High precision graduated scale enables accurate dosing without medicine waste
- Dual-function for injection and oral dosing
- Interchangeable applicator head
- Labor-saving ergonomic non-slip grip paired with transparent liquid barrel
- Auto-rebound mechanism for effortless, high-efficiency operation
- High efficiency & fully reusable
- User-friendly operation, perfect for livestock disease prevention and treatment

Code	Spec.
NL221-1	35ml
NL221-2	70ml
NL221-3	200ml
NL221-4	300ml
NL221-5	500ml



NL224 Automatic animal continuous syirnge drencher gun, 60ml

Description

- Designed for safe and efficient livestock management
- Combining rugged stainless steel construction with ergonomic handling




NL225 Plastic drencher gun 30ml

Description

- An oral drencher with variable dosage up to 30ml
- Designed for use with a vast range of oral anti-parasitic agents
- The design of the drencher ensures operator comfort
- Easy administration, accurate dosing and durability
- Suitable for use with sheep, cattle, goats and swine


NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL301 Luer-lock hub veterinary needles

Description

- SUS304 stainless steel pipe
- Luer-lock brass rectangle hub
- Pipe & hub rivet connection in five direction
- Very sharp needle with tri-beveled
- 1 dozen per plastic box, 1 gross per white box
- 50 grosses with one export carton
- Diagonal straight line length 7.5mm





Length of hub is favorable from 11mm, 14mm, 18mm, 20mm

Item No.	Needles Gauge and Length		BOX/Case/Carton
	DxL (Gxinch)	DxL (mmxmm)	
NL301142	14G×2″	2.0×50	12/144/7200
NL30114112	14G×1 1/2″	2.0×40	12/144/7200
NL301141	14G× 1 ″	2.0×25	12/144/7200
NL3011434	14G×3/4″	2.0×20	12/144/7200
NL3011458	14G×1/2″	2.0×13	12/144/7200
NL301152	15G×2″	1.8×50	12/144/7200
Nl30115112	15G×1 1/2″	1.8×40	12/144/7200
NL301151	15G× 1 ″	1.8×25	12/144/7200
NL3011534	15G×3/4″	1.8×20	12/144/7200
NL3011558	15G×1/2″	1.8×13	12/144/7200
NL301162	16G×2″	1.6×50	12/144/7200
NL30116112	16G×1 1/2″	1.6×40	12/144/7200
NL301161	16G×1″	1.6×25	12/144/7200
NL30134	16G×3/4″	1.6×20	12/144/7200
NL3011658	16G×1/2″	1.6×13	12/144/7200
NL30118112	18G×1 1/2″	1.2×40	12/144/7200
NL301181	18G×1 ″	1.2×25	12/144/7200
NL3011834	18G×3/4″	1.2×20	12/144/7200
NL3011858	18G×5/8″	1.2×15	12/144/7200
NL3011812	18G×1/2″	1.2×13	12/144/7200
NL30120112	20G×1 1/2″	0.9×40	12/144/7200
NL301201	20G× 1 ″	0.9×25	12/144/7200



NL309 Round hub veterinary needles

Description

- SUS304 stainless steel pipe
- Luer-lock brass round hub
- Pipe & hub rivet connection in five direction
- Very sharp needle with tri-beveled
- 1 dozen per plastic box,1 gross per white box
- 50 grosses with one export carton
- Small or big knurl for your choice

Hub diameter is Φ8mm or Φ8.5mm

Item No.	Needles Gauge and Length		BOX/Case/Carton
	DxL (Gxinch)	DxL (mmxmm)	
NL309142	14G×2″	2.0×50	12/144/3600
NL30914112	14G×1 ½″	2.0×40	12/144/3600
NL309141	14G× 1 ″	2.0×25	12/144/3600
NL3091434	14G×3/4″	2.0×20	12/144/3600
NL3091458	14G×5/8″	2.0×15	12/144/3600
NL309152	15G×2″	1.8×50	12/144/3600
Nl30915112	15G×1 1/2″	1.8×40	12/144/3600
NL309151	15G× 1 ″	1.8×25	12/144/3600
NL3091534	15G×3/4″	1.8×20	12/144/3600
NL3091558	15G×5/8″	1.8×15	12/144/3600
NL309162	16G×2″	1.6×50	12/144/3600
NL30916112	16G×1 1/2″	1.6×40	12/144/3600
NL309161	16G×1″	1.6×25	12/144/3600
NL30934	16G×3/4″	1.6×20	12/144/3600
NL3091658	16G×5/8″	1.6×15	12/144/3600
NL30918112	18G×1 1/2″	1.2×40	12/144/3600
NL309181	18G×1 ″	1.2×25	12/144/3600
NL3091834	18G×3/4″	1.2×20	12/144/3600
NL3091858	18G×5/8″	1.2×15	12/144/3600
NL3091812	18G×1/2″	1.2×13	12/144/3600
NL30920112	20G×1 1/2″	0.9×40	12/144/3600
NL309201	20G× 1 ″	0.9×25	12/144/3600

Item No.	Needles Gauge and Length		Colour Code	BOX/Case/Carton
	G×inch	mm×mm		
NL302142	14G×2″	2.0×50	Brown	100/1000/4000
NL30214112	14G×1½″	2.0×40	Brown	100/1000/4000
NL302141	14G×1 ″	2.0×25	Brown	100/1000/4000
NL3021434	14G×3/4	2.0×20	Brown	100/1000/4000
NL3021458	14G×5/8	2.0×15	Brown	100/1000/4000
NL302162	16G×2″	1.6×50	Grey	100/1000/4000
NL30216112	16G×1½″	1.6×40	Grey	100/1000/4000
NL302161	16G×1 ″	1.6×25	Grey	100/1000/4000
NL3021634	16G×3/4	1.6×20	Grey	100/1000/4000
NL3021658	16G×5/8	1.6×15	Grey	100/1000/4000
NL302182	18G×2″	1.2×50	Green	100/1000/4000
NL30218112	18G×1½″	1.2×40	Green	100/1000/4000
NL302181	18G×1 ″	1.2×25	Green	100/1000/4000
NL3021834	18G×3/4	1.2×20	Green	100/1000/4000
NL3021858	18G×5/8	1.2×15	Green	100/1000/4000
NL3021812	18G×½	1.2×13	Green	100/1000/4000
NL30220112	20G×1½″	0.9×40	Pink	100/1000/4000
NL302201	20G×1 ″	0.9×25	Pink	100/1000/4000
NL3022034	20G×3/4	0.9×20	Pink	100/1000/4000
NL3022012	20G×1/2	0.9×13	Pink	100/1000/4000






NL302 Aluminum hub needles

Description

- SUS304 stainless steel pipe
- High-accuracy luer-lock aluminum hub
- Ultra-sharp, tri-bevelled, anti-coring needle
- Each piece with color-coded cartridges
- 100pcs with one neutral box (OEM packaging is favorable)


Item No.	Needles Gauge and Length		BOX/Case/Carton
	DxL (Gxinch)	DxL (mmxmm)	
NL310142	14G×2″	2.0×50	12/144/7200
NL31014112	14G×1 ½″	2.0×40	12/144/7200
NL310141	14G× 1 ″	2.0×25	12/144/7200
NL3101434	14G×3/4″	2.0×20	12/144/7200
NL3101458	14G×5/8″	2.0×15	12/144/7200
NL310152	15G×2″	1.8×50	12/144/7200
Nl31015112	15G×1 1/2″	1.8×40	12/144/7200
NL310151	15G× 1 ″	1.8×25	12/144/7200
NL3101534	15G×3/4″	1.8×20	12/144/7200
NL3101558	15G×5/8″	1.8×15	12/144/7200
NL310162	16G×2″	1.6×50	12/144/7200
NL31016112	16G×1 1/2″	1.6×40	12/144/7200
NL310161	16G×1″	1.6×25	12/144/7200
NL31034	16G×3/4″	1.6×20	12/144/7200
NL3101658	16G×5/8″	1.6×15	12/144/7200
NL31018112	18G×1 1/2″	1.2×40	12/144/7200
NL310181	18G×1 ″	1.2×25	12/144/7200
NL3101834	18G×3/4″	1.2×20	12/144/7200
NL3101858	18G×5/8″	1.2×15	12/144/7200
NL3101812	18G×1/2″	1.2×13	12/144/7200
NL31020112	20G×1 1/2″	0.9×40	12/144/7200
NL310201	20G× 1 ″	0.9×25	12/144/7200



NL310 Brass rectangle hub needle

Description

- SUS304 stainless steel pipe
- 6 x 6mm square hub
- Pipe & hub rivet connection in five direction
- Very sharp needle with tri-beveled
- 1 dozen per plastic box, 1 gross per white box
- 50 grosses with one export carton





NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144

Item No.	Needles Gauge and Length		Colour Code	BOX/Case/Carton
	G×inch	mm×mm		
NL30714112	14G×1 ½″	2.0×40	Brown	100/10000
NL307141	14G× 1 ″	2.0×25	Brown	100/10000
NL30716112	16G×1 1/2″	1.6×40	Grey	100/10000
NL307161	16G× 1 ″	1.6×25	Grey	100/10000
NL30718112	18G×1 1/2″	1.2×40	Pink	100/10000
NL307181	18G× 1 ″	1.2×25	Pink	100/10000
NL3071834	18G×3/4″	1.2×20	Pink	100/10000
NL3071858	18G×5/8″	1.2×15	Pink	100/10000
NL3071812	18G×1/2″	1.2×13	Pink	100/10000
NL30720112	20G×1 1/2″	0.9×40	Yellow	100/10000
NL307201	20G× 1 ″	0.9×25	Yellow	100/10000
NL3072034	20×3/4″	0.9×20	Yellow	100/10000
NL3072058	20G×5/8″	0.9×15	Yellow	100/10000
NL3072012	20G×1/2″	0.9×13	Yellow	100/10000
NL30721112	21G×1 1/2″	0.8×40	Green	100/10000
NL307211	21G× 1 ″	0.8×25	Green	100/10000
NL3072134	21G×3/4″	0.8×20	Green	100/10000
NL3072158	21G×5/8″	0.8×15	Green	100/10000
NL3072112	21G×1/2″	0.8×13	Green	100/10000
NL30722112	22G×1 1/2″	0.7×40	Bue	100/10000
NL307221	22G× 1 ″	0.7×25	Bue	100/10000
NL3072234	22G×3/4″	0.7×20	Bue	100/10000
NL3072258	22G×5/8″	0.7×15	Bue	100/10000
NL3072212	22G×1/2″	0.7×13	Bue	100/10000
NL30723112	23G×1 1/2″	0.6×40	Orange	100/10000
NL307231	23G× 1 ″	0.6×25	Orange	100/10000
NL3072334	23G×3/4″	0.6×20	Orange	100/10000
NL3072358	23G×5/8″	0.6×15	Orange	100/10000
NL3072312	23G×1/2″	0.6×13	Orange	100/10000
NL30725112	25G×1 1/2″	0.5×40	Red	100/10000
NL307251	25G× 1 ″	0.5×25	Red	100/10000
NL3072534	25G×3/4″	0.5×20	Red	100/10000
NL3072558	25G×5/8″	0.5×15	Red	100/10000
NL3072512	25G×1/2″	0.5×13	Red	100/10000


Other sizes are also available

NL307 Disposable hypodermic needle

Description

- Stainless steel cannula
- Translucent, colour-coded luer lock hub
- Ultra-sharp, tri-bevelled, anti-coring
- Blister packaging
- Sterile, non-pyrogenic
- Silicone coating assures ease of penetration
- Minimizing animal discomfort





NL308 Disposal syringe


Description

- Plastic sterile syringe
- Latex free, luer lock or luer slip, with or without needle
- We could supply 1ml,2ml,3ml,5ml,10ml,20ml,30ml, 50ml,60ml
- PE or blister packing


NL313 Medical suture needles

Description

- Material: high quality stainless steel
- Needle shape: straight round shape, rectangular triangle shape, circular arc shape
- Validity: 2 years



Straight



Rectangular Triangle





NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL311 Chromic catgut

Description

- High quality absorbable suture with one needle
- USP 2/0
- Metric: 3.5
- 1/2 circle round bodied 30mm
- Length: 75cm
- CE0197
- Package: 12pcs per box, 50boxes per carton



NL312 Catgut chromic absorbable suture

Description

- Sterile catgut suture.U.S.P
- USP 2/0
- Metric: 3.5
- Length: 50cm
- CE0197&ISO09001
- Package: 40boxes per carton



NL322 Skin staple remover

Description

- Avoid injury to epidermal tissue
- Provide fast and easy removal of surgical skin staples
- Simple, quick and easy to use with an ergonomic design to facilitate maximum control and offers exceptional performance
- Material:SS304+ABS
- Size:11.8cm



NL323 Disposable skin stapler

Description

- Material: SS304+ABS
- Length: 16cm
- Package: Packed in a polybag



NL320 Veterinary PVC disposal medical infusion I.V. set

Description

- Disposal for single use
- The clear drip chamber is easy for dripping speed
- Transparent PVC tube with roller clamp for easy adjusting the flux
- With intravenous sterile needle
- We customize the PVC tube length if needed
- Each set with one neutral OPP bag



NL306 Double needle (air needle)

Description

- Material: Brass cannula with nickel plated
- Double needles also called air needle
- With double wall for air intake
- Olive tip for PVC 4/7 tubing

Code	Spec.
NL306-1	Φ3mm x 100mm
NL306-2	Φ3mm x 200mm



NL304 Backbone needle

Description

- Brass material with chrome plated
- Packed in plastic box



NL305 Teat cannula

Description

- Teat cannula with luer lock adaptor
- Material: brass bottom and stainless steel pipe with chrome plated
- Size:Φ2.5mm

Code	Spec.
NL305-1	60/80mm teat cannula
NL305-2	80/100mm teat cannula
NL305-3	100/120mm teat cannula



NEWLAND
NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144

NL401/NL402 120xΦ6mm Drenching cannula

Description

- 120 x Φ6mm Drenching cannula
- NL401 Brass drenching cannula with chrome plated
- NL402 Brass drenching cannula without any plating
- NL401-1/NL402-1 match with plastic steel syringe adaptor
- Thread model match with plastic steel syringe directly

Code	Spec.
NL401-1/NL402-1	Luer lock adaptor model
NL401-2/NL402-2	Thread model (M6X1mm)





NL403 105xΦ10mm Drenching nozzle

Description

- Drenching cannula is made of brass raw material
- Each piece with one aluminum nut
- Strong silicon O-ring protect leaking
- M10 x 1.5mm thread

Code	Spec.
NL403-1	With chrome plated
NL403-2	Without any plating



NL404 180xΦ10mm Drenching cannula

Description

- Drenching cannula is made of brass raw material
- Each piece with one aluminum nut
- Strong silicon O-ring protect leaking
- M10 x 1.5mm thread

Code	Spec.
NL404-1	With chrome plated
NL404-2	Without any plating



NL405 180xΦ12mm Drenching cannula

Description

- Drenching cannula is made of brass raw material
- Each piece with one aluminum nut
- Strong silicon O-ring protect leaking
- M12 x 1.5mm thread

Code	Spec.
NL405-1	With chrome plated
NL405-2	Without any plating



NL406 150xΦ14mm Drenching cannula

Description

- Drenching cannula is made of brass raw material
- Each piece with one aluminum nut
- Strong silicon O-ring protect leaking
- M14 x 1.5mm thread

Code	Spec.
NL406-1	With chrome plated
NL406-2	Without any plating



NL407 150xΦ16mm Drenching cannula

Description

- Drenching cannula is made of brass raw material
- Each piece with one aluminum nut
- Strong silicon O-ring protect leaking
- M16 x 1.5mm thread

Code	Spec.
NL407-1	With chrome plated
NL407-2	Without any plating



NL408 180xΦ18mm Drenching cannula

Description

- Drenching cannula is made of brass raw material
- Each piece with one aluminum nut
- Strong silicon O-ring protect leaking
- M18 x 1.5mm thread

Code	Spec.
NL408-1	With chrome plated
NL408-2	Without any plating



NL409 220/140xΦ10mm Drenching cannula

Description

- Drenching cannula is made of brass raw material
- Each piece with one aluminum nut
- Strong silicon O-ring protect leaking

Code	Spec.
NL409-1	With chrome plated
NL409-2	Without any plating



NL410 Drenching cannula with special nut

Description

- Drenching cannula is made of brass raw material
- Each piece with one special nut
- Strong silicon O-ring protect leaking
- M10 x 1.0mm thread

Code	Spec.
NL410-1	200xΦ10mm drenching cannula
NL410-2	105xΦ10mm drenching cannula

NL411 190X 6mm Drenching cannula

Description

- Drenching cannula is made of brass raw material
- Lure lock model match with plastic steel syringe adaptor

Code	Spec.
NL411-1	With chrome plated
NL411-2	Without any plating



NEWLAND
NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL412 40xΦ0.9mm Bird drench nozzle

Description

- Hub material: brass
- Drenching needle material: stainless steel
- Length of hub:14mm

Code	Spec.
NL412-1	Straight 40xΦ0.9mm bird drench nozzle
NL412-2	Bent 40xΦ0.9mm bird drench nozzle



NL413 65xΦ1.2mm Bird drench nozzle

Description

- Hub material: brass
- Drenching needle material: stainless steel
- Length of hub:14mm

Code	Spec.
NL413-1	Straight 65xΦ1.2mm bird drench nozzle
NL413-2	Bent 65xΦ1.2mm bird drench nozzle



NL414 115xΦ1.6mm Bird drench nozzle

Description

- Hub material: brass
- Drenching needle material: stainless steel
- Length of hub:14mm

Code	Spec.
NL414-1	Straight 115xΦ1.6mm bird drench nozzle
NL414-2	Bent 115xΦ1.6mm bird drench nozzle



NL415 215xΦ3.0mm Bird drench nozzle

Description

- Hub material: brass
- Drenching needle material: stainless steel
- Length of hub:14mm

Code	Spec.
NL415-1	Straight 215xΦ3.0mm bird drench nozzle
NL415-2	Bent 215xΦ3.0mm bird drench nozzle



NL416 Bird spoon

Description

- Material: Stainless Steel 304

Code	Spec.
NL416-1	Dia.3.5x18.5cm(handle 12cm)
NL416-2	Dia.2.5x13.5cm(handle 9cm)



NL417 Bird controlled feeder spoon

Description

- Our stainless steel Bird Controlled Feeder Spoon is specially designed to aid in the feeding of young, sick and injured birds
- The shaped end helps to create a steady flow, whilst maintaining the control needed to provide the bird with the required feed
- The special moulded feeding spoon delivered via a tube and our medical grade 10ml Luer Syringe make for the perfect combo to create a controlled flow
- Available in two sizes, small or large, to suit different size birds



NL501 Digital veterinary thermometer

Description

- Temperature measuring within 15 seconds
- Calibrated, max, tolerance of 0.1℃(32~42℃)0.2F(89.6~107.6F)
- Measuring range 32℃~42℃(89.6F~107.6)
- Special design by ergonomic contoured shape for veterinary use
- Four digit display for accurate temperature measurement
- Instant conversion between celsius and Fahrenheit
- Come with batteries, blister packaging

Code	Spec.
NL501-1	Flexible tip digital thermometer
NL501-2	Fixed tip digital thermometer



NL502 Thermometer electronic

Description


- Flexible tip and fixed tip are all available
- Range 90°F-109.9°F ±2°F or 32°C-43.9°C ±1°C depend on scale selection
- Replaceable 1.55v (LR41) type battery provides up to 1,500 measure me
- Specially designed housing with lanyard attachment for enhanced removal
- Integral carry case
- Safe-Test Alarm/Memory/Beeper



NL516 Digital veterinary thermometer

Description

- Digital thermometer for large animal in ˚C/°F
- With integral case



NL527/NL528 Milk thermometer-floating

Description

- Material: PS
- Boil proof
- With suspension eye
- For safety, fluids in thermometer are either kerosene or alcohol based and do not have mercury

Code	Spec.
NL527	Length: 29cm, measure range: -10-110˚C
NL528	Length: 35cm, measure range: -10-120˚C



NL532 Dairy shed thermometer

Description

- Non-glass polycarbonate face
- 45mm large dial
- Easy to read temperature in both Celsius and Fahrenheit benefits
- Temperature range -10°C to 110°C
- Compact size with convenient clip

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL506 Maxi/mini thermometer digital

Description

- Material: high quality plastic
- Measuring range: -20℃~50℃
- Accuracy: +/-1℃
- Operating voltage: 1.5V(AAA)



NL517 Electronic thermometer

Description

- Electronic thermometer, hygrometer and clock
- Measuring Range:50℃~70℃ or -58°F~158°F; 10%RH~99%RH
- Accurcy: +/-1℃ or +/-2°F, +/-5%RH
- Display Resolution: 0.1℃ or 0.1°F, 1%RH
- C/F Swich
- Max/Min Temperature Records
- Date/Time display
- Operating Voltage: 1.5V(AAA)

Code	Spec.
NL517-1	Electronic thermometer with wire
NL517-2	Wireless electronic thermometer



NL503 Metal hygrometer

Description

- High precision & accurate reading
- Metal dial casing, customizable in white, yellow, blue, etc
- User-friendly, simple operation



NL504 Anemometer

Description

- Electronic portable anemometer wind meter measures
- Measuring wind speed & temperature
- Digital anemometer GM816 with hoister or without hoister
- Accuracy of air velocity: +-5%
- Resolution: 0.2℃;0.1m/s
- Spare battery prepared
- Individual blister packaging offer



NL509 Cattle hand counter

Description

- Cattle hand counter is lightweight and durable
- Designed to fit comfortably in the palm of your hand
- Convenient metal ring slides onto finger for a stable grip
- Nickel plated



NL512 Hanging weight scale

Description

- For general purpose use in the home, farm, or shop
- Easy to read dial protected by plastic cover
- Dial approx. 6.5″ in diameter
- Zero dial helps maintain accuracy
- Metal "S" hooks above and below facilitates hanging; portable
- Measures in pounds and kilos

Code	Spec.
NL512-1	11 lb/5 kg capacity with 1 lb/20 gm gradations
NL512-2	22 lb/10 kg capacity with 2 lb/50 gm gradations
NL512-3	55 lb/25 kg capacity with 4 lb/100 gm gradations
NL512-4	110 lb/50 kg capacity with 8 lb/200 gm gradations
NL512-5	220 lb/100 kg capacity with 1 lb/500 gm gradations



NL510 Digital counter

Description

- Digital counter is lightweight and durable
- Easy reset button on the front
- String easy for carry
- Memory and digital screen easy for reading



NL513 Hanging clasp scale

Description

Code	Spec.
NL513-1	12kg/26.4lb
NL513-2	25kg/55lb
NL513-3	50kg/110lb
NL513-4	100kg/220lb



NL514 Hanging scale with steel tape

Description

- Definition: ±0.25kg/± 0.50lb
- Equipped with hooks on both top and bottom
- With 1meter/39 inch long steel tape
- Ideal weighing application, agriculture, hardware, fishing, general industrial needs

NEWLAND
NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL511 Combi tape measuring

Description

- Tape placed in a plastic casing
- The tape (1.50 m/5.05 ft) coils up automatically with a push button
- Metric and Inch double unit
- OEM printing is favorable

Code	Spec.
NL511-1	Length measuring
NL511-2	Weight & length measuring
NL511-3	Scrotal measuring tape 80cm



NL5151 Single-head stethoscope

Description

- Anodized aluminum chest piece
- Chrome-plated brass binaural tube
- Optional white plastic or soft silicone ear tips



NL5152 Double-head stethoscope

Description

- Anodized aluminum chest piece
- Chrome-plated brass binaural
- Ear tips available in white plastic or soft silicone
- Y-PVC tube is assorted colors: black, yellow, red, pink, orange, green, white, gray, brown, lavender. etc



NL5153 Sprague rappaport stethoscope

Description


- Silver plated head, standard PVC tubing
- Comes complete with a clear multi-pocket
- Each set with one spare parts bag
- Color of tube is available



NL520/NL521 Supreme funnel-160mm & 235mm

Description

- Easy to use funnels suitable for agriculture, manfacturing and
- Automotive industries
- High impact resistant UV stabilized polypropylene
- Easy grip side handle makes pouring simple
- Removable filter
- Flexible screw on nozzle
- Chemical resistant formulation
- Available in two sizes: 160mm & 235mm diameter



NL524 Chemical measuring cylinders

Description

- Very useful for measuring liquids
- Top quality and resistant to most chemicals
- Graduations in 5ml increments

Code	Spec.
NL524-1	Measuring cylinder 100ml
NL524-2	Measuring cylinder 250ml
NL524-3	Measuring cylinder 500ml



NL525 Chemical measuring jugs

Description

- Excellent quality and resistant to most chemicals
- These jugs are designed to ensure safety
- Made from food-grade polypropylene that is suitable for food contact
- Extra wall thickness to ensure strength and durability
- The dual purpose non-drip spout allows controlled pouring
- Extra space between the full measure and the top of the jug reduce the risk of spillage
- Raised and printed graduations

Code	Spec.	Code	Spec.
NL525-1	Measuring jug 300ml	NL525-2	Measuring jug 500ml
NL525-3	Measuring jug 1000ml	NL525-4	Measuring jug 2000ml
NL525-5	Measuring jug 3000ml	NL525-6	Measuring jug 5000ml



NL526 Chemical measuring bucket

Description

- Material: PE with UV additive
- Resistant to most chemicals
- V shaped spout for excellent pouring control
- Easy and safe to hold
- Raised measuring graduations
- Available in two sizes – 15000ml & 25000ml

Code	Spec.
NL526-1	Measuring bucket 15000ml
NL526-2	Measuring bucket 25000ml

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144




NL518 250mm(10″) Rain gauge

Description

- Round shape 250mm(10″) rain guage
- Strong PP material in Overflow tube and funnel, with UV additive
- High definition clearance of inner measuring tube, for easier scale observation
- The mounting bracket could be mounted in any vertical post or horizontal holes
- Any color customized
- Each with individual color box, 12pcs per carton
- Graduation in mm & inch at the same time




NL519 150mm(6″) Rain gauge

Description

- Dual scale - measures 6″ and 150mm
- Flat base for easy cleaning
- Wedge shape allows for easy reading of even light rainfall
- Built tough to survive harsh storms, virtually unbreakable
- Accurately measures rainfall
- Quick and easy to install
- UV resistance, non-yellowing, and won't rust for longer life




NL522 17″ Rain gauge with ground spike

Description

- Material: PS
- Size: dia.8 x 43.5cm(long, spike length included)
- Easy to install
- Conical reservoir rain gauge has a sturdy spike at the base spike it into the ground and the water level can be clearly read from the scale on the side




NL523 5″ Garden plastic rain gauge

Description


- Material: PS
- Size: 31 x 7 x 3.8cm
- Measures up to 5″ of rainfall
- Mounts easily on walls or stakes into the ground
- Easy to read: numbers are magnified by over 35%
- Easy setup: integrated hang hole for easy mounting or stake sets easily into the ground
- Weather resistant acrylic



NL533 Brix refractometre

Description

- Scale from 0 to 32%, with automatic temperature compensation between +10°C and +30°C
- Easy to use and the most practical method for on-farm assessment of the quality of colostrum
- A reading of over 22% or greater indicates good quality colostrum
- 1pcs/box, including pipette, instruction manual, mini screw driver and cleaning cloth




NL601 large size ear tags

Description

- Size: W72 x H58.5mm
- Material: polyurethane with UV additive
- Packaging: 10 sets per line. 1,000pcs per carton
- Fitting for our ear tag applicator NL611

Code	Spec.
NL601-1	Large size ear tag without number
NL601-2	Large size ear tag with laser printing number (English letter or number is available)




NL602 Medium size ear tags

Description

- Size: W58 x H44mm
- Material: polyurethane with UV additive
- Packaging: 10 sets per line. 1,000pcs per carton
- Fitting for our ear tag applicator NL611

Code	Spec.
NL602-1	Medium size ear tag without number
NL602-2	Medium size ear tag with laser printing number (English letter or number is available)




NL603 Small size ear tags

Description

- Size: W41 x H26mm
- Material: polyurethane with UV additive
- Packaging: 10 sets per line. 1,000pcs per carton
- Fitting for our ear tag applicator NL611

Code	Spec.
NL603-1	Small size ear tag without number
NL603-2	Small size ear tag with laser printing number (English letter or number is available)




NL604 Quadrate ear tags

Description

- Size: W52 x H18mm
- Material: polyurethane with UV additive
- Packaging: 10 sets per line. 2,000pcs per carton
- Fitting for our ear tag applicator NL611

Code	Spec.
NL604-1	Quadrate size ear tag without number
NL604-2	Quadrate size ear tag with laser printing number (English letter or number is available)

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL605 Small size insurance ear tags

Description

- Size: W42 x H26mm
- Material: polyurethane with UV additive
- Packaging: 10 sets per line. 1,000pcs per carton
- Fitting for our ear tag applicator NL611

Code	Spec.
NL605-1	Small size insurance ear tag without number
NL605-2	Small size insurance ear tag with laser printing number (English letter or number is available)



NL606 Big size insurance ear tags

Description

- Size: W65 x H50 mm
- Material: polyurethane with UV additive
- Packaging: 10 sets per line. 1,000pcs per carton
- Fitting for our ear tag applicator NL611

Code	Spec.
NL606-1	Big size insurance ear tag without number
NL606-2	Big size insurance ear tag with laser printing number (English letter or number is available)



NL635 Cattle ear tag

Description

- Size: W74 x H104mm
- Material: TPU with UV additive

Code	Spec.
NL635-1	Cattle ear tag without number
NL635-2	Cattle ear tag with laser printing number (English letter or number is available)



NL636 Small size Insurance ear tag

Description

- Size: W60 x H65mm
- Material: TPU with UV additive

Code	Spec.
NL636-1	Insurance ear tag without number
NL636-2	Insurance ear tag with laser printing number (English letter or number is available)



NL637 Medium size Insurance ear tag

Description

- Size: W58 x H78mm
- Material: TPU with UV additive

Code	Spec.
NL637-1	Insurance ear tag without number
NL637-2	Insurance ear tag with laser printing number (English letter or number is available)



NL638 Big size insurance ear tag

Description

- Size: W75 x H115mm
- Material: TPU with UV additive

Code	Spec.
NL638-1	Insurance ear tag without number
NL638-2	Insurance ear tag with laser printing number (English letter or number is available)




NL607 Spike ear tags

Description

- Size: L82 x W14mm
- Material: polyurethane with UV additive
- Packaging: 10 sets per line. 2,000pcs per carton
- Fitting for our ear tag applicator NL611

Code	Spec.
NL607-1	Spike ear tag without number
NL607-2	Spike size ear tag with laser printing number (English letter or number is available)




NL608 Easy ear tags

Description

- Size: L72 x W8mm
- Material: polyurethane with UV additive
- Packaging: 10 sets per line. 5,000pcs per carton

Code	Spec.
NL608-1	Easy ear tag without number
NL608-2	Easy size ear tag with laser printing number (English letter or number is available)

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL639 One piece sheep ear tag

Description

- Size: W8 x H74mm
- Material: TPU with addivtive
- Without printing number

Code	Spec.
NL639-1	Sheep ear tag without number
NL639-2	Sheep ear tag with laser printing number (English letter or number is available)



NL609 Electronic ear tag for goat with FDX chip

Description

- Material: TPU
- Size: D31.4 x H12mm
- Frequancy: 134.2khz
- Reading data: 20-50cm
- Chip style: EM4305 import chip
- Chip capacity:256bits
- Lifetime: 5-10 years
- Working tempreture: 0-50℃

Code	Spec.
NL609-1	Electronic ear tag without number
NL609-2	Electronic ear tag with laser printing number



NL610 Electronic ear tag for goat with HDX chip

Description

- Size: 30.4 x 11.5mm
- Material: TPU
- Material: polyurethane with UV additive.
- Packaging: 10sets per line, 1,000pcs per carton.
- Fitting for ear tag applicator NL611 (English letter or number is available)



NL642 UHF RFID electronic sheep ear tag

Description

- Material: TPU with UV additive
- Size: W18 x H53mm
- Chip style: UHF
- Frequency: 860-960khz

Code	Spec.
NL642-1	Ear tag without number
NL642-2	Ear tag with laser printing number (English letter or number is available)




NL643 HF RFID electronic ear tag poultry wing mark

Description

- Material: TPU with UV additive
- Size: W30 x H60mm
- Chip style: UHF
- Frequency: 860-960khz

Code	Spec.
NL643-1	Ear tag without number
NL643-2	Ear tag with laser printing number (English letter or number is available)




NL644 UHF RFID electronic cattle ear tag

Description

- Material: TPU with UV additive
- Size: W27 x H96mm
- Chip style: UHF
- Frequency: 860-960khz

Code	Spec.
NL644-1	Ear tag without number
NL644-2	Ear tag with laser printing number (English letter or number is available)



NL645 UHF RFID electronic cattle ear tag

Description

- Material: TPU with UV additive
- Size: W70 x H80mm
- Chip style: UHF
- Frequency: 860-960khz

Code	Spec.
NL645-1	Ear tag without number
NL645-2	Ear tag with laser printing number (English letter or number is available)



NL646 UHF RFID electronic round ear tag

Description

- Material: TPU with UV additive
- Size: dia 32mm, height 22mm, thickness 2.5mm
- Chip style: UHF
- Frequency: 860-960khz

Code	Spec.
NL646-1	Ear tag without number
NL646-2	Ear tag with laser printing number (English letter or number is available)

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL624 Round ear tag

Description

- Size: Diameter 30mm
- Material: Polyurethane with UV additive

Code	Spec.
NL624-1	Round ear tag without number
NL624-2	Round ear tag with laser printing number (English letter or number is available)



NL625 Triangle ear tag

Description

- A whole set of ear tag including male part and female part
- Size: 5.5 x 7.5CM
- Material: TPU
- With zink alloy pin

Code	Spec.
NL625-1	Triangle ear tag without number
NL625-2	Triangle ear tag with laser printing number (English letter or number is available)




NL641 Double ear tag

Description

- Size: W55 x H76mm
- Material: TPU with UV additive, without number or with laser printing number all available

Code	Spec.
NL641-1	Ear tag without number
NL641-2	Ear tag with laser printing number (English letter or number is available)




NL627 Big size ear tag for cow

Description

- Size: W77 x H110mm
- Material: polyurethane with UV additive
- Packaging:10sets per line, 1,000pcs per carton
- Fitting for ear tag applicator NL611

Code	Spec.
NL627-1	Big size ear tag without number
NL627-2	Big size ear tag with laser printing number (English letter or number is available)




NL628 Medium size ear tag for cow

Description

- Size: W60 x H80mm
- Material: polyurethane with UV additive.
- Packaging: 10sets per line, 1,000pcs per carton.
- Fitting for ear tag applicator NL611

Code	Spec.
NL628-1	Medium size ear tag without number
NL628-2	Medium size ear tag with laser printing number (English letter or number is available)



NL629 Small size ear tag for cow

Description

- Size: W45 x H60mm
- Material: polyurethane with UV additive
- Packaging: 10sets per line, 1,000pcs per carton
- Fitting for ear tag applicator NL611

Code	Spec.
NL629-1	Small size ear tag without number
NL629-2	Small size ear tag with laser printing number (English letter or number is available)



NL640 Neck tag

Description

- Size: W65 x H80mm
- Material: TPU with UV additive

Code	Spec.
NL640-1	Without number
NL640-2	With laser printing number (English letter or number is available)



NL619 RFID ear tag reader

Description

- ARM(STM32) processor
- Working frequency:134.2KHz/125KHz
- Storage temperature: -30℃-65℃
- Operating temperature: -30℃-50℃
- Certificates: CE, RoHS
- Continuous working hours:12 hours

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL611 Ear tag applicator

Description

- A must for applying Global ear tags
- Removable black plastic clip for applying electronic ear tags
- Deep jaw makes proper placement easier
- Grip is designed to ease hand fatigue from repeated use
- Each ear tag applicator with two super quality pin
- Sandy surface for protecting slipping
- Packaging: each piece with one blister packaging
- OEM packaging is available



NL631 One piece tag applicator

Description

- A must for applying global ear tags
- Deep jaw makes proper placement easier
- Sandy surface for protecting slipping
- 1PC/blister card



NL647 3-in-1 Ear tag applicator

Description

- Material: SS304
- No rusting and designed with built in pushers to ensure the tags are positioned correctly every time
- Weight: 700g
- Blister packing



NL649 Multi tag applicator

Description

- Made of solid construction, light and strong
- Length: 20cm
- Weight: 320g



NL650 Automatic ear tag applicator

Description

- Size: 310mm, weight: 1.1kg
- Speed: 120 times/min
- Battery: DC21V 5C 2000mah
- Voltage: 100V-240V
- Package: one set per plastic box
- Whole set weight: 2.5kg

Packing list:

1x Electric Ear tag pliers
2x Battery
1x Charger
1x accessories tool set
9x spare needles
1x plastic box



NL612 Nail cutter

Description

- Material: steel with zinc or chrome plated
- With rubber handle
- Each piece with one neutral box
- OEM packaging is available



NL613 Ear notches

Description

- Suitable for full grown livestock
- Available as a V or U shape
- Notch up to 22mm deep, 20mm wide at base
- Comes with adjustable depth gauge
- Length 19cm

Code	Spec.
NL613-1	"U"shape ear notch
NL613-2	"V"shape ear notch



NL626 Animal ID microchips transponder syringe

Description

- Animal-identification system ISO 11784/11785
- Microchip frequency: 134.2KHz
- Storage temperature: -20℃ to +50℃; operation
- Temperature: 0℃ to 50℃
- With 5 years guarantee
- Weight: 6.86g, length: 111mm, width: 50mm

Code	Spec.
NL626-1	Tag: 1.4 x 8mm
NL626-2	Tag: 2.12 x 12mm



NL622 Ear tag marking crayon

Description

- Material: 50% soft wax, 20% white oil, and filling material
- Capacity: 65-70g
- Melting point: 48℃
- Color: red, yellow, blue, green, black are all available




NL632 Marking spray top marker

Description

- For marking cattle, horses, goats or pigs
- Capacity: 400ml/tin (tinφ65x158mm)
- Color intensive and quick-drying
- Marking in best quality

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL616/617 Plastic leg strap

Description

- Plastic leg strap
- Material: Polyurethane and EVA material available for choice


Code	Spec.
NL616-1	36 x 3cm
NL616-2	37 x 3.2cm
NL617	59 x 3cm



NL623 Ear tag mark pen

Description

- High quality mark pen in bold word
- Double-end mark pen



NL618 Leg tag velcro

Description

- Velcro leg bands for temporary identification
- Apply by wrapping around cows legs and pressing to secure velcro
- Leg bands are reusable and easy to clean
- Available in Blue, Green, Orange, Pink, Red and Yellow and mixed colors

Code	Spec.
NL618-1	37 x 5cm
NL618-2	37 x 2.5cm



NL630 Cattle neck tag with collar

Description

- Material: TPU
- Color: customized
- Number: 0-9 numbers



NL634 Fluorescent flagging tape

Description

- Highly visible flagging tape is non-adhesive plastic marking ribbon used for surveying, mapping, tagging, roping off areas or any other marking applications.
- Knots without tearing
- Hand-tearable and UV stabilized.
- Size: 1″ x 100M/Roll
- Material: PVC
- Color: Flo Yellow, Flo Orange, Flo Pink, Flo Lime, Flo Rocket Red, Flo Blue, Flo Green



NL633 Cow/goat bell

Description

- Made of steel with a copper finish
- The bell can be heard at long distances

Code	Spec.
NL633-1	Cow bell: 10.5 x 6.7 x 14.5cm
NL633-2	Goat bell: 7.5 x 6 x 8cm



NL621 Poultry leg ring

Description

- Material: PP
- 100pcs with a plastic box

Code	Spec.
NL621-1	Weight: 0.25g, height: 8mm, ID: 8mm, OD: 11.5mm
NL621-2	Weight: 0.32g, height: 9mm, ID: 12mm, OD: 15mm
NL621-3	Weight: 0.67g, height: 10.5mm, ID: 16mm, OD: 20mm
NL621-4	Weight: 1.0g, height: 10.5mm, ID: 21mm, OD: 23mm



NL620 Marking collar

Description

- Steel with nickel plated buckle
- Belt width: 25mm & 40mm
- Length: 60cm,80cm for goat, 90cm,120cm,135cm for cow
- Various colors available

Code	Spec.
NL620-1	90 x 4cm
NL620-2	120 x 4cm
NL620-3	135 x 4cm
NL620-4	60 x 2.5cm
NL620-5	80x 2.5cm

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL701 1/2" Stainless steel piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH22 stainless steel hex rod
- With diameter 6mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL702 1/2" Brass piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is produced by CH22 stainless steel hex rod
- With diameter 6mm pin(stainless steel pin or brass pin)
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL703 1/2" Stainless steel piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH22 stainless steel hex rod
- With diameter 5mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL704 1/2" Stainless steel piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod, with 2 sides milling opener
- With diameter 5mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL705 1/2" Brass piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is produced by diameter 21mm rod
- with diameter 6mm pin(stainless steel pin or brass pin)
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL706 1/2" Stainless steel piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod, with 4 side milling opener
- With diameter 5mm pin
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL707 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod
- With diameter 6mm pin
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL708 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL709 NL710

NL709/NL710 3/8" Piglet nipple drinker

Description

- G-3/8" thread (European pipe thread) or NPT-3/8" (American pipe thread) is favorable
- Brass bottom and stainless pipe is connected by the thread and thread glue
- With diameter 12mm / 7mm pin
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL711 NL712

NL711 3/8" Brass piglet nipple drinker
NL712 3/8" Stainless steel piglet nipple drinker

Description

- G-3/8" thread (European pipe thread) or NPT-3/8" (American pipe thread) is favorable
- Complete brass / stainless body is produced by diameter 17mm rod
- With diameter 5mm / 6mm pin
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL713 1/2" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is produced by CH22 hex rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL714 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH22 hex rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL715/NL716/NL717 1/2" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Brass bottom and stainless pipe is connected by the thread and thread glue
- With diameter 8mm/8mm/12mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL718/NL719 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Stainless bottom and stainless pipe is connected by the thread and thread glue
- With diameter 12mm / 8mm pin
- With big cutter
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL720 1/2" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Brass bottom and stainless pipe is connected by the thread and thread glue
- With diameter 12mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL721 1/2" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is made from diameter 22mm rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL722 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is made from diameter 22 rod
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL723 1/2" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is made from diameter 25 hex rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL724 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is made from CH25 hex rod
- With diameter 12mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL725 1/2" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is made from CH22 hex rod
- With diameter 17mm pin
- With two holes
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable





NEWLAND
NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL726 NL727 NL728

NL726/NL728 1/2" Brass nipple drinker
NL727 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- complete brass / stainless steel body is made from CH22 hex rod
- With diameter 17mm pin; With two / three holes
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL729 NL730

NL729 1/2" Stainless steel nipple drinker
NL730 1/2" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is made from CH22 hex rod
- With diameter 17mm pin
- With slit
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL731
Stainless steel antifreeze valve



NL732
Brass antifreeze valve



NL733
Brass antifreeze valve



NL734
Brass antifreeze valve

Description

- Complete body is made from brass round rod
- Cut by CNC machine
- With NBR-90 O-ring



NL737
1/2" Stainless steel nipple drinker



NL739
1/2" Stainless steel nipple drinker



NL740
1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH22 hex rod / diameter 21mm rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL735 NL736

NL735/NL736 1/2" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL738 1/2" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is produced by CH22 hex rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL741 1/2" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Brass bottom and stainless steel pipe is connected by thread and thread glue
- With diameter 12mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL742 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH22 hex rod
- With diameter 12mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL743 3/4" Stainless steel nipple drinker

Description

- G-3/4" thread (European pipe thread) or NPT-3/4" (American pipe thread) is favorable
- Stainless steel bottom and pipe is connected by thread and thread glue
- With diameter 8mm pin
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available





NEWLAND
NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL744 3/4" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH25 hex rod
- With diameter 12mm pin
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL745 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Stainless steel bottom and pipe is connected by the thread and thread glue
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL746 NL747

NL746/NL747 1/2" Female stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod, CH22 hex rod
- With diameter 8mm pin
- With special plastic filter
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL748 1/2" Female brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is produced by CH22 hex rod
- With diameter 8mm pin
- With special plastic filter
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL749 1/2" Stainless steel antifreeze valve

Description

- Made from stainless steel CH22 hex rod
- Cut by CNC machine
- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- With NBR-90 O-ring



NL750 1/2" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is made from brass die-casting
- With special diameter 10mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL751 1/2" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Brass body is made from brass die-casting
- With special diameter 10mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL752 1/4" Rabbit nipple drinker

Description

- G-1/4" thread (European pipe thread) or NPT-1/4" (American pipe thread) is favorable
- Stainless steel body is made from stainless steel round rod
- With diameter 5mm pin
- Inner with stainless steel ball
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL753 NL754

NL753/NL754 1/2" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Brass body is made from brass die-casting
- With professional pin
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL755 NL756

NL755 1/2" Brass nipple drinker
NL756 1/2" Female brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is produced by CH22 stainless steel hex rod
- With diameter 8mm pin(stainless steel pin or brass pin)
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL757 1/2" Female stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH22 hex rod
- With diameter 12mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL758 1/2" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is produced by CH22 hex rod
- With cap bottom
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL759 1/2" Ball type nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH22 hex rod
- With ball bite
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL760 3/4" Ball type nipple drinker

Description

- G-3/4" thread (European pipe thread) or NPT-3/4" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH25 hex rod
- With ball bite
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL761 3/4" Ball type nipple drinker

Description

- G-3/4" thread (European pipe thread) or NPT-3/4" (American pipe thread) is favorable
- Brass bottom and stainless steel pipe is connected by the thread and thread glue
- With ball bite
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL762/NL763/NL764 1/2" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Brass bottom and stainless steel pipe is connected by the thread and thread glue
- With diameter 8mm/8mm/12mm pin
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL765/NL766 3/4" Nipple drinker

Description

- G-3/4" thread (European pipe thread) or NPT-3/4" (American pipe thread) is favorable
- Brass bottom and stainless steel pipe is connected by the thread and thread glue
- With diameter 8mm pin, 12mm pin
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL767 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete body is produced by diameter 21 round rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL768 Automatic steel ball poultry water nipple drinker for chicken

Description

- Stainless steel and plastic material, with one steel ball inside
- With 360 degree sensitivity, no rusty, leakage and guarantee water flux smoothly
- Easier to been dismounted and replaced
- Adjust the right amount of water flux to meet different climate and room conditions



NL773 Poultry water nipple drinker

Description

- Stainless steel and plastic material, with one steel ball inside
- With 360 degree sensitivity, no rusty, leakage and guaranteen water flux smoothly
- Easier to been sidmointed and replaced
- Poultry water nipples can easy install on the pipe or bucket, saving much labor





NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL779 Adjustable stainless steel drinker pipe

Description

- Adjustable height pipes and brackets-fastening brackets that can be adjusted up and down by hand! No tools required! No more rusted bolts to loosen!
- Material: SS304
- Size: Outer dia.21mm, thickness:2mm height:65cm, customized size is available
- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is available

NL780 Stainless steel fixed height drinking pipe

Description

- Fixed height drinker pipes with welded plates for solid mounting
- Material: SS304
- Size:Outer dia.21mm,thickness:2mm height: 65cm, customized size also available
- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is available

NL781 Stainless steel pig drinking pipe

Description

- Material: SS304
- Outer dia.21mm, thickness:2mm height:40cm
- Feet part 5-6cm, angle: 90-95degree
- Customized size is available
- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is available

NL782 Stainless steel pig drinking pipe

Description

- L shape
- Material: SS304
- Outer dia:21mm, thickness:2mm, height:50cm
- Customized size is available
- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is available

NL783 Stainless steel pig drinking pipe

Description

- Material:SS304
- Outer dia:21mm, thickness:2mm, height:60cm
- Customized size is available
- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is available

NL784 Stainless steel pig drinking pipe with hang ring

Description

- S shape
- Material: SS304
- Outer dia.21mm, thickness:2mm,height:48cm
- Customized size is available
- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is available



NL801/NL802 Stainless steel piglet feeder

Description

- Stainless steel piglet feeder is made of S.S304
- Push and turn bottom for any slotted flooring
- Easy to empty and clean and will last forever
- Can be used for feed or drink
- Zinc or plastic handle is available
- Single, double or "J" hook is available

Code	Spec.
NL801-1	Diameter 23 x 12cm deep
NL801-2	Diameter 30 x 4cm deep
NL802	Diameter 30 x 4cm deep



NL803 Cast iron push button drinking bowl

Description

- Big enough for sows. Small enough for weaners
- Easy to clean
- Simple to operate
- Cheap as can be
- Simple push-button operation is trouble free, and leaves the bowl clear for easy removal of straw ordirt
- Integral flow control in valve
- Cast iron bowl with brass valve
- Bowl opening 12cm x 15cm
- Weight: 2.1kgs



NL804 S Cast iron drinking bowl

Description

- Cast iron drinking bowl with black powder coating
- Smooth surface and edge protect animal cutting
- With professional brass valve systems
- Stainless steel hook easy for assembling
- Save water
- Two pieces with one neuter box
- Weight: 2.90kgs

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL805 M Cast iron drinking bowl

Description

- Cast iron drinking bowl with black powder coating
- Smooth surface and edge protect animal cutting
- With professional brass valve systems
- Stainless steel hook easy for assembling
- Save water
- Two pieces with one neutral box



NL806 Plastic drinking bowl

Description

- Plastic drinking bowl with UV additive
- With brass valve systems
- Economy drinking bowl ideal for pigs, goats, deers
- Stainless steel hook easy for assembling
- Kinds of color is available (normal color green or black)
- Packaging: 2pcs per neutral box
- OEM packaging is available



NL807 Enameled drinking bowl

Description

- Cast iron drinking bowl with strong brass valve systems
- Production finishing: powder coating
- Smooth finishing, round edge
- Flip paddle safety and suitable for animals
- Professional design easy for cleaning
- Capacity: 2L
- Packaging: Each piece with one neutral box
  Wooden pallet or wooden case packaging



NL808 Plastic drinking bowl

Description

- Plastic drinking bowl with UV additive
- With stainless steel nipple drinker
- Save water
- Professional hook easy for assembling
- Stainless steel netting filter



NL821 Water bowl

Description

- Capacity: 2.5L
- Material: PP+UV or Nylon
- Connect thread: 1/2″ BSP or 1/2″ NPT
- Water inlet connector top or bottom is available
- Color: normal color green
- We can also produce any color according to client's demand



NL816-1 NL816-2 NL816-3 NL816-4

NL816 Stainless steel drinking bowl

Description

- Material: 1.0mm thickness SS304 stainless steel
- Stainless steel pipe with 1/2″ connection
- G 1/2″ thread (European thread), NPT 1/2″ thread (American thread) is available
- Smooth edge protect animal from cutting
- Professional design save water, no water waste

Code	Spec.
NL816-1	Small size drinking bowl, size: W15 x H 21 x D 9cm
NL816-2	Medium size drinking bowl, size: W19 x H 27 x D 11cm
NL816-3	Large size drinking bowl, size: W21 x H 29 x D 16cm
NL816-4	Obliquitous drinking bowl, size: W21 x H 29 x D 16cm/8cm





NL826 Pig feeding bowl

Description

- Material: SS304
- Size: 42 x 35cm
- Deep: 23.5cm,28kgs,thickness 1mm

NL817 Semi-automatic feeder for sow

Description

- Material: SS304
- Size: 39 x 19 x 27cm
- Capacity:13kgs
- Can adjust the leakage rate, control the sow feeding time

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL820 Round type stainless steel drinking bowl

Description

- Material:1.0mm thickness SS304
- Stainless steel pipe with 1/2" connection G1/2" thread(European thread),NPT 1/2" thread(American thread)is available
- Smooth edge protect animal cutting
- Professional design save water,no water waste

Code	Spec.
NL820-1	Small Size round type drinking bowl, size: D12.5 x 14cm, kilo: 0.35kgs, deep: 13cm
NL820-2	Middle Size round type drinking bowl, size: D15 x 27cm, kilo: 0.45kgs, deep: 16cm
NL820-3	Large Size round type drinking bowl, size: D17.5 x 20cm, kilo: 0.55kgs, deep: 18cm
NL820-4	Extra large size round type drinking bowl, size: D21.5 x 24cm, kilo: 0.85kgs, deep: 20cm



NL822 65L Automatic dry wet pig feeder

Description

- Material: HDPE bucket with SS304 bottom
- Size: 72.5 x 47 x 98cm weight: 18.6kg
- Bucket size: top mouth diameter 460mm
- Bottom mouth diameter 98mm
- Thickness 0.3cm, height 65.5cm, bucket weight 2.8kg
- S.S. bottom size: 54 x 40.5 x 8.1cm, weight: 2.2kg



NL823 100L Automatic dry wet pig feeder

Description

- Material: HDPE bucket with SS304 bottom
- Size: 90 x 62 x 112cm weight: 23kg
- Bucket size: top mouth diameter 600mm
- Bottom mouth diameter 89mm
- Thickness 3.5mm, bucket weight 4.9kg
- S.S. bottom size: 70 x 47.3 x 10.1cm, weight: 3.21kg



NL810-M Stainless steel automatic float water bowl

Description

- It's made of 1.0mm thickness Stainless steel sheet
- With hinged lid easy for maintenance
- A feature of this bowl is the sloping to the front bottom, which brings any debris forward for easy cleaning
- Nylon float systems assembly. No drain incorporated
- Inlet Left or right side
- Dimensions: 26cmL x 26cmW x 11cmD. Capacity 2.5 litres
- Packaging: OEM packaging is available
- Replacement floats are available
- Wall mountable

Code	Spec.
NL810-M-1	S.S304 metal bowl with metal hinge with drainage hole
NL810-M-2	S.S304 metal bowl with metal hinge without drainage hole
NL810-M-3	S.S304 metal bowl with nylon hinge with drainage hole
NL810-M-4	S.S304 metal bowl with nylon hinge without drainage hole



NL810-P Nylon float water bowl

Description

- It's made of PA66 Nylon with UV additive
- This bowl achieves the benefits of several other water bowls fully
- Resistant to corrosion in any water
- Heavy duty plastic bowl is livestock-friendly
- lid for easy maintenance to float systmsassemby
- Drain incorporated
- Inlet on left side only
- Dimensions: 28cmL x 27cmW x 12cmD. Capacity 4 litres
- Packaging: OEM packaging is available

Code	Spec.
NL810-P-1	Nylon float water bowl with SS304 hinge
NL810-P-2	Nylon float water bowl with nylon hinge



NL809 Horse heavy duty plastic tank

Description

- Oval Water, Feed, or Storage Tank Tub
- Color: Black, Green
- Heavy-duty construction that is both flexible and strong enough to withstand years of usage
- Drain by tipping water out of top (does not include drain hole)
- Made from eco-friendly, 100-percent recycled LDPE that will never rust or discolor.
- Chemically neutral and safe enough to hold fertilizers, oil solvents, and animal feeds
- Smooth edges keep pets and people safe throughout everyday usage

Code	Spec.
NL809-1	G.W.: 3KGS (72 x 51) x (56 x 36) x 27 60L 15.85 US gal
NL809-2	G.W.: 5.5KGS (89 x 63) x (69 x 45) x 33 115L 30.38 US gal
NL809-3	G.W.: 7.5KGS (102 x 74) x (82 x 45) x 37 150L 39.63 US gal
NL809-4	G.W.: 14KGS (130 x 80) x (96 x 45) x 62 380L 100.39 US gal



NL852 Automatic trough valve

Description

- This water filler clips over any trough or similar
- The attachment bracket opening to 50mm
- Ideal for a small farm or temporary water supply
- Features a standard water tap quick fit connection
- The water level settings are set by adjusting the bracket with two settings possible

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL811 Adjustable dog feeding bowl

Description

- Material: square steel tube(25 x 25 x 1mm) with powder coating
- Color of powder coated is available(normal color: black)
- Adjustable distance from 15cm to 35cm
- Each set with two stainless steel bowl
- Diameter of stainless steel bowl: 25cm
- Thickness of stainless steel sheet: 0.5mm
- Size: 35 x 35 x 42cm
- Detachable feeding bowl saves space
- Packaging: each set with one neuter box, 4 boxes per carton
- OEM packaging is available



NL812 Wall type dog feeding bowl

Description

- Material: square steel tube(25 x 25 x 1mm) with powder coating
- Color of powder coated is available(normal color: black)
- Adjustable distance from 15cm to 35cm
- Each set with two stainless steel bowl
- Diameter of stainless steel bowl: 21cm
- Thickness of stainless steel sheet: 0.5mm
- Size: 35 x 35 x 42cm
- Detachable feeding bowl saves space
- Packaging: each set with one neuter box, 4 boxes per carton
- OEM packaging is available



NL845 4L Milk bucket

Description

- The thickening design body of the bucket uses medical grade and new material with long durability
- The nipple is made of food grade material with non-toxic and tasteless, safety and health guaranteed
- Material: PP
- Volume: 4L
- Net Weight: 0.81 kg
- Dimension: 21 x 23.5 x 22cm



NL846 Feeding bucket with screw valve

Description

- Material: PP
- Complete with super-teat and valve
- With impressed measuring scale and metal handle
- Acid-proof,food-proof,easy to clean
- Dimension: 8L D28 x H31cm
- Teats for calf & lamb available for choice

Code	Spec.
NL846-1	1 Teat
NL846-2	3 Teat
NL846-3	5 Teat



NL814 Straight type poultry drinkers

Description

- Straight type poultry drinker is made of super quality plastic
- With UV additive
- Professional design with galvanized hanging
- Transferable design easy for wash
- Kinds of color is available
- Screen printing is available

Code	Spec.
NL8141-L	1.0L poultry drinker, size: D15 x H20.5cm
NL8141-S	1.0L poultry drinker, size: D10 x H20cm
NL8141-M	Galvanized base, size: D23 x H25cm
NL8141-MG	Glass bottle body and galvanized base, size: D33 x H28.5cm
NL8142	4.0L poultry drinker, size: D23 x H25cm
NL8143	8.0L poultry drinker, size: D33 x H28.5cm
NL8144	1.0L poultry feeder, size: D15 x H24cm
NL8144-M	Galvanized base, size: D15 x H20.5cm
NL8144-MG	Glass bottle body and galvanized base, size: D15 x H24cm



NL815 Poultry feeders

Description

- Gear box feeder is made of super quality plastic
- With UV additive
- Professional design
- Kinds of color is available
- Screen printing is available

Code	Spec.
NL815-1	1.5kg poultry feeder, size: D21 x H22cm
NL815-2	3.0kg poultry feeder, size: D27 x H24cm
NL815-3	5.0kg poultry feeder, size: D30 x H29cm
NL815-4	8.0kg poultry feeder, size: D37 x H38cm



NL819 Poultry feeders with lid

Description

- Poultry feeder is made of super quality plastic
- With UV additive
- Professional design
- Kinds of color is available
- Screen printing is available

Code	Spec.
NL819-1	3KG, poultry feeders
NL819-2	5KG, poultry feeders
NL819-3	8KG, poultry feeders

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL813 Ball type poultry drinkers

Description

- Ball type poultry drinker is made of super quality plastic
- With UV additive
- Professional design with galvanized hanging
- Transferable design easy for wash
- Kinds of color is available
- Screen printing is available

Code	Spec.
NL813-1	0.6L poultry drinker, size: D11.5 x H12cm
NL813-2	1.3L poultry drinker, size: D15 x H15.5cm
NL813-3	4.0L poultry drinker, size: D19 x H24cm
NL813-4	6.5L poultry drinker, size: D25 x H29cm
NL813-5	12.0L poultry drinker, size: D28 x H33cm
NL813-6	2.5L poultry drinker, size: D19 x H25cm



NL818 Poultry drinkers with leg

Description

- Poultry drinker is made of super quality plastic
- With UV additive
- Professional design with galvanized hanging
- Transferable design easy for wash
- Kinds of color is available
- Screen printing is available

Code	Spec.
NL818-1	2.5L Ball type poultry drinkers
NL818-2	4L Ball type poultry drinkers
NL818-3	4L Straight type poultry drinkers
NL818-4	8L Straight type poultry drinkers
NL859-1	10L Straight type poultry drinkers
NL859-2	14L Straight type poultry drinkers



NL835 1Gallon poultry drinker

Description

- Straight type poultry drinker with super quality plastic
- With UV additive
- Professional jar top design accords with human screw power
- High quality PP material as jar and base
- Kinds of base color is available
- Logo embossment or label sticker service offered
- Colors are available



NL882 Poultry drinker straight 4.5L

Description

- Designed with a higher base wall compared to our range of green & white drinkers to reduce the risk of chicks falling into the water in the base
- Designed exclusively for chicks. Suitable for up to 50 chicks with a large 4.5L capacity
- Available in 5 colours (yellow, purple, blue, red and pink)



NL843 5KG Feeder with leg and cover

Description

- Poultry feeder is made of super quality plastic
- With UV additive
- Professional design
- Kinds of color is available
- Screen printing is available
- Dimension: D280 x H300mm



NL869 Plastic poultry feeder with base with bayonet lock

Description

- The base has a practical feeding grid edge and is securely connected to the top using a bayonet lock
- Easy to clean and use
- Material: PE
- Size: Dia 20cm, Height 27cm
- Capacity: 1.5KG



NL870 Plastic poultry drinker with base with bayonet lock

Description

- Easy to clean and use
- Material: PE

Code	Spec.
NL870-1	1.5L, Dia 20 x H27cm
NL870-2	3.5L, Dia 28.5 x H34cm
NL870-3	6.0L, Dia 28.5 x H43cm



NL871 Double cylinder poultry drinker with detachable leg

Description

- Material: PE
- With bayonet lock and loop handle
- Easy to clean and use
- Leg height: 9cm

Code	Spec.
NL871-1	8L; Dia35 x H46cm
NL871-2	10L; Dia35 x H52cm
NL871-3	12L; Dia36 x H57cm

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL854 Pigeon plastic drinker

Description

- Material: PP
- Non-toxic,odorless,flexible and durable
- Color: White/Green, kinds of color is available

Code	Spec.
NL854-1	1.5L, pigeon drinker, H210 x D170mm
NL854-2	2.5L, pigeon drinker, H230 x D170mm
NL854-3	3.5L, pigeon drinker, H300 x D170mm
NL854-4	4.5L, pigeon drinker, H350 x D170mm
NL854-5	5.5L, pigeon drinker, H290 x D250mm
NL854-6	6.5L, pigeon drinker, H310 x D250mm
NL854-7	7.5L, pigeon drinker, H340 x D250mm
NL854-8	8.5L, pigeon drinker, H370 x D250mm
NL854-9	10L, pigeon drinker, H420 x D250mm



NL856 Poultry feeding tray

Description

- Material: Virgin Polypropylene with PE
- It can easily to handle with day-old chicks. loading the feeds on the tray and let chicks eating easily
- Red and white color for choice

Code	Spec.
NL856-1	Dia: 35cm, height: 2.5cm
NL856-2	Dia: 43cm, height: 3cm
NL856-3	Dia: 51cm, height: 3.5cm
NL856-4	Dia: 62cm, height: 4cm
NL856-5	Dia: 80cm, height: 4cm



NL873 Plastic feeder with leg with half-open lid

Description

- Material: PE
- Capacity: 10kg
- Size: dia 39cm, height 50cm, leg height 8cm
- Easy to put feed through the large mouth. Sloped lid prevents birds from roosting and helps keep feed clear of debris
- Professional cover design ensuring protection of the feed



NL883 Poultry feeder translucent 2-12kg

Description

- This Plastic chicken feeder holds roughly 2-12 kg of feed and has a translucent design that allows feed levels to be monitored without removing the lid or even entering the chicken coop
- Material : PP with UV additive

Code	Spec.
NL883-1	Capacity: 2.0kg, height: 28cm, dia.: 24cm
NL883-2	Capacity: 4.0kg, height : 38cm, dia.: 30cm, leg: 6cm
NL883-3	Capacity: 8.0kg, height: 45cm, dia.: 37cm, leg: 6cm
NL883-3-L	Capacity: 8.0kg, height: 45cm, dia.: 37cm, leg: 6cm, lid dia:47cm
NL883-4	Capacity: 12.0kg, height: 42.5cm, dia.: 45.7cm



NL8118 Hopper feeder with anti-waste flaps

Description

- Material: PP
- Excellent for feeding both baby chicks and adult animals
- The rod has screw adjustment that allow the amount of feed in the dish to be dosed as desired
- The hole at the top of the rod allows the feeder to be hung
- The feeder comes complete with a lid that protects the feed from dirt

Code	Spec.
NL8118-1	With leg: 9L, height: 45cm, dia:35cm, leg: 7cm
NL8118-1-1	With leg: 9L, height: 46cm, dia:35cm, leg: 7cm
NL8118-2	W/O leg: 20L, height: 53cm, dia: 43cm



NL8119 Hopper feeder with legs

Description

- Material: PP
- Excellent for feeding both baby chicks and adult animals
- The three holes in the main body allow as many adjustment levels of the quantity of feed in the dish
- Adjustment is made by inserting the peg into one of the holes in the body of the manger
- The hole at the top of the rod allows the feeder to be hung
- The feeder comes complete with a lid that protects the feed from dirt

Code	Spec.
NL8119-1	12L, height: 42cm, dia: 40cm, leg: 7cm
NL8119-2	22L, height: 51cm, dia: 47cm, leg: 7cm



NL875 Plastic poultry feeder tankstand 30L

Description

- Material: food grade PP+PE+nylon
- Capacity: 30L
- Translucent plastic to quickly check fill levels
- Fills from the top with a removable lid for easy filling and easy cleaning
- Elevated from the ground to reduce contamination





NL876 Plastic poultry drinker tankstand 30L

Description

- Translucent plastic to quickly check fill levels
- Capacity: 30L
- Fills from the top with a removable lid for easy filling and easy cleaning
- With an automatic water level control device
- Elevated from the ground to reduce contamination



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144







NL824 Galvanized poultry feeder

Description

- Material: Galvanized metal

Code	Spec.
NL824-1	9kgs, D36.5 x D23.5 x H29.5cm, T:0.6mm
NL824-2	12kgs, D36.5 x D23.5 x H35.5cm, T:0.6mm
NL824-3	15kgs, D36.5 x D23.5 x H44.5cm, T:0.6mm
NL824-4	20kgs, D36.5 x D23.5 x H52.5cm, T:0.6mm
NL824-5	2kgs, D24.5 x D15 x H19cm, T:0.6mm



NL825 Galvanized poultry drinker

Description

- Material: galvanized metal and stainless
- Steel: 304 for choice

Code	Spec.
NL825-1	2L, D24.5 x D15 x H19cm, T: 0.6mm
NL825-2	3L, D24.5 x D15 x H27cm, T: 0.6mm
NL825-3	9L, D36.5 x D23.5 x H27cm, T: 0.6mm
NL825-4	13L, D35 x D23 x H37cm, T: 0.6mm
NL825-7	5L, D25 x D15 x H42cm, T: 0.6mm



NL857 Galvanized feeder with hanging

Description

- Material: galvanized
- Design makes for easy 3 position height adjustment
- Features rolled edges for safety &convenient hanger &carry handle
- Could be nested one by one

Code	Spec.
NL857-1	15lb, Galvanized feeder, feeds 15-30 birds H28 x D30cm
NL857-2	30lb, Galvanized feeder, feeds 30-50 birds H39 x D35cm



NL848 Galvanized poultry feeder

Description

- Material: galvanized
- 9kgs capacity
- With protective ring
- Size: H33 x 32cm



NL849 Galvanized poultry feeder

Description

- Material: galvanized
- 9kgs capacity
- With anti-waste ring
- Size: H34 x 35cm



NL850 Galvanized poultry feeder

Description

- Material:galvanized
- With metal cap and handle

Code	Spec.
NL850-1	6kgs; Poultry feeder, H29 x D28cm
NL850-2	9kgs; Poultry feeder, H32 x D28cm



NL853 Galvanized corner feeder

Description

- Material: galvanized
- Size: W12 x W12 x H16cm
- Thickness: 0.35-0.4mm



NL828 Galvanized d-cup feeder

Description

- Material: galvanized steel

Code	Spec.
NL828-1	Galvanized D-cup feeder, 16 x H6.5cm
NL828-2	Galvanized D-cup feeder, 23 x H10cm
NL828-3	Galvanized D-cup feeder, 38 x H15cm



NL830 Galvanized water bucket

Description

- Material: galvanized steel
- Spray surface for choice

Code	Spec.
NL830-1	Water bucket, galvanized, 6L, weight: 0.826kg
NL830-2	Water bucket, galvanized, 12L, weight: 1.176kg

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL831 Galvanized chicken manger

Description

- Material: galvanized steel

Code	Spec.
NL831-1	Chicken manger, galvanized-XS, size: 30 x 7.5 x 7.3cm
NL831-2	Chicken manger, galvanized-S, size: 50 x 7.5 x 7.3cm
NL831-3	Chicken manger, galvanized-M, size: 50 x 13 x 15.5cm
NL831-4	Chicken manger, galvanized-L, size: 75 x 13 x 15.5cm
NL831-5	Chicken manger, galvanized-XL, size: 100 x 13 x 15.5cm



NL827 Galvanized feeding trough

Description

- Material: galvanized steel

Code	Spec.
NL827-1	Feeding trough, size: 30 x 14.5 x 13.2cm
NL827-2	Feeding trough, size: 45 x 14.5 x 13.2cm
NL827-3	Feeding trough, size: 60 x 14.5 x 13.2cm



NL836 Galvanized long feeder trough with hole

Description

- Material: galvanized steel

Code	Spec.
NL836-1	Galvanized feeder with holes-S Weight:420g, size: 33 x 9.5 x 7.5cm
NL836-2	Galvanized feeder with holes-M Weight:470g, size: 39.5 x 9.5 x 7.5cm
NL836-3	Galvanized feeder with holes-:L Weight:650g, size: 50.5 x 9.5 x 7.5cm



NL880 Chicks galvanized hole feed trough

Description

- Especially designed feed trough for chicks up to 3 to 4 months of age
- The lid is hinged on one side and flips open
- Holes help limit chicks from scratching feed out to reduce waste

Code	Spec.
NL880-1	16 hole, 30cm long
NL880-2	24 hole, 50cm long



NL837 Galvanized long feeder trough with rail

Description

- Material: galvanized steel

Code	Spec.
NL837-1	Galvanized feeder with pole-S Weight:370g, size: 33 x 10 x 5.5cm
NL837-2	Galvanized feeder with pole–M Weight:431g, size: 39.5 x 10 x 5.5cm
NL837-3	Galvanized feeder with pole–:L Weight:554g, size: 50.5 x 10 x 5.5cm



NL838 Galvanized long feeder plain trough

Description

- Material: galvanized steel

Code	Spec.
NL838-1	Galvanized feeder without pole and cap-S Weight:250g, size: 33 x 9.5 x 7.5cm
NL838-2	Galvanized feeder without pole and cap-M Weight:270g, size: 39.5 x 9.5 x 7.5cm
NL838-3	Galvanized feeder without pole and cap- L Weight:350g, size: 50.5 x 9.5 x 7.5cm




NL879 Galvanized hanging trough drinker

Description

- Galvanized sheet thickness: 4mm
- A handy trough drinker to get the water off the ground, away from the dirt
- Designed to hang off a wire or something similar
- Available in 2 sizes - 30cm length or 50cm length

Code	Spec.
NL879-1	30cm
NL879-2	50cm
NL879-3	70cm(feeder trough)



NL829 Plastic poultry feeding long trough

Description

- Material: PP
- Kinds of colors are available.
- Label sticker service offered.
- Kinds of color is available

Code	Spec.
NL829-1	16holes feeding trough-S, weight:96g, size:30 x 10 x 7cm
NL829-2	20holes feeding trough-M, weight:138g, size: 36.5 x 10 x 7cm
NL829-3	28holes feeding trough-L, weight:180g, size:50 x 10 x 7cm

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL841 Poultry treadle trough feeder

Description

- Galvanized steel with powder coated or aluminum
- On and OFF design makes it rat proof as lid will close automatically when chicken step off the treadle
- 5kgs or other size could be customized
- Dimension: W56 x D36 x H18.5cm



NL847 Poultry treadle trough feeder

Description

- Galvanized steel with powder coated
- 10kgs or other size could be customized
- Dimension: W30 x D29 x H41.5cm



NL878 Poultry treadle feeder

Description

- Material: galvanized sheet
- Green part material: PP
- The innovative treadle design allows feed access only when a bird steps on it
- Adjustable design suitable for different weight of poultry
- Have Metal Protective Board to prevent rats, mice, and other pests from accessing the feed

Code	Spec.
NL878-1	Capacity 5kg, size L27.7 x W25.2 x H40cm
NL878-2	Capacity 8kg, size L27.7 x W25.2 x H46.5cm
NL878-3	Capacity 12kg, size L33.5 x W48 x H48cm
NL878-4	Capacity 20kg, size L33.5 x W48 x H64cm



NL8103 Metal bird feeder

Description

- Galvanized metal with anti-feed loss holes, opening lid and removable grill
- Hanging hooks plus viewing windows on the rear to quickly check food levels
- 2 or 4 holes options available

Code	Spec.
NL8103-1	2 holes, size: H25 x W16.5 x D16cm
NL8103-2	4 holes, size: H25 x W16.5 x D16cm



NL885 Cage coop cup

Description

- A new plastic coop cup designed to suit wire cages (great for larger birds at home or at shows)
- Features hooks at the top and a special attachment point on the rear of the cup to attach firmly onto the cage wire
- Available in five bright colours: Blue, Purple, Yellow, Red & Pink



NL886 Plastic D coop cups

Description

- D-shaped feeder/drinker cups are easily fixed into place with metal hanging hooks
- Hooks slip snugly over horizontal bars with no need for other fastenings
- Ideal for both seeds and grain, and water
- Easily refilled and cleaned to maintain optimum levels of hygiene
- Available in three colours: Hot Pink, Blue and Purple

Code	Spec.
NL886-1	7 x 5 x 3.5cm
NL886-2	11 x 8.5 x 6cm



NL887 Rectangle coop cups

Description

- Rectangular feeder/drinker cups are easily fixed into place with metal hanging hooks
- Hooks slip snugly over horizontal bars with no need for other fastenings
- Ideal for both seeds and grain, and water
- Easily refilled and cleaned to maintain optimum levels of hygiene
- Available in three colours: Hot Pink, Blue and Purple

Code	Spec.
NL887-1	17 x 10 x 6cm
NL887-2	23 x 12.5 x 7.5cm



NL888 Coop cup with perch

Description

- Built in perch for the comfort of your caged bird
- Available in 3 sizes: 7cm, 9cm and 11.5cm wide
- Attaches to a wire cage with built in wire hangers
- Easy to remove and clean
- Available in three colours: Hot Pink, Blue and Purple

Code	Spec.
NL888-1	7 x 6.5 x 7cm
NL888-2	9 x 8 x 7.5cm
NL888-3	11.5 x 8.5 x 8cm

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL881 Treat roller for poultry/bird

Description

- Interactive treat dispensing toy for poultry
- Designed for seeds and dried mealworms
- Encourages foraging-the natural technique of wild birds
- Professionally packaged and a great interest product to brighten up your range



NL889 Poultry nipple drinker with cup

Description


- Material: PP with stainless steel
- Fit for diameter 2.5cm water pipe



NL890 Automatic watering cups poultry drinker waterer

Description

- Material: PP
- Size: 8.5 x 5 x 3.5cm
- Automatic water dupply, when water full, it will stop
- Screw type removable water bowl for easy cleaning and replacement
- Always provide fresh and clean water to your poultry
- Easy to use, save labor and time
- Suitable for chickens, pigeons, birds, quail and other pets
- Ideal tool for home or chicken poultry farms use



NL8102 Acrylic bird feeder

Description

- Material: Acrylic
- The clear acrylic is super durable, light weight and really easy to clean
- Use the metal hangers provided to quickly and easily fasten this feeder to the inside or outside of your Parrot's cage

Code	Spec.
NL8102-L	30 x 30 x 30cm
NL8102-M	25 x 20 x 20cm
NL8102-S	14 x 13 x 13cm
NL8102-1L	28.9 x 15.8 x 6cm
NL8102-1M	19 x 10 x 6cm
NL8102-1S	12.4 x 5.9 x 3.2cm



NL8115 Poultry & pigeon plastic drinker

Description

- Material: PE bottle+PP base
- Can be used for a variety of small animals and birds
- Feature: easy to install
- Easily detachable water stout for quick refills and cleaning
- Easy to refill and remove from the cage

Code	Spec.
NL8115-1	500ml
NL8115-2	1000ml
NL8115-3	2000ml



NL8116 Poultry & pigeon plastic drinker

Description

- Material: PE bottle+PP base
- Easy to install
- Easily detachable water stout for quick refills and cleaning
- Easy to refill and remove from the cage

Code	Spec.
NL8116-1	500ml
NL8116-2	1000ml
NL8116-3	2000ml



NL8117 Poultry & pigeon plastic drinker

Description

- Designed with a specially designed water reservoir which is suitable for pigeons, poultry or similar
- Easily detachable water stout for quick refills and cleaning
- Hygienic way to provide fresh water
- Easy to install—Simply insert the holders between the cage wires and twist to secure
- Fits wire cages with gaps at least 16mm in width

Code	Spec.
NL8117-1	500ml
NL8117-2	1000ml
NL8117-3	2000ml



NL8105 Rabbit water dish

Description

- Material: galvanized sheet
- Size: L13.5 x W13.5 x H4cm
- Weight: 96.6g
- Package: 1pc/plastic bag

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144







NL8106 Round plastic feeder

Description

- Material: polystyrene
- Capacity: 500 ml
- Size: Dia 13cm, Height 6.5cm
- Insert Iron in the bottom
- Its weighted base ensures optimum stability, reducing the risk of food spillage, even if the animal moves
- Various colors available



NL8104 Metal hanging bird feeder

Description

- Material: metal with powder coated
- Size: L5.9 x W5.5 x H3.1cm
- Convenient feeding solution for rabbits, guinea pigs, hamsters and other small pets
- You can hang this feeder outside the window, on the balcony in the branches and bushes of the yard



NL8107 Rectangular plastic feeder

Description

- Material: polystyrene
- Capacity: 500 ml
- Size: 15 x 9.5 x 5.5cm
- Insert Iron in the bottom
- Its weighted base ensures optimum stability, reducing the risk of food spillage, even if the animal moves
- Various colors available



NL8109 Metal hay manger feeder for small animals

Description

- Material: iron with powder coate
- Size: 8.75 x 2 x 9.5cm
- Weight: 160g
- Package: with hang on card
- Easy way to supply hay or vegetables to small animals



NL8108 Double rectangular plastic feeder

Description

- Material: polystyrene
- Capacity: 750ml
- Size: 24.5 x 5.5 x 9.5cm
- Insert Iron in the bottom
- Its weighted base ensures optimum stability, reducing the risk of food spillage, even if the animal moves
- Various colors available



NL8110 Metal hay and pellet feeder for small animals

Description

- Material: iron with powder coated
- Size: 17.5 x 15.5 x 7.5cm
- Weight: 460g
- Package: sticker + OPP bag
- Reduce spills, mess and wastage



NL8112-1 NL8112-2

NL8112 Galvanized self dog feeder

Description

- Material: galvanized steel sheet
- Cover material: green steel sheet
- Thickness: 1mm

Code	Spec.
NL8112-1	Capacity 5kg, size:25.5 x 25.5 x 43cm
NL8112-2	Capacity 15kg, size:32 x 32 x 59cm



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL892-1



NL892-2



Double-Deck



NL892-3



NL892-4

NL892 Indoor metal nesting box

Description

- An affordable range of wall mountable nesting boxes in single, double and triple nest holes
- A rollaway design that ensures the egg roll safely away upon laying and prevents poultry from destroying their own eggs
- Features a front guard to help prevent the birds from scratching out bedding
- The sides are made of galvanised steel while the sloped top and internal floor is a durable plastic that has been used so it will not rust, rot or corrode
- There are openings on the sides and designed into the plastic bottom nest to allow airflow and ventilation
- Detachable plastic basket insert makes for easy cleaning
- Shipped flat packed to save on freight costs, but easy to assemble with all hardware provided (and pre-cut holes for mounting on a wall)

Code	Spec.	Code	Spec.
NL892-1	Size: 48 x 34 x 13cm, N.W.: 2.5kg	NL892-3	Size: 83 x 37 x 15cm, N.W.: 6.7kg
NL892-2	Size: 58.5 x 37 x 15cm, N.W.: 4.5kg	NL892-4	Size: 110 x 37 x 15cm, N.W.: 8.8kg



NL892-L1 One row one side leg

Description

- Size: 49.5 x 43 x 3.5cm
- 2pc/CTN



NL892-L2 Two rows one side leg

Description

- Size: 113.5 x 45 x 3.5cm
- 2pc/CTN



NL892-L3 Two rows two sides leg

Description

- Size: 114 x 63.5 x 3.5cm
- 2pc/CTN



NL893-1



NL893-2



NL893-3



NL893-4

NL893 Outdoor metal nesting box

Description

- External hanging: Designed to hang on the outside of a wall with eggs being collected from outside the coop
- Rollaway design that ensures the egg roll safely away upon laying and prevents poultry from destroying their own eggs
- Openings on the sides and designed into the plastic bottom nest to allow airflow and ventilation
- Detachable plastic basket insert makes for easy cleaning
- Flat packed, but easy to assemble (plus pre-cut holes for mounting on a wall)

Code	Spec.	Code	Spec.
NL893-1	Size: 48 x 34 x 13cm, N.W.: 2.5kg	NL893-3	Size: 83 x 37 x 15cm, N.W.: 6.7kg
NL893-2	Size: 58.5 x 37 x 15cm, N.W.: 4.5kg	NL893-4	Size: 110 x 37 x 15cm, N.W.: 8.8kg

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL894-1



NL894-2



NL894-3

NL894 Premium roll-away nesting box-complete

Description

- Spcifically designed with a three adjustable slope settings safely roll eggs forward to prevent pecking and allow easy collection
- Slanted Roof to prevent perching
- Curtain for sheltered laying space
- Detachable egg collection tray for easy cleaning
- Designed with airflow openings
- Hardware included to connect multiple boxes together
- Removable mat (replacement available) minimizes egg contact with manure and debris for a comfortable laying environment
- Supplied with legs for freestanding in the coop


Code	Spec.
NL894-1	Premium Roll-Away Nesting Box - Complete
NL894-2	Replacement Nesting Mat Only
NL894-3	Nesting Box with Legs

NL896 Metal brooding cage-rectangular

Description

- Perfect for keeping chicks (up to four or five weeks old), ducklings and other young birds warm, until they can produce their own body heat
- Includes a metal arm to hold a brooder lamp (lamp holder & bulb are sold separately) which sits above a section with solid metal walls to ensure less loss of warmth
- The wire mesh floor has smalls openings of approximately 5/16" apart
- Hay or shavings can be used for bedding or if the breed requires smaller spacings
- A dropping pan slides out from under the wire mesh floor to clean the cage
- Easy to assemble using a flathead screwdriver and the included hardware
- Dimensions: 100 x 47.6 x 60cm






NL895 Plastic nesting box with roll away

Description

- This premium quality plastic nesting box features a roll away design for easy collection of eggs
- Easily wall mounted with existing holes
- Eggs are also protected from pecking
- Slopped roof to reduce roosting
- Common color: red, green



NL851-1 NL851-2

NL851 Single hole nesting box

Description

- Material:PP
- Removes easily from wall for cleaning
- Will not rust, rot or corrode
- Mounts securely with slide-type screw holes
- Ventilation holes help provide fresh air

Code	Spec.
NL851-1	L; Size nesting box 51 x 42 x 31cm
NL851-2	S; Size nesting box 30 x 27 x 25cm



NL897 Metal brooding cage-circular

Description

- Perfect for keeping chicks (up to four or five weeks old), ducklings and other young birds warm, until they can produce their own body heat
- Includes a metal arm to hold a brooder lamp which sits centrally above the circular cage to provide greater uniformity of warmth (lamp holder & bulb are sold separately)
- Flat metal floor without any wire.
- Hay or shavings can be used for bedding
- Easy to assemble using a flathead screwdriver and the included hardware
- Dimensions: W69 x H26cm

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144







NL864 Outdoor aluminum chicken house

Description

- Material: aluminum, MDF board
- Size: 263 x 81 x 110cm
- Easy to assemble, fashionable design
- With instruction brochure and assembly guide of each set



NL855 Wooden chicken house

Description

- Dimensions:190 x 75 x 105cm
- Wooden housing for chickens with a weatherproof opening lid to the main unit and nest box
- There is an inner house including perches and a removable collection tray
- Access door to the house and a full height door to the main area





NL884 Chicken swing

Description

- An effective relief for bored chickens who live in enclosed areas or just need an extra touch of fun!
- Suitable for all ages
- Reduces boredom & improves welfare
- UV & weather resistant
- Perch size: 41cm long



NL861 8Eggs incubator

Description

- Dimension: L26.5 x W29 x H31cm
- Working environment: temperature 23-27degree is the best
- Humidity: 40%-50% is the best
- Voltage: 110V/220V-240V
- Power: 60W
- Control system: intelligent PID
- Temperature control accuracy: no more than 0.1degree



NL862 12Eggs incubator

Description

- Dimension: L42 x 26 x 23cm
- Working environment: temperature 23-27degree is the best
- Humidity: 40%-50% is the best
- Voltage: 110V/220V-240V
- Power: 80W
- Control system: intelligent PID
- Temperature control accuracy: no more than 0.1degree



NL863 24Eggs incubator

Description

- Dimension: L52 x W44 x H31cm
- Working environment: temperature 23-27degree is the best
- Humidity: 5%RH is the best
- Voltage: 110V/220V-240V
- Power: 100W
- Control system: intelligent PID
- Temperature control accuracy: no more than 0.1degree

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL901 Plastic scoop

Description

- Plastic scoop is made of ABS or PP
- Kinds of color is available
- Ergonomic handle

Code	Spec.
NL901-1	Plastic scoop 35 x 15 x 9cm
NL901-2	Plastic scoop 21 x 13.5 x 15cm
NL901-3	Plastic scoop 35 x 16 x 8.5cm



NL9014 Plastic scoop

Description

- Material: PP
- High quality plastic scoop
- Printing or insert logo is available
- Color: red, yellow, blue, green, white

Code	Spec.
NL9014-1	Capacity 1.0L, weight: 140g
NL9014-2	Capacity 2.0L, weight: 240g



NL902 Aluminium ice scoop

Description

- Ice scoop is made of aluminium
- Serve for ice and dry good
- Secure finger grip handle
- Mirror polished surface

Code	Spec.
NL902-1	Small ice scoop 24oz
NL902-2	Medium ice scoop 38oz
NL902-3	Large ice scoop 58oz
NL902-4	Extra large ice scoop 85oz



NL939 Aluminium ice scoop

Description

- Ice scoop is made of aluminium
- Serve for ice and dry goods
- Secure finger grip handle
- S,M,L sizes are all available
- Mirror polish surface

Code	Spec.
NL939-1	Small ice scoop 24oz
NL939-2	Medium ice scoop 58oz
NL939-3	Large ice scoop 85oz



NL983 Galvanized scoop

Description

- Material: galvanized sheet

Code	Spec.
NL983-1	2L Size: φ12 × H24cm
NL983-2	4.5L Size: φ17 × H28.5cm



NL903 Hoof knives

Description

- Excellent quality hoof knives are made of high quality alloy steel 4CV14
- Treated to reduce or prevent corrosion
- Hardwood handle is securely riveted to the blade
- These knives feature an extra-fine tip
- Ideal for exploration of holes in the hoof without creating a major excavation
- A different shape hoof knife used for planing off flat areas of over-grown hoof, without skinning your knuckles
- Laser printing logo

Code	Spec.
NL903-R	Right side hoof knife
NL903-L	Left side hoof knife
NL903-D	Double side hoof knife



NL904 Hoof trimmer

Description

- A well-priced hoof trimmer most suitable for the non-professional farrier
- Head design features a flat hammering surface
- Pointed handles are useful for cleaning hoof and for stone removal
- Flush-cut type jaws
- Length: 30cm
- Weight: 730gm



NL9111 Hoof trimmer

Description

- Material: Zinc alloy(high-hardness material)
- Length: 41.5cm
- These hoof pliers are specifically designed for hoof trimming tasks.
- Hoof trimming tool the rubber handle is designed in line with
- Ergonomics, non-slip, comfortable grip, saving time and effort.

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL959 Duckbilled clincher

Description

- Material: 45# steel,with PVC handle
- Size: 14"



NL909 Tail cutter

Description

- Knives are made of hard alloy steel
- Sandy handle is made of soft plastic
- Metal lock part easy for operation
- Color for handle is available (normal color: black)
- Packaging: each piece with one neutral box
- OEM box is available



NL905 Hand shear

Description

- Smallest size B&B shear, ideal for dagging and trimming of lambs
- Also very useful for any clipping work on other animals-dogs,cows, horses
- Length: 31cm
- Blade length: 9cm



NL9112 Tail trimming scissors with large handle area

Description

- Option: Tail cutting & animal grooming
- Material: ABS plastic handle, stainless steel serrated blade
- Length: 22cm o.a. (overall length)
- Features: big thick ABS plastic handles for comfortable use; serrated blade reduces slippage, ideal for tail cutting and other animal grooming work
- Heavy-duty design, durable and easy to operate



NL907 Bloodless castration tools

Description

- High quality castration tools
- For use only by experienced herdsmen or under the supervision of a veterinarian
- Dimensions are length , and jaw width
- Supplied complete with service spanner



NL910 Bull leaders

Description

NL9101 bull leader with chain

- This design features a chain closure, and locking hook, for quick and easy action in all conditions
- Chain is 40cm long, with large end-link for attachment of rope (not supplied)
- Pliers are alloy steel, length 20cm
- Packaging: each piece with one neutral box

NL9102 bull leader without chain

- The old favourite bull holder you don't need a degree to work
- Pliers are alloy steel, length 20cm
- Packaging: each piece with one neutral box



NL908 Piglet tooth cutter

Description

- Piglet tooth cutter is made of hard alloy steel 4cv14
- With spring sheet
- Length of tooth cutter 14cm
- Hardness of blade 56-58HRC
- Each piece with one neutral box
- OEM packaging is available



NL911 Bull rings

Description

- Bull rings are made of brass
- Long lasting, totally proven in use
- Thumbscrew-type locking pin, broken off when tight
- Reveals cross-slot for screw driver

Code	Spec.
NL911-1	64 x 8mm
NL911-2	70 x 8mm
NL911-3	80 x 8mm

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL913 Rumen magnet with plastic cage

Description

- Used worldwide as an effective remedy for hardware disease
- Classic northern hemisphere style with spaces for accumulating hardware within the plastic cage
- Color of plastic is available
- Packaging: 10pcs with one neutral box, 200pcs per carton
- OEM packaging is available

Code	Spec.
NL913-1	100 x 37mm
NL913-2	100 x 25mm



NL914 Stainless steel rumen magnet

Description

- Used worldwide as an effective remedy for hardware disease
- The outer of rumen cow magnet is made of SUS304 sheet
- Bright, metal finish, non-toxic, non-corrosive in use
- Inner with strong magnet
- Size: dia1/2″ x 3″ long
- Packaging: 12pcs with one neutral box
  (OEM packaging is available)



NL915 Heavy-duty rumen magnet

Description

- Durable structure: Plated, solid steel end caps prevent corrosion and a solid steel connector rod through the core reduces breakage during shipping and handling. No plastic parts involved
- Stronger Magnetization before assembly creates a consistent
- pulling force from each section along the length of the magnet and enhances its overall strength
- Superior Characteristically, These qualities make it easier for the magnet to travel to the stomach and stay there.
- Size: 1-7/8″(48mm)
- Packaging: 12pcs per neutral packaging



NL916 Ceramic rumen magnet

Description

- This rectangular rumen magnet is made of Ceramic 5 (Strontium Ferrite) magnet material
- Its special magnetization pattern causes nails and other sharp metal objects line up along the length of the magnet where they are no longer a danger to the cow
- Rounded corners ensure safe and easy passage to the reticulum
- Size: 1/2″ x 3/4″ x 2-3/4″ long
- Packaging: 12pcs per foam box



NL926 Rumen magnet with plastic cage

Description

- Used world wide as an effective remedy for hardware disease
- Classic northern hemisphere style with space for accumulating hard ware with the plastic cage
- OEM packaging is available



NL981 Plastic balling gun

Description

- Economical, reusable semi-disposable balling gun made of durable plastic
- For Calf/Lamb/Colt - made of low-density plastic ensures gentle touch
- Material: plastic

Code	Spec.
NL981-1	Size: 12″, Small plastic balling gun
NL981-2	Size: 16″, Large plastic balling gun



NL9136 Bolus launcher for calves and sheep

Description

- Durable construction for long-lasting performance
- Curved design for easy use
- Easy to clean and sanitize
- The bolus launcher is an essential tool for safely administering boluses to calves and sheep
- Designed to meet the needs of each animal, it combines precision robustness, and practicality, thus facilitating the work of breeders



NL972 Wirerope

Description

- High quality wirerope
- Suitable for NL917 saw wire handle

Code	Spec.
NL972-1	Stainless steel wirerope 12m x 1.35mm, with white plastic box, size: 7.7 x 7.7 x 2.7cm
NL972-2	Galvanized steel wirerope, zinc-coated wire, size: 12m x 1.35mm, without box



NL917 Saw wire handle

Description

- Economy stainless steel handles are very comfortable to use
- Simple screw action clamps wire into groove
- Length: 10.5cm

NEWLAND
NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL990 Hand winch

Description

- For pulling and moving of loads
- Stable toothed wheel construction
- Internally lubricated reel and toothed wheel rings
- Easy-to-turn, mould-cast lever
- Translation ratio (toothed wheel ratio) 3:1



NL918 Nylon pulleys

Description

- Pulley shell is made of stainless steel SUS 304
- Pulley is made of PA66, with UV additive
- With strong stainless steel hook
- Color of pulley is available (normal color is yellow)

Code	Spec.
NL918-1	Nylon pulley size: Ø20mm with closed hook
NL918-2	Nylon pulley size: Ø40mm with big open Hook
NL918-3	Nylon pulley size: Ø44mm with hook
NL918-4	Nylon pulley size: Ø90mm without hook
NL918-5	Iron pulley size: 1-7/8"(48MM)
NL918-6	Iron pulley size: 3-1/2"(89MM)
NL918-7	Nylon pulley size: Ø90mm with galvanized holder Total size: 15.5 x 9.5 x 4.5cm
NL918-8	Nylon pulley size: Ø20mm with galvanized holder



NL919 Pig holders

Description

- "S"or"T" shape handle
- It's made of stainless steel pipe
- Strong steel string with PVC coating protecting animals hurting
- Professional locker design easy for operation

Code	Spec.
NL919-1	Stainless steel pig holder with locker("S" handle)
NL919-2	Stainless steel pig holder with locker ("T" handle)
NL919-3	Economy pig holder



NL920 Sorting paddle

Description

- Sorting paddle consists of a hollow 30 x 16cm paddle
- With noise-making beads inside
- Lightweight, highly visible and noisy
- Nice soft rubber grip or PPR grip
- Metal grip with paint spray or soft PPR grip available
- Color of paddle is available

Code	Spec.
NL920-1	107cm sorting paddle
NL920-2	122cm sorting paddle
NL920-3	75cm sorting paddle



NL937 Pig sorting board

Description

- HDPE material
- Ideal for weaners to market-ready pigs
- Also ideal for fully grown sows or boars

Code	Spec.
NL937-1	Pig sorting board 120 x 76cm, size: L
NL937-2	Pig sorting board 94 x 76cm, size: M
NL937-3	Pig sorting board 76 x 46cm, size: S



NL938 Short handle plastic pig sorting paddle

Description

- Material: high quality plastic
- Length: 50cm
- Whip animals by sound
- 4 plastic flaps rattle when strike, ratting sounds, to drive animal more easily
- Animals won't feel painful owing to the sponge on the paddle



NL927 Warm mat for piglets

Description

- Warm mat for piglets(adjustable)
- Material: Glass fiber reinforced plastic
- Size: 50 x 90cm
- 220V x 150W

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL930 Dog collar

Description

- Material: high quality nylon or stainless steel
- With foam pad, zinc alloy metal fasteners
- Colors are available

Code	Spec.
NL930-1	Size: 1.5 x 40cm nylon
NL930-2	Size: 2.0 x 50cm nylon
NL930-3	Size: 2.5 x 60cm nylon
NL930-4	Size: 2.5 x 70cm nylon
NL930-5	Size: 4.0 x 66cm stainless steel




NL941 Dog mask

Description

- Material: leather belt
- Pet muzzle
- Strong and durable

Code	Spec.	Code	Spec.
NL941-1	Dia: 6.0cm	NL941-5	Dia: 11.0cm
NL941-2	Dia: 7.0cm	NL941-6	Dia: 12.5cm
NL941-3	Dia: 8.0cm	NL941-7	Dia: 14.5cm
NL941-4	Dia: 9.5cm		



NL945 Stainless steel dog mask

Description

- Stainless steel material with PU belt
- Stop barking, prevent biting
- Strong and durable



NL946 Plastic dog mask

Description

- Material: plastic
- Stop barking, prevent biting
- Strong and durable



NL962 Ewe spoon with 3 tie feature

Description

- Material: PP
- With strap
- Help to prevent the existing problem of it tilting upwards once inside
- The product can be kept clean using warm soapy water
- Avoid using abrasive cleaners on the plastic as any resulting scratches may harbour bacteria
- The bearing retainer can be sterilized chemically or in boiling water
- Different color for choice



NL963 Tail clamp for cows

Description


- Made of light metal, galvanized
- Easy, safe and quick to put on



NL9108 ABS tick remover

Description


- Material: ABS
- Sizes: 3pcs(6.4cm, 6.3cm, 4.9cm)to cover various tick types & sizes
- Function: Assists tick removal with simple twist & pull motion
- Packaging: 3PCS/set, Professional hanging packaging (paper with plastic link)



NL9109 Pet tick tweezers

Description

- Option: Blue & Red Tick Clamp
- Material: Plastic, lightweight and durable
- Length: 9.3cm (suitable for Pet Fleas & Mites Removal)
- Features: EO sterilization, easy to use and safe
- Ideal for safely catching and removing fleas and mites from pets



NL9110 Stainless steel tick remover

Description

- Option: Curved tip
- Material: Stainless steel, anti-static, anti-corrosion and durable
- Tip type: Rounded needle tip, high elasticity and high accuracy
- Features: Fine craftsmanship, anti-static coating, compact and easy to carry
- Ideal for safely removing ticks, fleas and mites from pets

Code	Spec.	Code	Spec.
NL9110-1	12cm	NL9110-4	12cm
NL9110-2	14cm	NL9110-5	10.5cm
NL9110-3	14cm		

NEWLAND
NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL928 Infrared lamp

Description

- Color: clear, red, blue, green, yellow
- Waterproof, hard glass
- Lifetime: 3500hrs
- Accept OEM
- Each piece with one polybag, then with one middle box, 12boxes with one export carton

Code	Spec.
NL928-1	Infrared lamp 220V, 100W
NL928-2	Infrared lamp 220V, 150W
NL928-3	Infrared lamp 220V, 175W



NL957 Infrared lamp BR-38

Description

- Color: red and transparent
- BR-38
- Each item with one polybag, then put in a white middle box
- OEM package is available

Code	Spec.
NL957-1	240V 100W
NL957-2	240V 150W
NL957-3	240V 175W



NL958 Ceramic lamp

Description

- Material: Ceramic
- Color: white or black

Code	Spec.
NL9581-1	"T" shape 220V 75W
NL9581-2	"T" shape 220V 150W
NL9581-3	"T" shape 220V 250W
NL9582-1	"Cone" shape 220V 75W
NL9582-2	"Cone" shape 220V 150W
NL9582-3	"Cone" shape 220V 250W



NL971 Aluminium lamp shade

Description

- Material: Aluminum
- With thick aluminum sheet
- Durable and high quality

Code	Spec.
NL971-1	5m cable+2m chain+3way switch(100%,50% and off)
NL972-2	5m cable+2m chain+2way switch(on and off)
NL973-3	5m cable+2m chain (NO SWITCH)



NL973 Polishing lamp shade turn outside

Description

- Material: aluminium with polishing
- Without wire guard
- With ceramics lamp holder

Code	Spec.
NL973-1	5m cable+2m chain+3way switch(100%,50%and off)
NL973-2	5m cable+2m chain+2way switch(on and off)
NL973-3	5m cable+2m chain (NO SWITCH)



NL974 Polishing lamp shade turn inside

Description

- Material: aluminium with polishing
- With wire guard
- With ceramics lamp holder


Code	Spec.
NL974-1	5m cable+2m chain+3 way switch(100%,50% and off)
NL974-2	5m cable+2m chain+2 way switch(on and off)
NL974-3	5m cable+2m chain (NO SWITCH)



NL954 Golden alu lampshade

Description

- Size: 21.5 x 31cm
- 220V/50HZ, 275W; E27
- Lampshade holder: ALU alloy
- 2.5m cable + 2m chain+3ways switch(100%,50% and off)



NL955 Golden alu lampshade

Description

- Size: 30 x 32cm
- 220V/50HZ, 275W; E27
- Lampshade holder: ALU alloy
- 2.5m cable + 2m chain+3ways switch(100%,50% and off)

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL931/NL943 Animal feeding bottle 2.0L

Description

- Animal feeding bottle 2.0L
- Made of nontoxic plastic material
- With feeding teat
- Used for livestock

Code	Spec.
NL931	Slip type teat feeding bottle
NL943	Screw type teat feeding bottle



NL933/NL944 Animal Feeding bottle with handle

Description

- Animal feeding bottle 2.0L
- Made of nontoxic plastic material
- With feeding teat
- Used for livestock

Code	Spec.
NL933	Slip type teat feeding bottle
NL944	Screw type teat feeding bottle

NL934 Animal feeding bottle 2.5L with handle

Description

- Animal feeding bottle 2.5L
- Made of nontoxic plastic material
- With feeding teat
- Used for livestock
- Two teats for choice

Code	Spec.
NL934-1	Slip type teat feeding bottle
NL934-2	Screw type teat feeding bottle



NL935 Animal feeding bottle

Description

- With feeding teat, used for livestock
- Material: PP

Code	Spec.
NL935-1S	With short teat 2.5L
NL935-1L	With long teat 2.5L
NL935-2S	With short teat 4L
NL935-2L	With long teat 4L



NL952 Animal feeding bottle 3L with exhaust valve on the handle

Description

- Material: PE
- Capacity: 3L
- With feeding teat
- Used for livestock



NL9134 Animal feeding bottle

Description

- Long lasting and hard wearing
- Easy to use-snaps on to the bottle
- Suitable for use by other animals
- Capacity:3L
- Size: 36.5 x 11 x 110cm
- Material: PE



NL996 Animal feeding bottle

Description

- Long lasting and hard wearing
- Easy to use-snaps on to the bottle
- Suitable for use by other animals
- Capacity: 3Qt milk bottle
- Size: 3.5 x 3.5 x 15in (8.89 x 8.89 x 38.1cm)
- Material: PE

NL979 Feeding bottle with teat for lamb 1L

Description

- Capacity: 1L
- Material: PE



NL994 Lamb bottle 500ML

Description

- Large and safe to cook
- Complete with teat and collar
- Calibrated for precise feeding
- Wide neck for easy filling
- Material: PE
- Capacity: 500ml



NL995 Lamb bottle 300ml with tube

Description

- With plastic cover and tube
- Clear scale on the bottle
- Could be packed together or separately
- Material: PE material
- Capacity: 300ml

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL924 Teats

Description

- The lamb feeding teat is known around the world. it is ideal for new-born lambs, kids and other small animals
- Made of soft latex rubber
- Cap will fit all standard PET plastic pop bottles (28mm thread)
- The lamb feeding teat features a cone tip which is cut off at lower levels to provide faster flow
- A ball valve allows air inlet to the bottle

NL9244 Feeding rubber teat with monolayer

- This calf teat has been marketed in the world for many years
- It is generally fitted into a 20-21mm diameter drilled hole in any plastic or metal container

NL9245-1 Teat Calf Soda Bottle

- Real rubber teat to fit most soda bottles.
- Cut an X in the tip with razor blade or knife, or melt hole with hot nail
- Long lasting, heavy duty teat

Code	Spec.
NL924-1	Teat system for lamb feeding bucket
NL924-2	Spare teat for lamb feeding bucket
NL924-3	Lamb feeding teat
NL9245-2	Feeding rubber teat
NL924-6	Feeding rubber teat
NL924-7	Feeding rubber teat
NL924-8	Feeding rubber teat
NL924-9	Feeding rubber teat



NL9113 Milk strainer(500ML)

Description

- Material: plastic material
- Size: 19.5 x 12.3cm
- Dia: 16cm



NL960 Collapsible pet bowl

Description

- Material: Silicon
- Size: 19 x 12 x 18cm
- Capacity: 1000ml
- Weigh: 160g
- Color: Blue/Green/Red/Yellow



NL925 Teat dip cups

Description

- As well as pre-dipping and post-dipping of teats at milking time to reduce mastitis infections, teat dip cups are very useful for treatment of black-pock and other teat lesions
- Capacity:300ml

Code	Spec.
NL925-1	Teat no-return dip cup
NL925-2	Teat nunc dip cup
NL925-3	Teat foaming dip cup



NL9135 Cow mouth opener

Description

- Material: galvanized iron

Code	Spec.
NL9135-1	25.5 x 18cm
NL9135-2	36cm x 23cm




NL978 Piglet teething ring

Description

- Robust teething ring to reduce aggression in the pig shed
- Soothes and distracts
- Bite-resistant material
- Material: PE
- Size: 14 x 18 cm
- Chain length approx: 70 cm

Code	Spec.
NL978-1	Plastic
NL978-2	Metal



NL929 Plastic weaner

Description

- Plastic weaner for cow calves
- It is easy to adjust the screw, can use again
- Avoid the mavericks suck behavior, avoid spreading the disease
- Used to prevent the calves to suck the breast
- Used to prevent calves to lick bellybutton of each other

Code	Spec.
NL929-1	9 x 8cm
NL929-2	10.5 x 9cm

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL997 Egg collection basket

Description

- Capacity: 3dozens eggs
- Material: steel wire dia 3mm&2.5mm
- Size: top dia 20.5cm, bottom dia 15cm, height 12cm
- Surface treatment: powder coating
- Wire spacing 1.5cm
- Weight: 300g



NL998 Egg collection basket

Description

- Material: steel wire dia3 x 2.5mm
- Size: top dia 22cm, bottom dia 15.5cm, height 13.5cm
- Surface treatment: powder coating
- Wire spacing 2.2cm
- Weight:250g



NL999 Egg candler

Description


- Small pen size portable light
- Household candling lamp–this portable and practical egg candle easy to carry and can be used indoors or outdoors
- Suit for almost all types of eggs, you can check about once or twice a week



NL9100 Egg tester

Description

- Checking the development of the embryo in the egg
- Features the latest generation of high intensity LED light
- Max power: 15W
- Mains power supply or 3AA batteries with a USB power cord
- With two rubber tips for small and large eggs
- Equipped with the latest generation of high-power LEDs and a very powerful lens
- Can check for cracks in the shell and check whether the egg has been fertilised, as well as the stage of development of the embryo during incubation



NL9101 Egg tray

Description

- Material: HDPE
- Size: 30 x 30 x 5cm
- Weight: 160g
- Holds 30 eggs
- Can be stacked together
- Allow an easy and safe transport of the eggs



NL9102 180pcs-Egg shifting crate(egg type)

Description

- Size: 38.3 x 37.8 x 36.7cm
- Capacity:180pcs eggs
- Use together with egg tray
- Package: 100sets per pack



NL9103 Double egg transport box

Description

- Material: PP plastic, lightweight and durable
- Size: 68 x 36 x 37cm (suitable for egg transfer and storage)
- Features: Stable structure to protect eggs, smooth burr-free surface, bright color, easy to take and clean
- Ideal for safely transferring and storing poultry eggs



NL936 Fake poultry egg

Description

- Made of high quality ceramic or plastic
- White color or natural color for choice

Code	Spec.
NL936-1	Plastic egg with sandy in it, size is 6 x4.2cm Packed in opp bag or blister paper
NL936-2	Ceramic egg, size is 5.5 x 4.2cm, packed in blister paper
NL936-3	Plastic egg without sandy in it, size is 6 x4.2cm Packed in opp bag or blister paper
NL936-4	Plastic pigeon egg, size is 4 x 3cm Packed in opp bag or blister paper
NL936-5	PP egg

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL975 Surgical blade handle

Description

- High quality surgical blade handle
- Use for handle surgical blade

NL976 Surgical blade

Description

- High quality surgical blade
- With full sizes to choose
- Stainless steel material or carbon steel material for choice



NL987 Piglet tooth grinder

Description

- Material: Diamond grinding head alloy sheath
- Voltage: 220V 50/60Hz, Power: 130W
- Rotating speed:8000-32000r/min
- Quick and painless for newborn piglets grinding teeth
- Can reduce the oral odor, improve animal food intake
- Can prevent the pig hurt when fighting each other, and reduce the risk of piglet death
- Packed in an independent box, convenient to carry



NL977 Electric beak cutter

Description

- This machine is applicable to quickly cut chicken beak
- Staunch blood for chickens with different ages
- Voltage applicable: 220V±10%
- Power consumption: 200-250W
- Temperature of movable knife: 600-800℃
- Time of stopping knife and staunching blood: 0-4 seconds
- Weight: 8.5kg



NL984 Cow lifting frame

Description

Code	Spec.
NL984-1	For medium and smaller breeds to max.900kg
NL984-2	For tall breeds and beef cattle to max.1500kg



NL942 Electric sheep clipper

Description

- Delivered in a carrying case and with comb and cutter
- Light and easy to handle
- Power:350W, Speed: 2600Rpm, Frequency: 50/602Hz
- Voltage:230V
- Machine dimension:35 x10 x 8.5cm
- Net weight:1.9KGS



NL912 OB chain

Description

- Strong stainless steel handle to use with our calving chains
- Hooks in end loops or between any links
- Top quality manufacture
- Plastic grip. Two required for correct use

Code	Spec.
NL912-1	30″ OB chain with nickel plated
NL912-2	30″ stainless steel OB chain

- Tested to over 500kg. Hardened
- Oval end loop for easy internal use. Supplied as each

Code	Spec.
NL912-3-1	60″ OB chain with nickel plated
NL912-3-2	60″ stainless steel OB chain



NL980 Handling

Description

- Soft, safe, non-burning handling
- Easily machine washed(cold water) and improves with every wash
- Excellent lunging or thowing rope. Keep hidden when not in use
- Length 5m or 9m.etc
- With eye splices at both ends



NL9131 Calving rope

Description

- Material: PP
- Dia: 9mm
- Length: 0.85m, 1.9m, 2m, 3m



NL964 Cow immobilizer standard

Description

- Material: Carbon steel
- When positioned correctly, this restraint prevents animals from thrashing around
- Adjustable for different animal sizes
- The 45° offset of the hole series and the ø9mm thick locking bolts ensure ergonomic length adjustment and prevent inadvertent opening



NL9120 Sheep restrainer

Description

- The sheep restrainers are simple devices that are useful to humanely restrain sheep and goats
- Suitable for lambing, foot trimming, transportation, health checks and many other uses
- There are two sizes available, which make the restraining devices is suitable for lambs, sheep, goats and calves

Code	Spec.
NL9120-1	Width of 175mm
NL9120-2	Width of 225mm

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL9104/9105 Shepherds crooks

Description

- Option: Neck & Leg
- Material: Solid aluminium, hardened for extra strength
- Features: Equipped with rubber grip handle and end tip; excellent for catching lambs (for use on back legs)
- Length: NL9104: 1370mm; NL9105: 1150mm

NL9106 Plastic shepherds crooks

Description

- Option: Neck & Leg
- Material: PVC plastic, lightweight and durable
- Diameter: 25.4mm
- Features: Smooth plastic surface, corrosion-resistant and easy to clean
- Ideal for safely catching and guiding lambs
- Length: 1000mm



NL9121 Lambing aid for sheep

Description

- A handy tool to assist lambing
- Snare can be placed over head or leg, then pull firm and gently pull the lamb out
- Lambing aid is low maintenance and sturdy, being made out of plastic and nylon
- Length: 37cm



NL961 Lamb blanket

Description

- For protecting newborn lambs in cold weather
- Helps reduce hypothermia and mortality rates
- Wind and water repellent
- Pulls over the head and secured around all four legs
- One size fits all,red color



NL9116 Calf blankets

Description

- Outer: high-quality water-resistant Oxford fabric
- Inner: 210D Polyester taffeta (Sponge)
- Feature: keeps calves/cows warm in cold weather
- Size: 82 x 71cm
- Ideal for calf/cow winter protection



NL9117 Calf blankets

Description

- 10 Denier highly water repellent polyester (210D Oxford fabric)
- 240gsm polar fleece bonded with 5mm thick foam
- Highly breathable polyester fleece (240g polar fleece)
- Opp bag with manual
- Size: 75 x 103cm



NL9119 Calf cover

Description

- Outer: high-quality water-resistant Oxford fabric
- Inner: polyester taffeta (sponge)
- Feature: keeps calves/cows warm in cold weather
- Size: 85 x 70cm
- Ideal for calf/cow winter protection



NL9123 Pink eye patch

Description

- Pink Eye Patches aids in the treatment of pinkeye in cattle
- Calf & adult

Code	Spec.
NL9123-1	Big
NL9123-2	Small



NL9128 Shoe for hoof

Description

- Material: PVC
- Size: W12 x L20cm
- Price for one pair



NL9129 Scratch brush

Description

- Natural grooming & scratching
- Promotes coat cleanliness & comfort
- Versatile for cattle, horses & livestock
- Easy wall/post mounting, indoor/outdoor use
- Durable polyamide bristles, gentle on coats

Code	Spec.
NL9129-1	20 x 43cm
NL9129-2	20 x 43cm (slim in the middle)
NL9129-3	30 x 43cm

NEWLAND
NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL947 Plastic garden pressure sprayer

Description

- Long-spraying head
- More flux,better atomizing
- Practical, safe and labor saving
- Reasonable design, simple and portable
- Suitable for garden and household cleaning
- Capacity:5Liter, 8Liter, 10Liter
- Working pressure: 2-3 bar

Code	Spec.
NL947-1	5L
NL947-2	8L
NL947-3	10L



NL948 Plastic garden pressure sprayer

Description

- Long-spraying head
- More flux,better atomizing
- Practical, safe and labor saving
- Reasonable design, simple and portable
- Suitable for garden and household cleaning
- Capacity:12Liter 16Liter 20Liter
- Working pressure 2-4 bar

Code	Spec.
NL948-1	12L PE
NL948-2	16L PP
NL948-3	20L PE



NL940 Garden pressure sprayer

Description

- Made of high quality new raw plastic
- Capacity: 1.5L, 1L, 2L
- Perfect pump sprayer with off-stream-spray-off function
- Print logo is available

Code	Spec.
NL940-1	1.5L
NL940-2	1L
NL940-3	2L




NL1001 Liquid nitrogen containers

Description

- High-strength aluminum alloy structure, light empty weight
- Hinged handle (except YDS-5-200) is portable
- The lockable device can be installed to the container lid upon customers requirement so as to protect biological samples stored (limit for 30mm, 50mm,80mm calibers)
- Encoding system is applied on canisters for easy recognition and convenient accessing of samples
- More than 5-year vacuum quality guarantee is ensured with the multi-layer thermal isolation design

Model	Unit	YDS-1-30	YDS-2-30	YDS-3	YDS-5-200	YDS-6	YDS-10	YDS-10-80	YDS-10A	YDS-13
Capacity	L	1.0	2.0	3.15	5.0	6.0	10.0	10.0	11.0	13.0
Empty Weight	kg	2.0	2.9	3.4	5.3	5.0	6.2	6.5	6.8	7.0
Full Weight	kg	2.8	4.6	5.9	9.3	9.9	14.3	14.6	15.7	17.5
Neck Diameter	mm	30	30	50	200	50	50	80	50	50
Outer Diameter	mm	180	217	224	287	287	303	303	287	303
Height	mm	320	365	425	325	445	530	545	615	615
Static Evaporation Loss Mass	L/d	0.067	0.067	0.105	1.667	0.100	0.100	0.175	0.100	0.103
Static Holding Time	mm	15	30	30	3	60	100	57	110	126
Canister Outer Diameter	mm	26	19	38	—	38	38	63	38	38
Canister Height(single/double)	Nos	120	120	120	—	120	120	120	120/276	120/276
Number of Canisters: n	0.5ml	1	3	3~6	—	3~6	3~6	3~6	3~6	3~6
Straw Holding	0.5ml	52	90	132×n	—	132×n	132×n	360×n	132×n	132×n
Capacity(single level)	0.25ml	110	204	298×n	—	298×n	298×n	846×n	298×n	298×n
Straw Holding	0.5ml	—	—	—	—	—	—	—	214×n	214×n
Capacity(double level)	0.25ml	—	—	—	—	—	—	—	472×n	472×n



NL1002 Semen gun

Description

- Made by high quality stainless steel
- It can be used in straw semen AI and there are three specifications of 0.25ml, 0.5ml and universal
- Its special is to lock sheath by a wire lock and easy to lock and unlock sheath
- Spring type locking system or imv type to choose
- Spring type for 0.25ml, 0.5ml and universal
- IMV type for 0.25ml, 0.5ml
- Spring type locking system




NL1003 Foam tip catheters

Description

- Foam tip, injuries excluded, flexible
- Each piece with one polybag, 50pcs with one big polybag
- Private packaging, OEM packaging is available
- Blue, yellow.etc color is available
- Match up with NL1025

Code	Spec.
NL1003-1	Small size foam tip catheter without cover
NL1003-2	Small size foam tip catheter with cover
NL1003-3	Big size foam tip catheter without cover
NL1003-4	Big size foam tip catheter with cover

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL1020 Spiral catheters

Description

- Foam tip, injuries excluded, flexible
- Each piece with one polybag,10pcs with one big polybag
- Private packaging, OEM packaging is available
- Different color is available


Code	Spec.
NL1020-1	Foam tip catheters without cover
NL1020-2	Foam tip catheters with cover



NL1023 AI Sheaths

Description


- Material: PP or PVC pipe with inner set
- Length: 44.5cm
- Color: transparent



NL1025 PVC Catheters tube

Description

- A long section of PVC tubing designed for extending the length between the sponge catheter and the semen bottle, semen tube or semen bag
- Match up with NL1003, NL1020



NL1033 Disposable pig semen catheter for artificial insemination

Description

- Material of tube: PP
- Material of foam tip: EVA
- Used for: multiparous sow
- Colour: yellow, blue
- Package: 500pcs/caton



NL1005 Ear tag cutter

Description

- Very handy knife for removing ear tags, but also great twine cutter Many other uses on the farm
- Length 20cm, with 3cm long double razor sharp
- Stainless steel cutting blades
- Safe for your pocket



NL1004 Semen bottle

Description

- Semen bottle is made of food grade material
- Scale on body easy for checking
- Color of cap is available

Code	Spec.
NL1004-1	40ml semen bottle
NL1004-2	60ml semen bottle
NL1004-3	80ml semen bottle
NL1004-4	100ml semen bottle

NL1018 Semen bag

Description

- Semen bag with filter paper 2000ml
- Thickness: 0.055mm (18gm/pcs)
- Square measures: 240mmx240m
- Composition: polypropylene homopoly
- Properties: obstetric appliances
- Easy to tear when collecting semen



NL1022 Semen bag

Description

- Material: PP
- Capability: 100ml
- Application: artificial insemination
- Feature: moisture proof, with holes to die cut
- Packaging: 250pcs in one roll



NL1021 Cast padding bandage

Description

- The most effective, safe and widely used products in orthopaedics
- 100% cotton
- Highly absorbent

Code	Spec.
NL1021-1	Cast padding bandage size:60 x 3m
NL1021-2	Cast padding bandage size:10 x 3m



NL1026 Semen filter paper

Description

- 100% cotton material
- Filtering paper function: filter boar
- Make sure the semen pure & clean
- Offers the flexibility needed to adapt to any collection setup
- The special seams will not tear out with excessive get output
- Semen filters are also super colostrum filters
- Non-spermicidal, fast flow, and excellent gel retention

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL1035 Ice package

Description

- Easy to carry
- PU foam insulation layer
- For keeping warm and cold
- Convenient handle for portable use
- Size: 38 x 22.5 x 27cm
- Capacity: 13L



NL1036 Electronic Ice package

Description

- Capacity: 12L
- Voltage: 220V
- Vehicle voltage:24V
- Power: vehicle 60-75W
- Cryogenic temperature: -5℃
- Heating temperature: 55~65℃
- Inner size: 35 x 17.5 x 20cm, outer size:41 x 29 x 29.5cm
- Weight: 5.3kg



NL1037 Semen collection cup

Description

- Material: plastic
- Capacity: 450ml or 1000ml for choice
- New PU thermal insulation material could keep warm with 6hours
- Outer shell material is PE, pressure resistance, long service time

Code	Spec.
NL1037-1	Basic funds 500ml
NL1037-2	Basic funds 1000ml
NL1037-3	37 degree constant temperature 1000ml



NL1038 Laboratory thermostatic water bath 6 holes

Description

- Power: 1500W
- The temperature control accuracy: RT-100℃
- Size: 47 x 31 x 13cm, digital display
- Used to provide precise and constant temperature and auxiliary heating for gene amplification in laboratory, medical and industry



NL1006 Arm length gloves

Description

- Shoulder gloves is 92cm length
- 35% EVA and 60% LDPE
- Super sensitive and very strong
- 28 microns thickness
- 100pcs with one dispenser box
- Green, orange etc. different colors are available
- OEM packaging is favorable



NL1030 Arm length long gloves

Description

- 125cm length, link with neck and 12g in weight
- 30% EVA plus 70% LDPE
- Super sensitive, flexibility and strong in using, it could hold 1L water pressure testing
- 50pcs gloves per dispenser box,green color box or neutral white box available
- Factory direct price and OEM color design available



NL1007 Nitrile disposable glove

Description

- 100pcs gloves per dispenser box
- Recommended for milking
- Powder-free
- Hypo-allergenic
- Higher resistance to chemicals than latex
- Antiseptic
- Excellent quality gloves for veterinarians, dairy farmers, pig producers
- Semen collection and for other hygiene purposes



NL1008 Disposable examination vinyl gloves

Description

- 100pcs per dispenser box
- Powdered or powder free
- Size: S, M, L, XL
- Color: transparent or other colors
- OEM packaging is available



NL1024 Latex examination gloves

Description

- 100pcs gloves per dispenser box
- Powder or powder-free
- Protection from unwanted or dangerous substances
- Easy donning and helps prevent roll back
- Softness provides superior comfort and natural fit
- Beaded cuff makes donnings easy
- Ambidextrous and straights fingers
- Gloves sizes: Small, Medium, Large
- OEM packaging is available

NEWLAND
NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL1017-1 NL1017-2

NL1017 Boot sheets

Description

- Material: EVA+PE
- Color: blue and white are available


Code	Spec.
NL1017-1	Boot sheets thickness: 0.07mm, size: 45 x 45cm, N/W: 16g/PC
NL1017-2	Boot sheets thickness: 0.12mm, size: 45 x 45cm, N/W: 28g/PC



NL1032 Overshoe

Description

- Material: PP+CPE
- Size: 40 x 16cm



NL1014 Castrating band

Description

- Silicon material
- Strong, nontoxic
- Applied with castrating band applicator
- 500pcs per polybag. less than 15kgs per export carton

NL1014-1 Plastic steel castrating band applicator

- The applicator is especially suitable for the breeder with a small number of animals to dock or castrate
- It is a perfectly satisfactory tool at a very low price
- No need to pay more if you do not need more. Pins open to 45mm/40mm x 34mm (sides)

NL1014-2 Zinc alloy (steel) castrating band applicator

- Applicators are made in many places in many different qualities
- Ours is high quality at a low price, guaranteed to give very good service
- Smoothen easy operation. Check it for yourself. Pins open to 50mm/40mm x 30mm (sides)

NL1014-3 Castrating band-O ring

- Material: High quality import rubber
- Size: outer dia: 13.5mm, inner dia: 5mm



NL1027 Artificial insemination holder

Description

- Made of high quality plastic
- With light weight and easy to use
- Flexible and adjustable
- Hold the flank of sow, improve the absorption of semen by sow



NL1009 Non-woven self-adhesive bandage

Description

- Excellent tear resistance, shock-absorbing under strenuous activity, firm support, non-slip
- When applied correctly the bandage provides safe support without blocking the blood flow, easy to apply, even on difficult areas, suitable for all animals
- Very porous lightweight bandage, barely perceptible, skin breathes while the wound is healing
- Self-adhesive, therefore no grips, does not stick to the coat, easy to remove using bandage scissors, providing support, protection and security
- Size: 2.5cm x 4.5m, 5cm x 4.5m, 7.5cm x 4.5m, 10cm x 4.5m, 15cm x 4.5m for choice
- Color: different color is available
- Packaging: 12 rolls in convenient sale box
- OEM packaging is available



NL1043 Double sides adhesive tape

Description

- Material: cotton
- Size: 5cm x 25m
- Shrink package
- Highly adhesive



NL1044 One-side adhesive tape

Description

- Material: cotton
- Size: 5cm x 25m
- Shrink package
- Highly adhesive



NL1045 Leg&tail tape

Description

- Tear resistant and durable
- Polyethylene coated waterproof cloth backed tape
- 1pcs/shrink wrap with sticker
- 12pcs/inner box, 6 inner box per outer master carton
- 35 mesh or 50 mesh to choose

Code	Spec.
NL1045-1	Length 10m, width 48mm
NL1045-2	Length 25m, width 48mm

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL1046 Gypsona bandage

Description

- 1pc per bag

Code	Spec.
NL1046-1	7.5 x 2.7m
NL1046-2	10 x 2.7m
NL1046-3	15 x 2.7m



NL1010 Bandage scissors

Description

- Special lower blade on these is for slipping down
- Inside bandage to prevent injury to body underneath whilst cutting
- Useful cutting almost anything else. 19cm o.a



NL1011 Veterinary I.V. set

Description

- Transparent vial holder and tube is made of silicone
- White clamp for easy adjusting the flux
- Brass+chrome plated connection
- Luer lock adaptor with needle
- Each set with one neutral box , 100pcs per carton (OEM packaging is available)



NL1012 Veterinary I.V. set

Description

- Yellow vial holder and tube is made of super quality latex,
- White clamp for easy adjusting the flux;
- Brass+chrome plated connection
- Luer lock adaptor with needle;
- Each set with one neutral box, 100pcs per carton (OEM packaging is available)



NL1039 Microscope cover glass

Description

- Material: medical glass
- Size is 18 x 18mm, thickness is 0.13-0.17mm
- 100pcs per neutral pack



NL1016 XSZ-N107 series biological microscope

Description

- XSZ-N107 series microscope is improved on the basis of XSZ-107BN series such as adding
- Anti-mould device and some decoration
- It looks nice and much modern

		N106	N107	N207	N107E	N107CCD
Viewing Head	Monocular Head Inclined at 45°, 360° Rotatable	●				
	Sliding Binocular Head Inclined at 45°, 360° Rotatable; Anti-mould		●			
	Compensation Free Binocular Head Inclined at 30°, 360° Rotatable; Anti-mould			●		
	Trinocualr Head for Photography				●	
	Trinocular Head for Video Camera (C Mount)					●
Eyepiece	Wide Field Eyepiece WF10×、P16 ×	●	●	●	●	●
Objective	Achromatic Objective 4×、10×、40×（S）、100×(S, Oil)	●	●	●	●	●
Nosepiece	Quadruple Nosepiece	●	●	●	●	●
Stage	Double Layer Mechanical Stage 140×140mm/ 75×50mm	●	●	●	●	●
Focusing	Coaxial Coarse & Fine Adjustment, Moving Range 28mm, Fine Division 0.002mm	●	●	●	●	●
Condenser	Abbe NA 1.25 with Iris Diaphragm & Filter	●	●	●	●	●
	Dark Field Condenser NA 0.9 (Dry)	○	○	○	○	○
	Dark Field Condenser (Oil) NA 1.25-1.36	○	○	○	○	○
Illumination	Built-in Illumination, Halogen Lamp 6V/20W	●	●	●	●	●
	Plan-concave Mirror	●	●	●	●	●
	Kohler lighting fixtures	○	○	○	○	○

Note: ● Standard Outfit, ○ Optional

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL1015 N-800M Laboratory biological microscope

Description

- With infinite optical system, kohler illumination, providing excellent optical quality and making image perfect
- With low and forward position coaxial focus system, focusing knobs and brightness adjustable knob within reaching location, stable integral structure, reasonable ergonomic design, making
- Operator feel more comfortable and effective

Specification



NDFA-D Dark Field Condenser (Dry)



NPHA Turret Phase Contrast Kit



NDFA-O Dark Field Condenser (Oil)



Polarization Attachment

Features

		N-800M
Viewing Head	Seidentopf Binocular Head	○
	Seidentopf Trinocular Head	●
Eyepiece	Extra Wide Field Eyepiece EW10×/ 22	●
Nosepiece	Backward Quintuple Nosepiece	●
	Backward Sextuple Nosepiece	○
Objective	Infinite Plan Achromatic Objective 4×	●
	Infinite Plan Achromatic Objective 10×	●
	Infinite Plan Achromatic Objective 20×	○
	Infinite Plan Achromatic Objective 40×	●
	Infinite Plan Achromatic Objective 100×	●
	Objectives for Dark Field 100×	○
Condenser	Swing-out Condenser NA 0.9/ 0.25	●
Stage	Double Layers Mechanical Stage 185×142/ 75×55	●
Illumination	External Illumination, Aspherical Collector, Halogen Lamp6V/ 30W	●
	50W/ 100W Power Supply	○
Photo Attachment		○
Video Adapter	C Mount 1×	○
	C Mount 0.5×	○
Filter	Blue Filter	●
	Green Filter	●
Multi Viewing Attachments	Multi Viewing Attachments for 5 persons	○
	Multi Viewing Attachments for 3 persons	○
	Multi Viewing Attachments for 2 persons	○
Polarization Attachment		○
Phase Contrast Kit	Turret Phase Contrast Kit	○
Dark Field Attachment		○
Epi-fluorescent Attachment		○
Temperature Controlled Stage		○
Drawing Attachment		○

Note: ● Standard Outfit ○ Optional

Specification



Comfortably observing with compensation free trinocular head inclined at 30°;
Suitable for observer with wide interpupillary range of 48-75mm;



Larger viewing area with extra wide field eyepiece EW10×/22;
Focus control with diopter adjustable;



Big operating space with backward quintuple nosepiece;



Rectangle double layers mechanical stage 1 85×142mm, moving range 75×55mm;
Comfortable operation with low position adjustable knobs;



Perfect image with infinite plan achromatic objective



Overcoming illumination asymmetry at low magnification observation



With aspherical condenser and kohler illumination, providing enough, even and high contrast illumination for various objective observations.



External illumination, halogen lamp 12V/30W, brightness adjustable



NL1040 Microscope slides

Description

- Material: medical glass
- Size is 76 x 25mm(3 x 1"),thickness is 1.0-1.2mm
- 50pcs per neutral pack



NL1028 Veterinary B-ultrasound scanner

Description

- High resolution linear/convex ultrasound scanner
- Adopts micro-computer control and digital scan converter
- Video output and high speed USB port
- Jet molding enclosure with hand-held structure
- Different probe suitable for different animals
- Dimension: 265(L) x 153(W) x 46(H) mm
- Weight: 0.8kg
- Specification:7000AV
- Three heads are available



NL1029 Ultrasound gel

Description


- Main material: water-soluble high polymer
- 250ml/5L to choose



NL1031 Mastitis test paddle

Description

- For a quick mastitis detection
- Material: strong plastic
- Color: white or black



NL1047 Mastitis test paddle X spurt

Description

- The mastitis test paddle X spurt is used as part of the milk test to detect cases of sub clinical mastitis in cattle
- The handle holds the fluid, when the handle is squeezed equal portions of the fluid are dispensed into each well
- This makes the test cleaner and quicker to administer

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144

NL1101 Folding mouse traps


NL1101-1


NL1101-2


NL1101-3

Description

- Folding traps can save a lot of transport fees
- Particular design is easy for catching
- Galvanized wire or powder coated wire is available
- Packaging: bulk packaging or private packaging is available

NL1101-1
Small size folding mouse traps
Mesh: 1/2″ x 1/2″
Size: 16 x 10 x 8cm

NL1101-2
Middle size folding mouse traps
Mesh: 1″ x 1/2″
Size: 23 x 13 x 10cm

NL1101-3
Large size folding mouse traps
Mesh: 1″ x 1/2″
Size: 30 x 16 x 13cm

NL1102 Economy mouse traps


NL1102-1


NL1102-2


NL1102-3

Description

- Galvanized wire or powder coated wire is available
- Particular design is easy for catching
- Economy traps is much stronger than folding mouse traps
- Packaging: bulk packaging or private packaging is available

NL1102-1
Small size economy mouse traps
Mesh: 1/2″ x 1/2″
Size: 16 x 10 x 8cm


NL1102-2
Middle size economy mouse traps
Mesh: 1″ x 1/2″
Size: 23 x 13 x 10cm

NL1102-3
Large size economy mouse traps
Mesh: 1″ x 1/2″
Size: 30 x 16 x 13cm

NL1103 Multifunctional mouse traps


NL1103-1


NL1103-2


NL1103-3


NL1103-4

Description

- Galvanized wire or powder coated wire is available
- Particular design is easy for catching
- Packaging: bulk packaging or private packaging is available

NL1103-1
Small size multi functional mouse traps
Mesh: 1/4″ x 1/4″
Size: 18.5 x 10.5 x 6.5cm

NL1103-2
Middle size multi functional mouse traps
Mesh:1/4″ x 1/4″
Size:21 x 13 x 9cm

NL1103-3
Large size multi functional mouse traps
Mesh: 1/4″ x 1/4″
Size: 30 x 15 x 12cm

NL1103-4
Two holes multi functional mouse traps
Mesh:1/4″ x 1/4″
Size: 40 x 25 x 20cm



NL1104 Semicircular mouse trap

Description

- Size: 41.5 x 23.5 x 16cm
- Mesh: 1/2″ x 1/2″
- Galvanized wire or powder coated wire is available
- Particular design is easy for catching
- Packaging: bulk packaging or private packaging is available



NL1105 Collapsible animal trap

Description

- Different sizes of collapsible traps are available for different animals, from mouse to raccoons
- Collapsible, easy to set, bait and release for consumer friendly operation
- Assembles and collapses in minutes, no tools needed
- Folding trap can save a lot of transport fees
- Galvanized wire or powder coated is available
- Size: 76.2 x 30.5 x 30.5cm



NL1106 Collapsible animal trap

Description

- Different sizes of collapsible traps are available for different animals, from mouse to raccoons
- Collapsible, easy to set, bait and release for consumer friendly operation
- Assembles and collapses in minutes, no tools needed
- Folding trap can save a lot of transport fees
- Galvanized wire or powder coated is available
- Size: 66 x 30 x 23.5cm


NL1109-2

NL1109-1

NL1109 Wooden base mouse trap

Description

- Made of galvanized wire mesh and high quality wooden base
- Suitable for catching little mouse

Code	Spec.
NL1109-1	27 x 9.5 x 9cm
NL1109-2	11.5 x 5.5 x 5.5cm

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL1110 Leg mouse trap

Description

- Galvanised against rust
- Jaw spread: 4″
- Effecient to trap target animals



NL1111-1



NL1111-2



NL1111-3

NL1111 Leg mouse trap

Description

- Galvanised against rust
- Jaw spread: 4″
- Effecient to trap target animals

Code	Spec.
NL1111-1	Leg mouse trap
NL1111-2	Leg mouse trap with PVC coated
NL1111-3	Leg mouse trap with rubber



NL1112 Mouse trap

Description

- ABS + PC material
- With insert cart packing



NL1113 Mouse trap

Description

- ABS + PC material
- With insert blister packing
- 2pcs in one pack



NL1114 Mouse trap

Description

- ABS + PC material
- With card packing
- 2pcs in one pack



NL1116 Mouse trap

Description

- Size: 10 x 5 x 5.5cm
- Plastic material
- With blister paper packing
- 2pcs in one pack



NL1117 Mouse trap

Description

- Size: 26 x 16 x 4.5cm
- Galvanized iron material
- 1pc in color box



NL1115 Mouse trap

Description

- Size: 14 x 6.5 x 8cm
- Plastic material
- With blister paper packing



NL1123 Plastic mouse trap

Description

- Material: plastic

Code	Spec.
NL1123-1	S size: 9.5 x 4.5 x 1.5cm, 40g/pc
NL1123-2	L size: 14.5 x 8 x 2cm, 100g/pc




NL1118 Mouse trap

Description

- Size: 26 x 15 x 4.5cm
- Galvanized iron material
- 1pc in color box

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL1119 Metal mouse trap

Description

Code	Spec.
NL1119-1	Size: 9.5 x 4.5cm, 6pc in poly bag with card
NL1119-2	Size: 12 x 6cm, 2pc in poly bag with card
NL1119-3	Size: 17 x 8cm, 1pc in poly bag with card



NL1120 Wooden mouse trap

Description

Code	Spec.
NL1120-1	Size: 9.8 x 4.8 x 0.6cm,25g/pc, 2pcs in one poly bag with card
NL1120-2	Size: 12.3 x 6 x 0.7cm,45g/pc, 2pcs in one poly bag with card
NL1120-3	Size: 17.3 x 8 x 1cm,100g/pc, 2pcs in one poly bag with card



NL1125 Live capture mouse trap

Description

- Material: Polypropylene
- An easy to use eco-friendly, human release mouse trap
- Simple set up and release
- Bait is placed in the end cap and the trap is positioned by the side of the wall with the door in the open position, once the mouse has entered the trap will set and the door will close



NL1121 Photocatalyst mosquito & fly trap

Description


- Chemicals free
- Smokeless
- Odorless
- Air and bacteria purifier
- Economical
- Quiet operation with escape-proof net
- Tripartite system: UV light, tio2 , heat
- Voltage: AC220~240V
- Power: 26w
- G.W.: 1.8kg
- N.W.: 1.3kg
- Dimention: 25.5 x 21.5 x 35cm
- Material: ABS
- Effective area: 100-120cm^2



NL1124 Fly trap

Description

- Plastic fly trap for lawn, garden, camping and farm
- Complete with attractant, just add water and hang
- No pesticides, effective and responsible



NL12101 Fence post

Description

- It's made of square steel pipe
- With powder coating
- Length: 105cm, size can also be made as customer's requirement
- Packaging: bulk packaging with pallet

NL12102 Fence post

Description

- It's made of round steel rod
- Powder coating or hot drop galvanized is available
- Length: 122cm, size can also be made as customer's requirement
- U shape foot can be used in the ground directly
- With reflexible mark at the top
- Packaging: bulk packaging with pallet

NL12103 Fence post

Description

- It's made of round steel rod
- Powder coating or hot drop galvanized is available
- Length: 120cm, size can also be made as customer's requirement
- With reflexible mark at the top
- Packaging: bulk packaging with pallet

NL12105 Fence post

Description

- It's made of round steel rod
- Powder coating or hot drop galvanized is available
- Length: 113cm, size can also be made as customer's requirement
- With step can be entered into the ground directly
- Packaging: bulk packaging with pallet

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144

NL12111 Rebar steel fence post

Description

- It's made of rebar steel rod
- Be widely used for large animals
- Length: 106cm, size can also be made as customer's requirement
- Frame finishing: powder coated
- Packaging: bulk packaging with pallet

NL12112 Round steel fence post

Description

- It's made of round steel rod
- Provide quick, easy, low-cost installation for electric fence Frame finishing: powder coated
- Length: 110cm, size can also be made as customer's requirement
- Different color is available
- Packaging: bulk packaging with pallet

NL12113 Rebar steel fence post

Description

- It's made of rebar steel rod
- Length: 105cm, size can also be made as customer's requirement
- Frame finishing: powder coated
- Packaging: bulk packaging with pallet

NL12115 Rebar steel fence post

Description

- It's made of rebar steel rod
- Length: 110cm, size can also be made as customer's requirement
- Frame finishing: powder coated
- Packaging: bulk packaging with pallet



NL12111 NL12112 NL12113 NL12115



NL12104 NL12107 NL12110 NL12114

NL12104 Fence post

Description

- It's made of round steel rod
- Powder coating or hot-dip galvanized is available
- Length: 122cm, size can also be made as customer's requirement
- With step can be entered into the ground directly
- Packaging: bulk packaging with pallet

NL12107 Fence post

Description

- It's made of round steel rod
- Powder coating or hot-dip galvanized is available
- Length: 106cm, size can also be made as customer's requirement
- With step can be entered into the ground directly
- With insulating pigtail handle
- Packaging: bulk packaging with pallet

NL12110 Plastic fence post

Description

- It's made of PP material with UV resistance
- For all commonly available tapes, ropes, stranded or solid wires
- Length: 122cm
- High stability through additional longitudinal struts
- Packaging: bulk packaging with pallet

NL12114 Steel pigtail fence post

Description

- It's made of steel material with UV additive
- With white finishing
- Length: 105cm, size can also be made as customer's requirement
- With step can be entered into the ground directly
- With insulating pigtail handle
- Packaging: bulk packaging with pallet

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144

NL12116 Steel T-post

Description

- It's made of robust steel
- Green/White painted
- Length: 152cm, size can also be made as customer's requirement
- Packaging: bulk packaging with pallet

NL12117 Steel Y-post

Description

- It's made of Y-shaped steel rod
- Well suited for soft, moist or deep grounds
- Length: 135cm, size can also be made as customer's requirement
- Packaging: bulk packaging with pallet

NL12106 Post driver

Description

- It's made of Y-shaped steel rod
- Well suited for soft, moist or deep grounds
- Length: 135cm, size can also be made as customer's requirement
- Packaging: bulk packaging with pallet



NL12116



NL12117



NL12106



NL12201 Fence gate handle

Description

- With positive non-slip grip
- High tensile galvanized spring
- Works with high tensile wire
- Poly wire or a replacement handle for patriot spring gate in permanent and temporary fence



NL12202

NL12203

NL12202/NL12203 Fence gate handle

Description

- Fully insulated electric fence spring gate handle
- With positive non-slip grip
- High tensile galvanized spring
- Works with high tensile wire, poly wire or a replacement handle for patriot spring gate in permanent and temporary fence



NL12204

NL12205

NL12204/NL12205 Fence gate handle

Description

- Fully insulated electric fence spring gate handle
- With positive non-slip grip
- High tensile galvanized spring
- Works with high tensile wire, poly wire or a replacement handle for patriot spring gate in permanent and temporary fence



NL12223 Spring gate

Description

- It's made of high tension steel
- With zinc plating
- One side with closed hook, another side with open hook
- Outside with insulating PVC



NL12222 Spring gate

Description

- Insulated gate handle
- Material: steel or stainless steel
- Finish: zinc plated and powder coated
- Extends up to 5 meters



NL12228 Fence gate handle

Description

- Material: PP with UV resistance
- Galvanised steel spring extends up to 5m
- Open the fences access without ground contact being made

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144

WOOD POST INSULATORS



NL12206/NL12207 Fence insulator

- For attaching rope products to wood posts and trees
- Prevents the possibility of the conductor escaping from the insulator



NL12209/NL12210 Fence insulator

- For attaching rope products to wood posts and trees
- Self-screw with zinc plated, easy for entry



NL12232 Ring insulator

- Metal rod flush flat and plastic RADIUS design, more solid and durable
- For polywire and wire, screws on wood



NL12216 Fence insulator

- For attaching rope products to wood posts and trees
- It's made of polypropylene with UV additive



NL12213/NL12215 Fence insulator

- For attaching rope products to wood posts and trees
- It's made of polypropylene with UV additive



NL12214 Fence insulator

- For attaching rope products to wood posts and trees



NL12233...NL12241 Offset fence insulator

- Offset insulator for ropes and tapes, with support of 22cm length
- Keeps live wires away from the posts



NL12229 Fence insulator

- It's made of carbon steel with zinc plating
- With insulating pigtail handle
- Easy for electric wire
- Bulk packaging



NL12224 Fence insulator

- It's made of carbon steel with zinc plating
- With insulating pigtail handle
- Easy for electric wire



NL12230 Ring insulator

- Ring insulator extra, with support inside insulating part
- Very high dielectric strength and support with wood thread



NL12231 Tape insulator

- Ideal for polytapes up to 20mm
- Sturdy galvanized 6mm support



NL12242 Screw-in or nail on insulator

- Screw-in or nail-on insulator, tape passes through
- Easy straining of hot tape over longer runs of fence



NL12243 Rope insulator

- Rope insulator, screw in or nail on, heavy-duty insulator made of break-proof plastic
- Ideal for electric ropes up to 8mm and premium horse wire

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL12244 Rope insulator
- Rope insulator euro cord, ideal for steel wires
- Professional insulator for permanent fencing



NL12245 Rope insulator
- Rope insulator euro cord, screw in or nail on
- Ideal for electric ropes up to 8mm and premium horse wire



NL12297 Insulator for tapes
- Material: PE with UV additive
- For ropes up to 8mm and for wire up to 4mm
- For screwing or nailing on



NL12252 Clip insulator easy tape
- Insulator ranger for screwing in or nailing on, UV stabilized
- Can also fix with cable ties, for tapes up to 40mm, ropes up to ø8mm



NL12246 Pinlock insulator
- Heavy-duty insulator
- Ideal for all ropes up to ø8mm poly wires and steel wires



NL12247 Pinlock insulator
- Heavy-duty insulator
- Ideal for all ropes up to ø8mm poly wires and steel wires



NL12253 Clip insulator easy tape
- The slip-proof rubber pad holds tapes up to 40mm eliminating tape wear
- Allows fatigueless integration in already installed fence systems



NL12254 Clip insulator easy tape
- For tapes up to max. 40mm as well as polywires up to Ø6mm
- Ideal fence line insulator, improved clip mechanism thanks to 2 locking points



NL12248 Staple insulator
- One-piece moulding reduces risk of shorting
- Can be added after the wire has been laid out
- UV-stabilised for long life




NL12249 Tape insulator
- Wide tape insulator with all round reinforcement
- For nail-on and screw-in



NL12255 Screw bit for insulator
- For drills and battery screwdrivers
- Easily screwed in due to its round shape
- Suitable for all ring insulators



NL12256 Steel ring insulator tool
- Use to install ring insulators onto wood posts
- Works with a drill
- Galvanized steel for corrosion resistance



NL12250 Combi-insulator
- Galvanized 6mm metal support for tapes up to 40mm and ropes up to 6mm
- Improved clip mechanism thanks to 2 locking points



NL12251 Insulator for tapes
- Insulator for tapes up to 40mm, screw-in or nail-on insulator
- Tape passes through-thus easy straining of hot tape over longer runs of fence





NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144

TEE POST INSULATORS



NL12208 Fence insulator

- For attaching rope products to wood posts and trees
- It's made of polypropylene with UV additive



NL12257 Combi-insulator

- Unites four different conductive material applications in one insulator
- It has proven its worth more than a hundred thousand times



NL12258 Angle post insulator

- Angle post insulator for angle steel posts with 2mm and 3mm



NL12283 Splint insulator with metal splint

- Material: PP with UV additive
- For stranded wire up to 4 mm
- For angle steel posts with 2mm-3mm



NL12260 T-Post tape insulator

- T-Post tape insulator for tapes and ropes, simplifies fastening to the T-post
- Top-quality posts in varying lengths, easily driven in, for durable application



NL12259 Pinlock insulator

- Pinlock insulator for rope, poly wire and wire
- Insulator with wooden thread for twines and permanent fencing twines





NL12296-1

NL12296 Pin-lock insulator

- Material: PE with UV additive
- Insulator for screwing and nailing
- For stranded wire up to diameter 2.5mm and solid wire diameter 1.6 and diameter 2.5mm
- Top-quality posts in varying lengths, easily driven in, for durable application

NL12296-1 Connection plate
Material: Stainless steel material



NL12261 T-Post pinlock insulator

- Top-quality T-Posts in varying lengths, easily driven in, for durable application
- Insulators are fastened by clipping firmly to the T-Post at the desired heights



NL12262 Pinlock insulator

- Pinlock insulator for rope, poly wire and wire
- Insulator with wooden thread for twines and permanent fencing twines




NL12263 T-Post tape insulator

- T-Post tape insulator for tapes up to 50mm
- Improved clip system-simplifies fastening to the T-post



NL12264 Vario classic ring insulator

- Vario classic ring insulator
- Fast and tool-free installation, impact-resistant plastic



NL12236

NL12238

NL12236/NL12238 Offset fence insulator

- Offset insulator for ropes and tapes, with support of 22cm length
- Keeps live wires away from the posts



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144

ROUND POST INSULATORS



NL12265 Fence insulator

- For attaching rope products to wood posts and trees
- With galvanized steel sheet wing easy for assembling



NL12266 Vario classic ring insulator

- For metal or plastic posts up to 20mm diameter
- Fast and tool-free installation, impact-resistant plastic



NL12267 Tape insulator

- Tape insulator to screw for tapes up to 40mm, locking tab to secure tape in place
- For round posts up to ø12mm, for wires and ropes up to ø6mm



NL12268 Vario classic ring insulator

- For metal or plastic posts from 7 to 19 mm diameter
- Easy to tighten/fix in place by winding the conductor material around the insulator



CORNER POST INSULATORS



NL12211 Fence insulator

- For attaching rope products to wood posts and trees
- Allow for easy entry of conductor into smooth channel



NL12217 Egg insulator individual

- It's made of Polypropylene with UV additive
- Color of egg insulator individual is available



NL12269 Slit insulator

- Excellent insulation qualities for polywire and wire
- Galvanized support and screws on wood



NL12270 Strain insulator

- Strain insulator polyamide for steel wire with breglass reinforcement
- Suitable as corner and strain insulator impermanent fencing (plain wire)



NL12271 Gate handle insulator

- Gate insulator for tapes profi, kit consists of: 4 insulators and 4 tape joiners
- Solid tape insulator with S.S tape joiner for gate handle and fencer connection



NL12272 Corner insulator

- Corner insulator with buckles for tapes 40~60 mm
- Screw-in or nail-on insulator, forks off in different directions



NL12273 Corner insulator

- Corner insulator with pare buckle for tapes 40~60 mm
- Forks off in different directions, easy to hang in gate handles



NL12274 Corner insulator

- Corner insulator for tapes 40~60 mm
- For tapes up to 40mm, forks off in different directions

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144

CORNER POST INSULATORS



NL12275 Corner and distance insulator

- Anti-slip by alternating rubber pad structure, mounts easily and strains tapes
- Electrically conductive rubber inlays through carbon fibres secure the tape very gently but reliably



NL12276 Classic insulator

- Classic pulley shape design with metal part reinforcement
- Strain insulator polyamide for steel wire
- Suitable as corner and strain insulator impermanent fencing (plain wire)



NL12277 Head insulator

- Head insulator suits all conventional tapes, ropes, polywires and wires
- Prevents animals from injuring themselves at the post top



NL12278 Strain insulator

- Strain insulator polyamide for steel wire with metal part reinforcement
- Suitable as corner and strain insulator impermanent fencing (plain wire)



NL12279 Porcelain corner insulators

- Regular duty porcelain corner and end post insulator
- Weight: 72g



NL12280 Porcelain corner insulators

- Professional corner insulator
- Weight: 50g
- Withstands extreme tensile loads



NL12281 Porcelain strain insulator

- Extremely durable starting and end insulator for fence wires
- Withstands extreme tensile loads
- Weight: 98g




NL12108/NL12109 Galvanized high tensile wire

Description

- Class 3 galvanized wire


Code	Spec.
NL12108	Size: 14 gauge 16 gauge available 1000m/Roll; economy packaging with pallet
NL12109	Size: 16 gauge 400m/Roll; with plastic spool packaging



NL12226 Electric fence poly tape

Description

- Electric fence poly tape
- UV-stabilized
- Stainless steel wire or copper wire to choose
- Width 8mm-50mm to choose
- Normal length is 200m and 400m.
- Customized width, length, wire, and color are available



NL12227 Electric fence poly rope

Description

- Made of high quality polyester and PE
- Stainless steel wire or copper wire to choose
- Normal diameter 2mm, 3mm, 6mm, 8.5mm
- Normal length is 200m and 400m
- Customized diameter, length, wire and color are available



NL12284 Fence reel

Description

- Non-geared ratio 1:1
- Light weight and strong
- Can be attached to reel stand
- Material: PP



NL12285 Fence reel

Description

- Geared & Non-geared
- 50mm wide spool, can hold 750m poly wire or 300m tape
- Geared ratio 3:1 or non-geared ratio 1:1 available
- Galvanized steel frame, spool insulated
- With carry handle and steel locking system

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144

FENCE ACCESSORIES



NL12219 Clamp

- L shape clamp
- With hot dip galvanized
- Positive clamping action



NL12220 Clamp

- Line clamp with screw easy for operation
- Hot dip galvanized



NL12286-1



NL12286-2



NL12286-3



NL12286-4



NL12286-5

NL12286-1 Fence tape connector

- Application:Fence wire
- Holder up to 40mm tape Packing

NL12286-2 Tape buckle

- Made of stainless steel, never rust
- For various tape application
- For tape up to 1 - 1/2"

NL12286-3 Rope connector single

- For a secured and durable connection of polywire and electrified rope
- Made in stainless steel or galvanized steel
- Different sizes available

NL12286-4 Rope connector duplex

- For a secured and durable connection of polywire and electrified rope
- Made in stainless steel or galvanized steel
- Different sizes available

NL12286-5 Tape gate buckle

- Connection with tape and gate handle
- Made in stainless steel wire
- For tape width 10, 20, 40 mm



NL12221 Wire grip

- Wire grip is made of steel die-casting
- With hot drop galvanized
- Easy for wire tensioning device



NL12225 Tension springs

- Material: stainless steel, hot-dip galvanized and zinc-plated to choose
- Size can be customized

FENCE ACCESSORIES



NL12287



NL12288

NL12287/NL12288 White plastic tightener

- Molded of engineering grade polymer
- Tightens tape up to 1" wide tape



NL12289

NL12290

NL12289/NL12290 Gate anchor & activator plate

- An anchor for gate handle, easily mounts using 2 nails on a wood post
- Galvanized and stainless metal fittings for maximum life
- 180 degree swivel for easy access



NL12291 Cut-out switch

- Heavy duty cut-out switch for fencers with over 12J output



NL12292 Fence switch

- PP+UV resistance,140g
- To switch current independently from the fence
- Two outlets can be controlled



NL12293 Wire cutter

- Drop-forged jaws for cutting 12.5 gauge fence wire
- 8" in length, comfortably shaped handles



NL12294 Strainer handle

- To tighten wire with strainer cog teeth or square protrusion
- Detachable pin with two positions on frame
- Electroplating or powder coating finish



NL12295 Fence light tester 8-light 7k V

- Pocket size for convenience
- Rugged case design, with built-in earth probe
- 8 level indication to 7,000V(600-1,000-2,000-3,000 4,000-5,000-6,000-7,000)



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL12301 Stainless steel treatment trolley

Description

- It's made of stainless steel SUS304 pipe
- With adjustable height wheels
- Two wheels with locker
- Two wheels are versatile
- Each trolley with two plastic cases
- Size: L145 x W46 x H93cm



NL12302 Galvanized treatment trolley

Description

- It's made of carbon steel squre pipe(25 x 25 x 1mm)
- Galvanized plating or powder coating is available
- Two wheels with locker
- Two wheels are versatile



NL12303 Stainless steel transport trolley

Description

- Material:Stainless steel
- Air tires Ø400 mm
- Additional wheels for support are retractable
- Winch with 600 KG capacity
- Complete with 5 meters cable an hook
- Size 175 x 49 cm



NL12304 Dust cart

Description

- It's made of steel sheet
- With powder coating
- With two versatile tyres
- Size: L105 x W55 x H85cm



NL12401 Female thread



NL12402 Male thread

NL12401/NL12402 Stainless steel hose adapters

Description

- 1/2" Female thread with different size braided hose barb

NL12401/NL12402	1/8"
NL12401/NL12402	1/4"
NL12401/NL12402	3/8"
NL12401/NL12402	1/2"
NL12401/NL12402	3/4"
NL12401/NL12402	1"
NL12401/NL12402	1-1/4"
NL12401/NL12402	1-1/2"
NL12401/NL12402	2"

- Note: 3/4", 1".etc. Female thread with different size braided hose barb are available



NL12403
Stainless steel couplings



NL12404
Stainless steel Tee's



NL12405
Stainless steel crosses



NL12406
Stainless steel Unions

Description

NL12403-1/2"	L: 33mm	NL12404-1/2"	L: 25mm	NL12405-1/2"	L: 50mm	NL12406-1/2"	L: 43mm
NL12403-3/4"	L: 38mm	NL12404-3/4"	L: 29mm	NL12405-3/4"	L: 56mm	NL12406-3/4"	L: 48mm
NL12403-1"	L: 41mm	NL12404-1"	L: 34mm	NL12405-1"	L: 66mm	NL12406-1"	L: 50mm
NL12403-1-1/4"	L: 48mm	NL12404-1-1/4"	L: 40mm	NL12405-1-1/4"	L: 80mm	NL12406-1-1/4"	L: 56mm
NL12403-1-1/2"	L: 52mm	NL12404-1-1/2"	L: 44mm	NL12405-1-1/2"	L: 87mm	NL12406-1-1/2"	L: 59mm
Nl12403-2"	L: 58mm	Nl12404-2"	L: 52mm	NL12405-2"	L: 102mm	NL12406-2"	L: 65mm



NL12407
Stainless steel 90 street elbow



NL12408
Stainless steel reducing coupling



NL12409
Stainless steel street socket

Description

NL12407-1/2"	L: 53mm	NL12408-1/2" x 3/4"		NL12409-1/2"
NL12407-3/4"	L: 60mm	NL12408-1/2" x 1"		NL12409-3/4"
NL12407-1"	L: 69mm	Nl12408-1/2" x 2"		NL12409-1"
		NL12408-3/4" x 1"		
		NL12408-3/4" x 2"		
		NL12408-1" x 2		

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL12410 Stainless steel bushing

Description

NL12410-3/8″ x 1/4″
NL12410-1/2″ x 1/4″
NL12410-1/2″ x 3/8″
NL12410-1″ x 1/2″
NL12410-1″ x 3/4″
NL12410-1-1/4″ x 1″
NL12410- 2″ x 1″
NL12410-2″ x 1-1/4″
NL12410-2″ x 1-1/2″



NL12411
Stainless steel cap

Description

NL12411-1/2″
NL12411-3/4″
NL12411-1″



NL12412
Stainless steel plug

Description

NL12412-1/2″
NL12412-3/4″
NL12412-1″



NL12413
Stainless steel 45 degree elbow

Description

NL12413-1/2″
NL12413-3/4″
NL12413-1″
NL12413-1-1/4″
NL12413-1-1/2″
NL12413-2″



NL12414
Stainless steel 90 degree elbow

Description

NL12414-1/2″
NL12414-3/4″
NL12414-1″
NL12414-1-1/4″
NL12414-1-1/2″
NL12414-2″



NL12415 1/2″ stainless steel 30 degree elbow

Description

- G-1/2″ thread (European pipe thread) or NPT-1/2″ (American pipe thread) is favorable



NL12416 Stainless steel close pipe nipple

1/2″ stainless steel close pipe nipple
3/4″ stainless steel close pipe nipple
1″ stainless steel close pipe nipple



NL12418 3/4″ x 3/4″
Stainless steel bracket

- G-1/2″ thread (European pipe thread) or NPT-1/2″ (American pipe thread) is favorable



NL12419 3/4″ x 1/2″
Stainless steel bracket

- G-1/2″ thread (European pipe thread) or NPT-1/2″ (American pipe thread) is favorable



NL12417 Steel pipe

Description

1/2″ stainless steel pipe nipple	3/4″ stainless steel pipe nipple	1″ stainless steel pipe nipple
1/2″ x 2″	3/4″ x 2″	1″ x 2″
1/2″ x 2.5″	3/4″ x 2.5″	1″ x 2.5″
1/2″ x 3″	3/4″ x 3″	1″ x 3″
1/2″ x 3.5″	3/4″ x 3.5″	1″ x 3.5″
1/2″ x 4″	3/4″ x 4″	1″ x 4″
	3/4″ x 4.5″	1″ x 4.5″
	3/4″ x 5″	1″ x 5″
	3/4″ x 5.5″	1″ x 5.5″
	3/4″ x 6″	1″ x 6″



NL12420
Nylon hose adapters

Description

- G-1/2″ thread (European pipe thread) or NPT-1/2″ (American pipe thread) is available
- Fitting with 3/8″ tubing



NL12421
Nylon hose adapter

- G-1/2″ thread (European pipe thread) or NPT-1/2″ (American pipe thread) is favorable
- 1/2″ male thread with 3/8″ tubing connector (Tees and coupling)



NL12422
Nylon hose adapter

- It's made of PA6
- With UV additive
- Fitting with 1/4″ tubing



NL12423
Stainless steel 3pcs ball valve

Description

NL12423 1/2″ 3pcs ball valve
NL12423 3/4″ 3pcs ball valve
NL12423 1″ 3pcs ball valve
NL12423 1-1/4″ 3pcs ball valve
NL12423 1-1/2″ 3pcs ball valve
NL12423 2″ 3pcs ball valve
NL12423 2-1/2″ 3pcs ball valve
NL12423 3″ 3pcs ball valve
NL12423 4″ 3pcs ball valve



NL12424
Stainless steel 2pcs ball valve

NL12424 1/2″ 2pcs ball valve
NL12424 3/4″ 2pcs ball valve
NL12424 1″ 2pcs ball valve
NL12424 1-1/4″ 2pcs ball valve
NL12424 1-1/2″ 2pcs ball valve
NL12424 2″ 2pcs ball valve
NL12424 2-1/2″ 2pcs ball valve
NL12424 3″ 2pcs ball valve
NL12424 4″ 2pcs ball valve



NL12425
Stainless steel 1pc ball valve

NL12425 1/2″ 1pc ball valve
NL12425 3/4″ 1pc ball valve
NL12425 1″ 1pc ball valve
NL12425 1-1/4″ 1pc ball valve
NL12425 1-1/2″ 1pc ball valve
NL12425 2″ 1pc ball valve
NL12425 2-1/2″ 1pc ball valve
NL12425 3″ 1pc ball valve
NL12425 4″ 1pc ball Valve

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL12426/NL12427 Stainless steel pipe

Description

- It's made from SUS304 stainless steel
- OD :21mm , thickness 2.5mm; with polishing
- 1/2'' outside thread for two sides G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Each piece with blister bag , bulk packaging with the wooden case

Length: 500mm; 750mm; 1000mm; 1200mm



NL12428 Braided hose

Description

- It's made of PVC material
- With antifreeze additive
- Inside with strong braided polywire

ID	0.250''	0.375''	0.500''	0.675''	0.750''	1.000''	1.25''	1.25''	2''
OD	0.438"	0.594"	0.750"	0.875"	1.030"	1.300"	1.625"	1.937"	2.49"



NL12429 1/2"X1/2" Stainless steel bracket

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable


Code	Spec.
NL12429-45	45 degree stainless steel bracket
NL12429-60	60 degree stainless steel bracket
NL12429-75	75 degree stainless steel bracket
NL12429-90	90 degree stainless steel bracket



NL12430 1/2"X1/2" Stainless steel bracket

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- With 90 degree elbow
- Strong and thick stainless steel die-casting



NL13101 Horse adjustable padded halter

Description

- Specially woven in a unique soft webbing, heavy duty nylonyield a soft and flexible feel instead of a stiff and abrasive one.
- Halter features a throat snap, an adjustable crown and an adjustable nose
- Alloy NP fittings
- Color: Red, Pink, Black, Blue
- Size: Pony, Cob, Full, X-Full

Code	Spec.
NL13101-1	Fleece material
NL13101-2	Webbing material



NL13102 Horse mouth mask

Description

- Material: TPU
- Bottom: Rubber
- Cover the head of horse prevent from horse biting, and protect the riders
- Color: black/navy blue/brown
- Size: XS, S, M, L, XL



NL13103 PP speckled horse lead rope

Description

- Made from PP with brass/nickel plated bolt snap end
- Dia:13mm
- Length:1.8m,2M or as customize
- Color: Multi colors

Code	Spec.
NL13103-1	Dia: 13mm x 1.8m
NL13103-2	Dia: 13mm x 2m

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL13104 Cotton horse lead rope

Description

- Made from cotton with brass/nickel plated bolt snap end
- Dia: 16mm
- Length: 1.8M,2M or as customize
- Color: white,green,red or customize

Code	Spec.
NL13104-1	Dia: 16mm x 1.8m
NL13104-2	Dia: 16mm x 2m



NL13105 Trailer tie

Description

- Elastic with two nickel plated snap,one adjustment buckle
- 1'' Poly webbing
- Retractable length: 50-90cm



NL13106 Padded lead rein

Description

- Made from terylene
- Size: 8M
- Package: 1pc/zipper bag



NL13203 Polyfill padded leg pad

Description

- Made from towel cloth and loop pile
- Size:40 x 30cm



NL13201 Horse fleece bandage

Description

- Made from fleece
- Width:10cm and 12cm
- Length:2M,3M,4M
- Package:4pcs/zipper PVC bag

NL13202 Acrylic bandage

Description

- Made from acrylic fibres
- Width:10cm and 12cm
- Length:2M,3M,4M
- Package:4pcs/zipper PVC bag





NL13204 TPU tendon boots

Description

- Made of TPU and neoprene
- Size: pony, full, cob
- Protect horse tendon well



NL13205 TPU over-reach boots

Description

- Made of TPU and neoprene
- Size: pony, full, cob
- Protect horse tendon well

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL13206 PVC tendon boots

Description

- PVC mounded shell
- 5mm neoprene lined
- Velcro with elastic band
- Size: pony, full



NL13207 PVC fetlock boots

Description

- PVC mounded shell
- 5mm neoprene lined
- Extra shock absorbing, velcro fasten
- Size: Pony, full



NL13208 Rubber over-reach boots

Description

- Made of Rubber
- Size: S, M, L, XL or XXL
- With velcro closure



NL13209 Rubber over-reach boots

Description

- Made of Rubber
- Size: S, M, L, XL or XXL
- No velcro closure



NL13401 Horse shoes

Description

- Made of aluminum alloy or forged steel
- It is very safe and comfortable for horse
- They can be use for jumping horse, dancing horse, leisure horse, working horse, army horse, wadded horse racing plates or not wadded horse racing plate
- Rust preventive treatment
- Size: 3#,4#,5#,6#,7#
- Package: 2pcs of front, 2pcs of rear for a set. 1 set/box

Item number of Horseshoe		L x W x H(mm)	Weight(g)
NL13401-1(#3)	Front palm	120 x 110 x 8	75
	Rear palm	116 x 110 x 8	75
NL13401-2(#4)	Front palm	121 x 116 x 8.5	80
	Rear palm	116 x 118 x 8.5	80
NL13401-3(#5)	Front palm	129 x 120 x 8.8	95
	Rear palm	129 x 121 x 8.8	95
NL13401-4(#6)	Front palm	135 x 123 x 8.8	95
	Rear palm	132 x 127 x 8.8	100
NL13401-5(#7)	Front palm	142 x 130 x 8.8	105
	Rear palm	139 x 133 x 8.8	105



NL13402 Horse shoe nails

Description

- Made of steel
- Length:37-65mm
- Logo:can make your own brand on nail head
- Type:E,VF styles.

Item	Length	G/PC	QTY/TON
E9	65mm	4.9	204082
E8	60.5mm	4.3	232558
E7	57mm	4	250000
E6	54mm	3.7	270270
E5	51mm	3	333333
E4	47.5mm	2.8	357143
E3	45mm	2.4	416667
E2	41mm	2.3	434783
E1	37mm	1.9	526316
Big head E4	47.5mm	4.1	243902



NL13403 Driving hammer

Description

- Lightweight but solid
- Overal length 29cm
- Driving hammer with wooden handle

Code	Spec.
NL13403-1	S Size: 362grams
NL13403-2	L Size: 524grams

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL13404 Rasps-carbon steel straight

Description

- Made of carbon steel being coarse on one side and fine on the other
- Rasp is straight with no provision for a handle
- Length of rasp blade 35cm (14″)



NL13405 Rasps-carbon steel with optional handle

Description

- Made of carbon steel
- Rasp is coarse on one side and fine on the other side
- Plastic handle is not included and is an optional extra
- Length of rasp blade 35cm (14″)

Code	Spec.
NL13405-1	With plastic handle
NL13405-2	With optional handle



NL13302 Horse saddle pad

Description

- Outshell: Polycotton
- Lining: Polycotton
- Comfortable for rider as well as for horse
- Size: 107cm x 61.5cm



NL13303 Neoprene waffle girth

Description

- Made from neoprene with elastic end and metal buckle
- With elastic band one side
- Size: 90cm,95cm,100cm and as your requested



NL13304 Heavy duty bungee trailer tie with hook

Description

- This calming, shock absorbing robust bungee line quickly tethers the horse in the stable, yard or trailer. If the horse pulls, the bungee line offers gentle resistance which reduces stress
- Featuring a swivel trigger clip at one end with a panic clip that attaches to the head collar and allows the handler to quickly intervene by pulling down on the clip
- Total unstretched length 80cm, can be customized



NL13406 Hoof pick

Description

- Stainless steel with plastic handle
- Strong and durable
- A handy and affordable device to get stones etc out of hooves

Code	Spec.
NL13406-1	Plastic hook and handle
NL13406-2	S.S. hook with plastic handle
NL13406-3	S.S. hook with 2 in1 plastic handle
NL13406-4	S.S. hook with plastic dipping handle



NL13407 Hoof pick with brush

Description

- Stainless steel with plastic handle and soft brush
- Strong and durable
- Flexible used by hand
- A handy and affordable device to get stones etc out of hooves
- Has the added advantage of a brush

Code	Spec.
NL13407-1	Flat head hook with 2 in 1 plastic handle
NL13407-2	Sharp head hook with plastic handle
NL13407-3	Sharp head hook with plastic handle
NL13407-4	Sharp head hook with plastic handle and shovel
NL13407-5	Flat head hook with plastic handle



NL13501 Head mane comb

Description

- Aluminum material
- Useful for pulling and plaiting manes and tails
- Size: 12.7 x 6.3cm



NL13502 Mane comb

Description

- Aluminum material
- Useful for pulling and plaiting manes and tails
- Size: 10 x 5.5cm



NL13503 Mane comb

Description

- Aluminum material
- Useful for pulling and plaiting manes and tails
- Size: 9 x 2.5cm

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL13504 Aluminum pick&comb

Description

- Aluminum material
- Size:16cm long



NL13505 Aluminum pulling comb with wooden handle

Description

- Aluminum material with wooden handle
- Size:19cm long



NL13506 Mane comb with pick

Description

- Material: Made of ABS
- Useful for pulling and plaiting manes and tail
- Comfortable to hold
- Size:20 x 7cm



NL13507-1 Gripping mane & tail brush

Description

- Plastic material with nylon pins
- Useful for pulling and plaiting manes and tails
- Ergonomically shaped with massaging bumps and rubber grip
- Great for getting through a mane and tail fast



NL13507-2 Mane and tail brush

Description

- Plastic material with nylon pins
- Useful for pulling and plaiting manes and tails
- Ergonomically shaped with massaging bumps and rubber grip
- Great for getting through a mane and tail fast



NL13511 Multi functional magic brush

Description

- Fine bristles make it a universal miracle worker against dirt, dust, and hair with minimal effort
- It features an anatomical handle, comfortable to use
- Conveniently storeable



NL13512 Horse grooming magic brush

Description

- Size: 17x7cm, Bristle: 2cm long



NL13513 Magic brush

Description

- Size: 16.5x7cm, Bristle: 2cm long



NL13508 Horse show comb

Description

- These show combs are excellent quality
- Useful for quick combing and superb hair separation
- An inexpensive comb you need for daily care and show day
- Length:6",9"

Code	Spec.
NL13508-1	Metal tooth with metal handle
NL13508-2	Metal tooth with wooden handle
NL13508-3	Plastic tooth with plastic handle



NL13509 Horse fluffer comb

Description

- Alternating short and long tooth design which is ideal for use on thick hair coats
- Long needles fluff hairs close to the body with minimum pull and comb lines
- Short needles accentuate the guard hairs and help add body to the coat
- An ideal comb to use with a blower
- Length:6",9"

Code	Spec.
NL13509-1	Metal tooth with metal handle
NL13509-2	Metal tooth with wooden handle
NL13509-3	Plastic tooth with plastic handle



NL13510 Horse skip tooth comb

Description

- Skip tooth combs are designed to guide through the thickest hair to produce a quality professional look
- Reduce hair loss from grooming and working
- Adds fluff and pop
- Minimizes matting with oils and dressings
- Length:6",9"

Code	Spec.
NL13510-1	Metal tooth with metal handle
NL13510-2	Metal tooth with wooden handle
NL13510-3	Plastic tooth with plastic handle

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



A. Horsehair



B. Natural bristles



C. Soft nylon



D. Stiff PP



NL13601 Wooden body brush

Description

- Made of wooden body
- Comfortable to hold
- Bristles, soft nylon, stiff PP
- Size: 6.5", 7.5", 8.5"
- Length of soft PP hair: 2.5cm

Code	Spec.
NL13601-1	With webbing handle
NL13601-2	Without webbing handle



NL13602 Plastic body brush

Description

- Made from plastic body
- Comfortable to hold
- Color: different color available
- Length of soft PP hair: 3cm
- Various bristle available: horsehair, natural bristles, soft nylon, stiff PP
- Size: 5", 7"

Code	Spec.
NL13602-1	With webbing handle
NL13602-2	Without webbing handle



NL13603 Plastic body brush

Description

- A classic brush with firm bristle, deep clean your horse
- Color: different color available
- Length of hard PP hair: 4cm
- Various bristle available: horsehair, natural bristles, soft nylon, stiff PP
- Size: 6.5", 8.5"



NL13604 Plastic grooming dandy brush

Description

- A classic brush with firm bristles, deep clean your horse.
- Color: different color available
- Length of hard PP hair: 4cm
- Various bristle available: horsehair, natural bristles, soft nylon, stiff PP
- Size: 6", 7", 8"



NL13701 Plastic sweat scraper

Description

- Made of PP and PVC materials
- An economical and good quality one handed sweat scraper
- With a curved rubber blade
- Color: blue, red, green, black or as required

Code	Spec.
NL13701-1	Without teeth
NL13701-2	With teeth
NL13701-3	Without teeth one-piece



NL13702 Sweat scraper

Description

- Size: 21.5 x 22.8cm, 435g
- Stainless steel material
- With curved rubber blade and teeth on the top
- Has a large comfortable wooden handle

Code	Spec.
NL13702-1	Sweat scraper
NL13702-2	Sweat scraper with teeth



NL13703 Reversible metal curry

Description

- Excellent for removing caked on mud or loose hair
- Round metal toothed comb 2-in-1 tool
- Material: Stainless steel
- Sure grip plastic handle

Code	Spec.
NL13703-1	Reversible Metal Curry 4 blades
NL13703-2	Reversible Metal Curry 5 blades



NL13705 Plastic sweat scraper

Description

- Made of PP or ABS
- Size: 45 x 3.5cm



NL13704 Horse Itch comb

Description

- With wooden handle
- With zinc-plated
- Size: 19 x 14cm, 240g



NL13706 Shedding blade

Description

- Size: 30 x 10cm
- Ideal to remove hair or as a sweat scraper
- Flexible spring tooth blade with comfortable handle

Code	Spec.
NL13706-1	Metal shedding blade
NL13706-2	Plastic shedding blade
NL13706-3	2 Double metal shedding blades

NEWLAND
NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144

NL13707-1



NL13707-2



NL13707-3



NL13707-4



NL13707 Plastic massage curry comb

Description

- Made of durable plastic
- Perfect for removing the most stubborn from your horse's coat
- Molds to the palm of your hand to aid in grooming
- Works deep to bring up loose hair and dirt
- An effective grooming tool Adjustable handle
- Easy and comfortable to use
- Color: different colors available

Code	Spec.
NL13707-1	Plastic massage curry comb size: 7.0inch(18cm)
NL13707-2	Plastic massage curry comb size: 5.9inch(15cm)
NL13707-3	Plastic massage curry comb size: 5.1inch(13cm)
NL13707-4	Plastic massage curry comb but comes with a hose attachment for washing



NL13708 Gripping curry comb

Description

- Made of PP & TPR
- Palm held design for perfect grip to keep your hand untired
- Size:9.7 x 11cm



NL13709-1 NL13709-2 NL13709-3

NL13709 Plastic curry comb

Description

- Oval curry comb with handle.
- Size: large, small

Code	Spec.
NL13709-1	With textile hand loop, Material: PP & TPE
NL13709-2	With textile hand loop, Material: PP
NL13709-3	With plastic handle, Material: PVC



NL13710 Metal curry comb

Description

- Made from metal
- Size: 15.5 x 10.3cm



NL13711 PVC grooming glove

Description

- Size: 24 x 16.5cm
- Flexible grooming mitt
- Removing loose hair, dirt and grime



NL13712 Grooming & scrub mitt

Description

- PP material, size is 18 x 13cm
- Double sided grooming mitt
- With soft nylon bristles on one side
- With rubber massaging prongs on the other



NL13713 Horse tooling sets

Description

- 1 plastic box includes sponge, body brush, sharp head grooming brush, massage curry comb, washer comb and mane comb.

NL13714 Grooming stool

Description

- 3-in-1 Functionality: grooming stool, mounting step, or gear box-whatever the moment calls for
- Built-In storage compartment: flip the lid to stash brushes, hoof picks, braiding bands, and show-day must-haves
- Heavy-duty plastic construction: barn, trailer, show grounds bring it on
- Stable & strong: solid platform for grooming or mounting small ponies-use on level ground
- Show-ready portability: lightweight enough to toss in the trailer or tack trunk without breaking a sweat





NL13715 8pcs Horse grooming set

Description

- Super grooming set for horse



NL13716 5pcs Horse cleaning kit

Description

- Comb, brush, hoof pick for horse care


NEWLAND
NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL13926 Bucket brush

Description

- Made from PP and rubber coating
- Length: Around 25cm



NL13801 Horse whips

Description

- Rubber wrapped handle & metal cap
- Size: 40″/48″
- Color: various colors available

Code	Spec.
NL13801-1	With metal with fabric pattern handle
NL13801-2	With rubber handle



NL13802 Horse treat ball

Description

- UV Stable for outdoor use
- Multilateral prismatic
- 9″ Diameter Face to Face
- Material: Made from PE
- Color: Red, blue, purple, pink, etc
- Package: 1 pc/color box or polybag



NL13803 Horse play ball

Description

- Material: Made from EVA
- To entertain your horse in the stall, the large handle of this ball is meant for the horse's mouth, to be picked up and thrown around In
- Grainy EVA plastic for a good grip
- Size: Dia. 26cm, H36cm



NL13923 Tie up ring

Description

- Made of galvanized iron
- Thick and strong
- With 4 nails

Code	Spec.
NL13923-1	Tie up ring
NL13923-2	Tie up ring
NL13923-3	Swivel tie up ring



NL13924 Bridle reck

Description

- Metal with powder coating or plastic material
- Strong for bridle

Code	Spec.
NL13924-1	Plastic type A
NL13924-2	Plastic type B
NL13924-3	Metal with powder coating



NL13925 Pole folding saddle rack

Description

- Made of metal
- A plastic coated round tube saddle rack that folds down when not in use
- The pole remains attached when folded down.
- Wall mounted



NL13927 Salt lick holder

Description

- Made from PP
- Fit for 10 x 6cm salt



NL13804 Horse feed & play ball

Description

- Fill this ball up with a bit of loose hay and your horse or horses will be amused for hours
- Big strong ball, 40cm diameter, with 12cm screw-cap access hole
- Feed holes 7cm diameter
- Lid, hanging strap with hook available for choice
- 19 holes allow for slow, natural place of hay consumption
- Convenient screw to lid for easy hay ladling
- UV resistant



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL13901 Supreme fork

Description

- Made from ABS or PC
- Features eighteen(18) well constructed tines
- Lightweight and durable stable fork with a heavy duty plastic pitchfork head
- Color: red, blue, black, green or as required



NL13902 Plastic fork

Description


- Made of ABS or PC
- Features eighteen(18) well constructed tines Strong fork
- Color: red, blue, black, green or as required



NL13903 Supreme fork

Description

- Made from ABS or PC
- Features eighteen(18) well constructed tines
- Lightweight and durable stable fork with a heavy duty plastic pitchfork head
- Color: red, blue, black, green or as required



NL13904 Plastic fork

Description

- Made from ABS or PC
- Features eighteen(18) well constructed tines with reinforcing rib
- Lightweight and durable stable fork with a heavy duty plastic pitchfork head
- Color: red, blue, black, green or as required



NL13905 Plastic fork

Description

- Made from ABS or PC
- Features seventeen(17) well constructed tines
- Lightweight and durable stable fork with a heavy duty plastic pitchfork head
- Color: red, blue, black, green or as required



NL13906 Plastic fork

Description

- Made of ABS or PC
- Features seventeen(17) well constructed tines
- Strong fork
- Color: red, blue, black, green or as required



NL13946 Metal Manure rake

Description

- 16 well constructed tines, with anti-rust powder coating to support long-term use



NL13947 Metal Manure rake

Description


- 18 well constructed tines, with anti-rust powder coating to support long-term use



A. Telescopic aluminium handle with Y-shaped grip matching our plastic fork heads



B. Standard non-telescopic aluminium handle



NL13907 Metal 4 prong manure fork

Description

- Made of metal
- With powder coating
- Fork head with covers
- Total handle length:75cm
- Color: red, blue, black, green or as required

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL13908 Stable mate pooper set

Description

- This set makes the job so much easier
- Generous size molded polythene scoop
- Collect leaves and droppings while minimizing the collection of sawdust and shavings being left behind
- Metal handle with hasp for sets connect together
- Plastic handgrip easy to use
- Handle height can be customized
- Dimension: W36 x H76cm



NL13908-2 Metal pooper scooper

Description

- Material: Alu. handle, galvanized sheet with powder coating
- Scoop size: 32 x 32 x 18.5cm
- Scoop handle height: 93cm

Code	Spec.
NL13908-2S	Rake handle, height: 44.5cm, width: 16cm
NL13908-2L	Rake handle, height: 105cm, width: 16cm

NL13909 Grass broom

Description

- Handle length:110cm
- Grass length:25cm

Code	Spec.
NL13909-1	With 5 layer wires
NL13909-2	With 7 layer wires



NL13910 Grain shovel

Description

- GRAIN SHOVEL-PLASTIC Manufactured from food
- grade poly propylene One piece plastic shovel designed for a wide range of applications
- Light and hygienic Tough, strong and made to last
- Does not contain metal components - suitable for grain use and commercial food applications
- Wide mouth shovel useful for grain and landscaping
- Width: 35cm
- Length: 110cm

Code	Spec.
NL13910-1	Plastic shovel with wooden handle Size: 35cm x 120cm
NL13910-2	One piece plastic shovel Size: 35cm x 110cm





NL13911 Over the door feed bucket

Description

- The flat back fits more compactly against a wall or fence and makes hauling heavy loads of water or feed a lot easier
- With metal wall hook and hanging handle
- Material: PP
- Capacity: 15L



NL13912 D-shaped bucket

Description

- Made from PP
- The flat back fits more compactly against a wall or fence and makes hauling heavy loads of water or feed a lot easier
- With hanging handle

Code	Spec.
NL13912-1	8L
NL13912-2	12L
NL13912-3	21L



NL13913 Over the door feed bucket

Description

- Lightweight for easier handling, but still farm tough with hanging handle
- Material: made from PP
- Capacity: 8L



NL13914 Corner manger

Description

- With bucket and metal support frame and handle Easy to carry
- Material: made from PP
- Capacity: 30L



NL13938 Flexible plastic tub

Description

- Material: LDPE with UV additive
- Common colors: red, orange, yellow, green, blue, pink, purple
- Customized colors: MOQ 2400pcs each size per color
- 100% food-grade plastic. Non toxic
- Super-strong comfort grip handles
- Flexible yet very, very strong
- Frost & UV resistant
- Totally phthalate free
- Safe for livestock, pets and fish
- Completely safe for children and babies
- Flexible sides for shaping against a wall or floor
- Chamfered edge for easy sweeping
- Reinforced ribbing for extra strength

Code	Spec.	
NL13938-1 11L	Height: 20.5cm, top dia.: 31cm, bottom dia.: 21.5cm	Packing: 32 x 32 x 51cm/24pcs, G.W.: 8.65KG/CTN
NL13938-2 25L	Height: 27.5cm, top dia.: 39cm, bottom dia.: 31cm	Packing: 41 x 41 x 63cm/24pcs, G.W.: 16.5KG/CTN
NL13938-3 35L	Height: 32cm, top dia.: 43cm, bottom dia.: 32cm	Packing: 44 x 44 x 58cm/18pcs, G.W.: 15KG/CTN
NL13938-4 42L	Height: 34.5cm, top dia.: 45.5cm, bottom dia.:35cm	Packing: 47 x 47 x 54cm/12pcs, G.W.: 12.2KG/CTN

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144




NL13939 Fence feeder D type 32L

Description

- Capacity: 32L
- Return lip around top prevents feed from being blown or dragged out
- Corrosion proof -ideal for liquid feed supplements
- Constructed from non-toxic, UV-stabilised, food-safe materials, it resists rust cracking, and harsh weather conditions
- Hot dip galvanised steel brackets
- Portable and durable

Capacity	Length	Width	Height
32L	44cm	40cm	25cm



NL13950 Anti tip trough feeder

Description

- Anti tip design for improved stability
- Includes two securing points optional for use with tent pegs (not included)
- Roto moulded construction for superior strength and durability
- Suitable for horses, cattle, goats, sheep, and other livestock
- Available in assorted colours(blue, black, bright green, pink, purple, red)

NL13950-1, 25L
Overall Dimension: 80 x 80 x 11cm
Inner Dimension: 53 x 48.8 x 10.9cm
Thickness: 4mm
Net Weight: 3.5kg

NL13950-2, 40L
Overall Dimension: 80 x 80 x 20cm
Inner Dimension: 50 x 50 x 16cm
Thickness: 5mm
Net Weight: 5.8kg



NL13948 Tyre feeder & washer

Description

- This large round tire livestock washer & feeder is great for horses cattle and more
- Will fit most passenger car tires
- Large livestock feeder can hold up to 16 qt. of feed
- Crafted from low-density poly for durability
- Converts rubber tires into livestock waterers/feeders



NL13949 Horse feeder container with hook

Description

- Capacity: 27L
- Can be hung on the wall
- The material is high-quality and durable plastic
- Heavy duty plastic feeder with 3 metal brackets for extra strength and security to hang over a fence or stable door
- Size: L48cm x W35.5cm x H28.5cm



NL13915 Feed tub 12L/21L

Description

- Made from recycled rubber
- Tough&durable tub with thick recycled rubber walls
- Strong handles

Code	Spec.
NL13915-1	Capacity 12L 14(H) x 39(W) x 29cm(Base)
NL13915-2	Capacity 21L 18(H) x 49(W) x 37cm(Base)



NL13916 Rubber bucket 10L/14L

Description

- Made from recycled rubber
- Tough&durable tub with thick recycled rubber walls
- Metal handles

Code	Spec.
NL13916-1	Capacity 10L 22(H) x 30(W) x 22cm(Base)
NL13916-2	Capacity 14L 27(H) x 30(W) x 22cm(Base)



NL13917 Feed bucket with rail hanging hook 16L

Description

- Made from recycled rubber
- Tough & durable
- With rail hanging hook
- Capacity:16L 24cm(H) x 24cm(W) x 40cm(Base)



NL13918 Feed pan 10L/40L

Description

- Made from recycled rubber
- Useful pan style bucket
- Suitable for around the house, farm, stables or shows

Code	Spec.
NL13918-1	Capacity: 10L 12(H) x 31(W) x 44cm(Base)
NL13918-2	Capacity: 40L 20(H) x 48(W) x 68cm(Base)



NL13919 Feed tub 37L/40L

Description

- Made from recycled rubber
- Tough & durable buckets have a multitude of uses
- With thick recycled rubber walls and strong handles

Code	Spec.
NL13919-1	Capacity:37L(2handles) 27(H) x 44(W) x 37cm(Base)
NL13919-2	Capacity:40L(4handles) 31(H) x 48(W) x 31cm(Base)



NL13920 Large rubber pail 60L/80L

Description

- Made from recycled rubber
- A high capacity deep dish rubber pail
- Tough & durable pail with thick walls

Code	Spec.
NL13920-1	Capacity:60L with handle 35(H) x 55(W) x 44cm(Base)
NL13920-2	Capacity:80L without handle 41(H) x 67(W) x 47cm(Base)

NEWLAND
NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL13929 3-Step horse mounting steps

Description

- Material: HDPE, rust free
- 3-step round mounting block for equestrians
- Can be loaded 200kg at least
- Can be stacked together, save volume
- Various colors available
- Circular cut out for easy handling
- Non-skid tread
- UV stabilized for outdoor use
- Good in extreme temperatures

Light Weight	Dia	Height
14lbs, 6.8KG	72cm	55cm



NL13930 Hat carrier box

Description

- Carriers' hats from 4" to 4.5" brims
- Keep out dust & moisture
- Lockable latches
- Airline friendly
- Adjustable hat rest
- Mirror inside lid
- Material: Made from durable lightweight plastic
- N.W.: 1.5kg
- Size: 47 x 44 x 24cm



NL13931 3-in-1 Hat carrier box

Description

- 3-in-1 Hat can- fits boots, belt, & western hat
- Adjustable hat rests
- PS mirror inside
- Fits standard 4" brim
- Strap for belt safety
- Top carrying handle
- Lockable and securable latches
- Keeps hat's original shape
- Travel-friendly
- Packing: 92 x 48 x 33cm/2pcs
- Customized logo available

Material	Size (cm)	N.W.
ABS, density 108, peach blossom pattern	45.5 x 46.5 x 32	3.42kg





NL13921 Horse hay nets

Description

- Hand made hay nets
- Material: PE/PP/Nylon
- Length: 40", 43", 45", 47"
- 7 knots or 10 knots available or customized
- Color: red, blue, black, purple and so on



NL13922 Horse hay net with metal hook

Description

- Hand made, with metal hook
- Material: PE/PP/Nylon
- Length: 40",43",45",47"
- 7 knots or 10 knots available or customized
- Color: mixed color



NL13935
Hay net-dual anchor

Description

- Slows feeding to a more natural graze
- Easy to hang with anchor points
- Less wastage
- Durable, made out of excellent tear resistant material

Available in three (3) Sizes

Code	Spec.
NL13935-1	90 x 60cm
NL13935-2	120 x90cm
NL13935-3	160 x 100cm



NL13936
Hay net slow feeder

Description

- HAY NET-106cm-5cm
- Nylon hay net with draw strings
- 5cm square holes
- Available in five (5) colors: black, blue, pink, purple & red



NL13937
Hay net-10cm hole

Description

- Nylon hay net with draw strings
- Hole size:10cm
- Available in five (5) colors: black, blue, pink, purple & red

Two Sizes Available

Medium	Large
102cm	113cm

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL13932 Hay bale transport bag

Description

- Keep your vehicle clean with our premium quality transport bags
- Large capacity to carry an entire hay bale
- Features heavy duty materials, stitching and well-placed handles to carry the bag evenly
- Good quality zip closure and metal ventilation holes to assist humidity and moisture
- Cart your hay bales without making a mess!
- Size: W105 x H45 x D40cm



NL13933 Hay bag feeder with mesh

Description

- An easy to use feeder - with less mess!
- Perfect for about a quarter of a bale of hay (and not tooheavy either)
- Slows feeding with hay accessed between the holes of the webbing
- Features a removable over-shoulder carry handle strap
- Includes a second set of large D rings to attach the bag for feeding
- Size: W60 x H60 x D25cm
- Mesh dia.: 4cm



NL13934 Hay bag feeder with hole

Description

- Breathable mesh bottom: the mesh bottom allows dust and debris to escape from the feeder and keep the horse feed dry, which is convenient for horses to eat
- Large capacity: put the hay in a hay bale to meet the amount of food the horse eats throughout the day. and avoid waste
- The uneaten hay can continue to be preserved
- Slow feeder: during walking and traveling, the slow feeder hay net allows your horse to feed naturally by simply restricting the free feeding in and out
- Size: L47 x W20 x H64cm
- Hole dia.: 20cm



NL13940 Hay rack feeder

Description

- This specially designed feeder with lid is ideal for paddocks or stables
- The lid prevents the feed from getting wet and blowing away
- Suitable for paddocks or stables
- Return lip to prevent feed being dragged or blown out
- Lid prevents horse pulling biscuit out of hay rack
- Wide mouth to fit hay biscuit
- Large catchment area below rack for feed spillage
- Heavy duty Brackets
- UV stabilized
- Lid included
- Rounded edges for horse safety
- Lid can be purchased separately to fit onto existing feeders
- Zinc plated hay compartment frame and galvanised brackets




NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL13941 Galvanized double hay fence

Description

- Double model for mounting down over partition wall
- Size: L63 x W50 x H48cm
- Sheet thickness: 8mm



NL13942 Galvanized hay fence for wall

Description

- Hay rack for wall mounting
- Made of strong, hot-dip galvanized round steel
- Size: L70 x H40 cm
- Sheet thickness: 8mm



NL13943 Galvanized hay fence for wall

Description

- Hay rack for wall mounting
- Made of strong, hot-dip galvanized round steel
- Size: L91.5 x H50 cm
- Sheet thickness: 8mm



NL13944 Bucket holder galvanized for 14ltr

Description

- With mounting bracket for wall
- Hot-dip galvanized 8 mm round bar
- Bucket diameter 28.5 cm
- Fits regular 12 and 14 ltr. buckets
- Sheet thickness: 8mm
- Height: 17cm



NL13945 Bucket holder galvanized for 20ltr

Description

- With wall mounting bracket
- Hot-dip galvanized 8 mm round iron
- Diameter for bucket: 34 cm
- Fits regular 20 ltr. bucket and wide 14 ltr. bucket
- Sheet thickness: 8mm
- Height: 20cm

CATALOGUE INDEX

A

ABS tick remover 90
Acrylic bandage 144
Acrylic bird feeder 71
Adjustable dog feeding bowl 59
AI Sheaths 105
Aluminium ice scoop 81
Aluminium lamp shade 91
Aluminum hub needles 17
Aluminum pick&comb 149
Aluminum pulling comb with wooden handle 149
Anemometer 27
Angle post insulator 129
Animal feeding bottle 93
Animal feeding bottle 2.5L with handle 93
Animal feeding bottle 3L with exhaust valve on the handle 93
Animal Feeding bottle with handle 93
Animal ID microchips transponder syringe 40
Anti tip trough feeder 161
Arm length gloves 108
Arm length long gloves 108
Artificial insemination holder 109
Automatic animal continuous syringe drencher gun 15
Automatic dry wet pig feeder 57
Automatic ear tag applicator 39
Automatic injector with bottle holder 10
Automatic inoculator 7
Automatic self-filling syringe for injections with bottle holder 8
Automatic self-filling syringe for injections with tube filling 8
Automatic steel ball poultry water nipple drinker for chicken 52
Automatic syringe 7
Automatic syringe with bottle holder 9
Automatic syringe with tube refiling 6
Automatic trough valve 58
Automatic watering cups poultry drinker waterer 71

B

Backbone needle 22
Ball type nipple drinker 51
Ball type poultry drinkers 61
Bandage scissor 111
Big size ear tag for cow 37
Big size insurance ear tags 33
Bird drench nozzle 25
Bird spoon 25
Bloodless castration tools 83
Bolus launcher for calves and sheep 86
Boot sheets 109
Braided hose 141
Brass antifreeze valve 49
Brass nipple drinker 45
Brass piglet nipple drinker 43
Brass rectangle hub needle 18
Bridle reck 155
Brix refractometre 31
Bucket brush 155
Bucket holder galvanized 167
Bull leaders 84
Bull rings 84

C

Cage coop cup 70
Calf blankets 101
Calf cover 102
Calving rope 100
Cast iron drinking bowl 54
Cast iron push button drinking bowl 54
Cast padding bandage 106
Castrating band 109
Catgut chromic absorbable suture 21
Cattle ear tag 33
Cattle hand counter 27
Cattle neck tag with collar 42
Ceramic lamp 91
Ceramic rumen magnet 85
Chemical measuring bucket 30
Chemical measuring cylinders 30
Chemical measuring jugs 30
Chicken swing 80
Chicks galvanized hole feed trough 67
Chromic catgut 21
Clamp 135
Classic insulator 133
Clip insulator easy tape 128
Collapsible animal trap 116
Collapsible pet bowl 95
Combi tape measuring 29
Combi-insulator 127
Continuous drencher 16
Continuous injector 3
Continuous injector with bottle holder 9
Continuous vaccine bottle holder 10
Controlled bird feeder spoon 25
Coop cup with perch 70
Corner and distance insulator 133
Corner insulator 132
Corner manger 160
Cotton horse lead rope 143
Cow immobilizer standard 100
Cow lifting frame 99
Cow mouth opener 96
Cow/goat bell 42
Cut-out switch 136

D

D shape bucket 160
Dairy shed thermometer 26
Digital counter 28
Digital veterinary thermometer 26
Disposable examination vinyl gloves 108
Disposable hypodermic needle 19
Disposable pig semen catheter for artificial insemination 105
Disposable skin stapler 21
Disposal syringe 19
Dog collar 89
Dog mask 89
Double barrel continuous injector 3
Double ear tag 37
Double egg transport box 98
Double head stethoscope 29
Double needle (air needle) 22
Double rectangular plastic feeder 73
Double sides adhesive tape 110
Drenching cannula with special nut 24
Drenching nozzle 23
Driving hammer 146
Dual-needle high efficiency veterinary syringe equipment for poultry injector syringe 8
Duckbilled clincher 83
Dust cart 137

E

Ear notches 40
Ear tag applicator 39
Ear tag cutter 105
Ear tag mark pen 42
Ear tag marking crayon 40
Easy ear tags 34
Eco poultry drinkers with leg 62
Economy mouse traps 115
Egg candler 97
Egg collection basket 97
Egg insulator individual 132
Egg shifting crate(egg type) 98
Egg tester 97
Egg tray 98
Eggs incubator 80
Electric beak cutter 99
Electric fence poly rope 134
Electric fence poly tape 134
Electric sheep clipper 99
Electronic ear tag for goat with FDX chip 35
Electronic Ice package 107
Electronic thermometer 27
Enameled drinking bowl 55
Ewe spoon with 3 tie feature 90

F

Fake poultry egg 98
Feed bucket with rail hanging hook 16L 162
Feed pan 10L/40L 162
Feed tub 12L/21L 162
Feeder with leg and cover 61
Feeding bottle with teat for lamb 1L 94
Feeding bucket with screw valve 59
Female brass nipple drinker 50
Female stainless steel nipple 49
Fence feeder D type 32L 161
Fence gate handle 124
Fence insulator 125
Fence light tester 8-light 7k V 136
Fence post 120
Fence reel 134
Fence switch 136
Fence tape connector 135
Flexible plastic tub 160
Fluorescent flagging tape 41
Fly trap 119
Foam tip catheters 104
Folding mouse traps 115

G

Gallon poultry drinker 61
Galvanized chicken manger 67
Galvanized corner feeder 66
Galvanized d-cup feeder 66
Galvanized double hay fence 167
Galvanized feeder with hanging 65
Galvanized feeding trough 67
Galvanized hanging trough drinker 68
Galvanized hay fence for wall 167
Galvanized long feeder plain trough 68
Galvanized long feeder trough with hole 67
Galvanized long feeder trough with rail 68
Galvanized poultry feeder 65
Galvanized scoop 82
Galvanized self dog feeder 73
Galvanized treatment trolley 137
Galvanized water bucket 66

NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144

CATALOGUE INDEX

Garden plastic rain gauge 31
Garden pressure sprayer 103
Gate anchor & activator plate 136
Gate handle insulator 132
Golden alu lampshade 92
Golden alu lampshade 92
Grain shovel 159
Grass broom 159
Gripping curry comb 153
Gripping mane & tail brush 149
Grooming & scrub mitt 153
Grooming stool 154
Gypsona bandage 111

H

Hand shear 83
Hand winch 87
Handling 100
Hanging clasp scale 28
Hanging scale with steel tape 28
Hanging weight scale 28
Hat carrier box 163
Hat carrier box 163
Hay bag feeder with hole 165
Hay bag feeder with mesh 165
Hay bale transport bag 165
Hay net slow feeder 164
Hay net-10cm hole 164
Hay net-dual anchor 164
Hay rack feeder 166
Head insulator 133
Head mane comb 148
Heavy duty bungee trailer tie with hook 148
Heavy-duty rumen magnet 85
HF RFID electronic ear tag poultry wing mark 36
High-accuracy syringe 11
Hoof knives 82
Hoof pick 148
Hoof pick with brush 148
Horse adjustable padded halter 142
Horse cleaning kit 154
Horse feed & play ball 156
Horse feeder container with hook 161
Horse fleece bandage 144
Horse fluffer comb 150
Horse grooming magic brush 150
Horse grooming set 154
Horse hay net with metal hook 164
Horse hay nets 164
Horse heavy duty plastic tank 58
Horse Itch comb 152
Horse mouth mask 142
Horse play ball 156
Horse saddle pad 147
Horse shoe nails 146
Horse shoes 146
Horse show comb 150
Horse skip tooth comb 150
Horse tooling sets 154
Horse treat ball 156
Horse whips 155

I

large size ear tags 32
Ice package 107
Infrared lamp 91
Infrared lamp BR-38 91
Inside metal nesting box 75
Insulator for tapes 127

L

Laboratory thermostatic water bath 6 holes 107
Lamb blanket 101
Lamb bottle 300ml with tube 94
Lamb bottle 500ML 94
Lambing aid for sheep 101
Large rubber pail 60L/80L 162
Latex examination gloves 108
Leg mouse trap 117
Leg tag velcro 41
Leg&tail tape 110
Liquid nitrogen containers 104
Live capture mouse trap 119
Long arm continuous injector 15
Long arm continuous syringe 15
Luer-lock hub veterinary needles 17

M

Magic brush 150
Mane and tail brush 149
Mane comb 148
Mane comb with pick 149
Marking collar 42
Marking spray top marker 40
Mastitis test paddle 114
Mastitis test paddle X spurt 114
Maxi/mini thermometer digital 27
Medical suture needles 20
Medium size ear tag for cow 38
Medium size ear tags 32
Medium size Insurance ear tag 34
Metal 4 prong manure fork 158
Metal bird feeder 69
Metal brooding cage-circular 78
Metal brooding cage-rectangular 78
Metal curry comb 153
Metal drencher gun 15
Metal hanging bird feeder 74
Metal hay manger feeder for small animals 74
Metal hygrometer 27
Metal Manure rake 158
Metal mouse trap 119
Metal pooper scooper 159
Metal syringe 11
Microscope cover glass 111
Microscope slides 114
Milk bucket 59
Milk strainer(500ML) 95
Milk thermometer-floating 26
Multi functional magic brush 149
Multi tag applicator 39
Multifunctional automatic continuous syringe for veterinary 1ml,2ml and 5ml 9
Multifunctional mouse traps 115

N

N-800M Laboratory biological microscope 113
Nail cutter 39
Neck tag 38
Neoprene waffle girth 147
Nipple drinker 45
Nitrile disposable glove 108
Non-woven self-adhesive bandage 110
Nylon float water bowl 58
Nylon hose adapters 140
Nylon pulleys 87

O

OB chain 100
Offset fence insulator 126
Offset fence insulator 130
One piece sheep ear tag 35
One piece tag applicator 39
One row one side leg 76
One-side adhesive tape 110
Outdoor aluminum chicken house 79
Outside metal nesting box 76
Over the door feed bucket 160
Overshoe 109

P

Padded lead rein 143
Pet tick tweezers 90
Photocatalyst mosquito & fly trap 119
Pig feeding bowl 56
Pig holders 87
Pig sorting board 88
Pigeon plastic drinker 62
Piglet teething ring 96
Piglet tooth cutter 83
Piglet tooth grinder 99
Pink eye patch 102
Pinlock insulator 127
Pin-lock insulator 129
Pistol syringe 11
Plastic balling gun 86
Plastic body brush 151
Plastic curry comb 153
Plastic D coop cups 70
Plastic dog mask 89
Plastic drencher gun 15
Plastic drencher gun 60ml 16
Plastic drinking bowl 55
Plastic feeder with leg with half-open lid 63
Plastic fence post 122
Plastic fork 157
Plastic garden pressure sprayer 103
Plastic grooming dandy brush 151
Plastic leg strap 41
Plastic massage curry comb 153
Plastic mouse trap 118
Plastic nesting box with roll away 77
Plastic poultry drinker tankstand 30L 64
Plastic poultry feeder tankstand 30L 64
Plastic poultry feeder with base with bayonet lock and loop handle 63
Plastic poultry feeding long trough 68
Plastic scoop 81
Plastic Shepherds crooks 101
Plastic steel syringe 13
Plastic steel syringe with rubber drenching nozzle 14
Plastic steel syringes with dose nut 13
Plastic steel syringes without dose nut 13
Plastic sweat scraper 152
Plastic weaner 96
Pole folding saddle rack 155
Polishing lamp shade turn inside 92
Polishing lamp shade turn outside 92
Polyfill padded leg pad 143
Porcelain corner insulators 133
Porcelain strain insulator 133
Post driver 123
Poultry & pigeon plastic drinker 72
Poultry drinker straight 4.5L 62
Poultry drinkers with leg 60
Poultry feeder translucent 2-12kg 64
Poultry feeders 60
Poultry feeders with lid 61
Poultry feeding tray 62
Poultry leg ring 41
Poultry nipple drinker with cup 71
Poultry treadle feeder 69
Poultry treadle trough feeder 69
Poultry water nipple drinker 52
PP speckled horse lead rope 142
Premium roll-away nesting box-complete 77
PVC Catheters tube 105
PVC fetlock boots 145
PVC grooming glove 153
PVC tendon boots 145

Q

Quadrate ear tags 32

R

Rabbit water dish 72
Rain gauge 31
Rain gauge with ground spike 31
Rasps-carbon steel straight 147
Rasps-sarbon steel with optional handle 147
Rebar steel fence post 121
Rectangle coop cups 70
Rectangular plastic feeder 73
Reversible metal curry 152
Revolver syringe 11
RFID ear tag reader 38
Ring insulator 125
Rope connector duplex 135
Rope connector single 135
Rope insulator 126
Round ear tag 37
Round hub veterinary needles 18
Round plastic feeder 73
Round type stainless steel drinking bowl 57
Rubber bucket 10L/14L 162
Rubber over-reach boots 145
Rumen magnet with plastic cage 85
Rumen magnet with plastic cage 85
Salt lick holder 155
Saw wire handle 86
Scratch Brush 102
Screw bit for insulator 128
Screw-in or nail on insulator 126
Self-refilling syringe 9
Semen bag 106
Semen bottle 106
Semen collection cup 107
Semen filter paper 106
Semen gun 104
Semi-automatic continuous syringe 12
Semi-automatic feeder for sow 56
Semi-automatic veterinary injection gun 12
Semicircular mouse trap 116
Shedding blade 152
Sheep restrainer 100
Shepherds crooks 101
Shoe for hoof 102
Short handle plastic pig Sorting paddle 88
Single head stethoscope 29
Single hole nesting box 77
Skin staple remover 21
Slit insulator 132
Small size ear tag for cow 38
Small size ear tags 32
Small size insurance ear tags 33
Sorting paddle 88
Spike ear tags 34
Spiral catheters 105
Splint insulator with metal splint 129
Sprague rappaport stethoscope 29
Spring gate 124
Stable mate pooper set 159
Stainless steel 3pcs ball valve 140
Stainless steel 90 street elbow 139
Stainless steel adjust drinking pipe 53
Stainless steel antifreeze valve 47
Stainless steel automatic float water bowl 58
Stainless steel bracket 141
Stainless steel bushing 139
Stainless steel cap 139
Stainless steel couplings 138
Stainless steel dog mask 89
Stainless steel drencher gun 12
Stainless steel drinking bowl 56
Stainless steel fixed height drinking pipe 53
Stainless steel hose adapters 138
Stainless steel nipple drinker 44
Stainless steel pig drinking pipe 53
Stainless steel pig drinking pipe with hang ring 53
Stainless steel piglet feeder 54
Stainless steel piglet nipple drinker 43
Stainless steel pipe 141
Stainless steel rumen magnet 85
Stainless steel tick remover 90
Stainless steel transport trolley 137
Stainless steel treatment trolley 137
Staple insulator 127
Steel pigtail fence post 122
Steel ring insulator tool 128
Steel T-post 123
Steel Y-post 123
Step horse mounting steps 163
Straight type poultry drinkers 60
Strain insulator 132
Strainer handle 136
Supreme fork 157
Supreme funnel-160mm & 235mm 30
Surgical blade 99
Surgical blade handle 99
Sweat scraper 152
Syringe with metal handle plastic barrel precise and 5 step dosage setting (1-5ml) high accurate valve system 12

T

Tail clamp for cows 90
Tail cutter 84
Tail trimming scissors with large handle area 84
Tape buckle 135
Tape gate buckle 135
Tape insulator 125
Teat cannula 22
Teat dip cups 96
Teats 95
Tension springs 135
Thermometer electronic 26
Tie up ring 155
T-Post pinlock insulator 130
T-Post tape insulator 129
T-Post tape insulator 130
TPU over-reach boots 144
TPU tendon boots 144
Trailer tie 143
Transparent poultry drinker with detachable leg 63
Transparent poultry feeder with detachable legs 64
Treat roller for poultry/bird 71
Triangle ear tag 37
Two rows one side leg 76
Two rows two sides leg 76
Tyre feeder & washer 161

U

UHF RFID electronic cattle ear tag 36
UHF RFID electronic round ear tag 36
UHF RFID electronic sheep ear tag 35
Ultrasound gel 114

V

Vario classic ring insulator 130
Veterinary automatic syringe 16
Veterinary b-ultrasound scanner 114
Veterinary I.V. set 111
Veterinary PVC disposal medical infusion I.V. set 22

W

Wall type dog feeding bowl 59
Warm mat for piglets 88
Water bowl 55
White plastic tightener 136
Wire cutter 136
Wire grip 135
Wirerope 86
Wooden base mouse trap 116
Wooden body brush 151
Wooden chicken house 79
Wooden mouse trap 119

X

XSZ-N107 series biological microscope 112