



NL701 1/2" Stainless steel piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH22 stainless steel hex rod
- With diameter 6mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL702 1/2" Brass piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is produced by CH22 stainless steel hex rod
- With diameter 6mm pin(stainless steel pin or brass pin)
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL703 1/2" Stainless steel piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH22 stainless steel hex rod
- With diameter 5mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL704 1/2" Stainless steel piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod, with 2 sides milling opener
- With diameter 5mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL705 1/2" Brass piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is produced by diameter 21mm rod
- with diameter 6mm pin(stainless steel pin or brass pin)
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable





NL706 1/2" Stainless steel piglet nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod, with 4 side milling opener
- With diameter 5mm pin
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL707 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod
- With diameter 6mm pin
- Adjustable plastic filter with stainless steel netting.
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL708 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL709 NL710

NL709/NL710 3/8" Piglet nipple drinker

Description

- G-3/8" thread (European pipe thread) or NPT-3/8" (American pipe thread) is favorable
- Brass bottom and stainless pipe is connected by the thread and thread glue
- With diameter 12mm / 7mm pin
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL711 NL712

NL711 3/8" Brass piglet nipple drinker
NL712 3/8" Stainless steel piglet nipple drinker

Description

- G-3/8" thread (European pipe thread) or NPT-3/8" (American pipe thread) is favorable
- Complete brass / stainless body is produced by diameter 17mm rod
- With diameter 5mm / 6mm pin
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available





NL713 1/2" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is produced by CH22 hex rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL714 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH22 hex rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL715 NL716 NL717

NL715/NL716/NL717 1/2" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Brass bottom and stainless pipe is connected by the thread and thread glue
- With diameter 8mm/8mm/12mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL718 NL719

NL718/NL719 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Stainless bottom and stainless pipe is connected by the thread and thread glue
- With diameter 12mm / 8mm pin
- With big cutter
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL720 1/2" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Brass bottom and stainless pipe is connected by the thread and thread glue
- With diameter 12mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable





NL721 1/2" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is made from diameter 22mm rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL722 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is made from diameter 22 rod
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL723 1/2" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is made from diameter 25 hex rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL724 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is made from CH25 hex rod
- With diameter 12mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL725 1/2" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is made from CH22 hex rod
- With diameter 17mm pin
- With two holes
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable




NL726 NL727 NL728

NL726/NL728 1/2" Brass nipple drinker
NL727 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- complete brass / stainless steel body is made from CH22 hex rod
- With diameter 17mm pin; With two / three holes
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL729 NL730

NL729 1/2" Stainless steel nipple drinker
NL730 1/2" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is made from CH22 hex rod
- With diameter 17mm pin
- With slit
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems.
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable



NL731
Stainless steel antifreeze valve



NL732
Brass antifreeze valve



NL733
Brass antifreeze valve



NL734
Brass antifreeze valve

Description

- Complete body is made from brass round rod
- Cut by CNC machine
- With NBR-90 O-ring



NL737
1/2" Stainless steel nipple drinker



NL739
1/2" Stainless steel nipple drinker



NL740
1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH22 hex rod / diameter 21mm rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL735 NL736

NL735/NL736 1/2" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL738 1/2" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is produced by CH22 hex rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL741 1/2" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Brass bottom and stainless steel pipe is connected by thread and thread glue
- With diameter 12mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL742 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH22 hex rod
- With diameter 12mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL743 3/4" Stainless steel nipple drinker

Description

- G-3/4" thread (European pipe thread) or NPT-3/4" (American pipe thread) is favorable
- Stainless steel bottom and pipe is connected by thread and thread glue
- With diameter 8mm pin
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available





NL744 3/4" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH25 hex rod
- With diameter 12mm pin
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL745 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Stainless steel bottom and pipe is connected by the thread and thread glue
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL746/NL747 1/2" Female stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by diameter 21mm rod, CH22 hex rod
- With diameter 8mm pin
- With special plastic filter
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL748 1/2" Female brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is produced by CH22 hex rod
- With diameter 8mm pin
- With special plastic filter
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL749 1/2" Stainless steel antifreeze valve

Description

- Made from stainless steel CH22 hex rod
- Cut by CNC machine
- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- With NBR-90 O-ring



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL750 1/2" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is made from brass die-casting
- With special diameter 10mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL751 1/2" Brass nipple drinker

Description


- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Brass body is made from brass die-casting
- With special diameter 10mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL752 1/4" Rabbit nipple drinker

Description

- G-1/4" thread (European pipe thread) or NPT-1/4" (American pipe thread) is favorable
- Stainless steel body is made from stainless steel round rod
- With diameter 5mm pin
- Inner with stainless steel ball
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available




NL753 NL754

NL753/NL754 1/2" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Brass body is made from brass die-casting
- With professional pin
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL755 NL756

NL755 1/2" Brass nipple drinker
NL756 1/2" Female brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is produced by CH22 stainless steel hex rod
- With diameter 8mm pin(stainless steel pin or brass pin)
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is favorable
- Stamping or laser printing logo is favorable





NL757 1/2" Female stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH22 hex rod
- With diameter 12mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL758 1/2" Brass nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete brass body is produced by CH22 hex rod
- With cap bottom
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL759 1/2" Ball type nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH22 hex rod
- With ball bite
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL760 3/4" Ball type nipple drinker

Description

- G-3/4" thread (European pipe thread) or NPT-3/4" (American pipe thread) is favorable
- Complete stainless steel body is produced by CH25 hex rod
- With ball bite
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL761 3/4" Ball type nipple drinker

Description

- G-3/4" thread (European pipe thread) or NPT-3/4" (American pipe thread) is favorable
- Brass bottom and stainless steel pipe is connected by the thread and thread glue
- With ball bite
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL762 NL763 NL764


NL762/NL763/NL764 1/2" Nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Brass bottom and stainless steel pipe is connected by the thread and thread glue
- With diameter 8mm/8mm/12mm pin
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL765 NL766

NL765/NL766 3/4" Nipple drinker

Description

- G-3/4" thread (European pipe thread) or NPT-3/4" (American pipe thread) is favorable
- Brass bottom and stainless steel pipe is connected by the thread and thread glue
- With diameter 8mm pin, 12mm pin
- With stainless steel netting
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL767 1/2" Stainless steel nipple drinker

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Complete body is produced by diameter 21 round rod
- With diameter 8mm pin
- Adjustable plastic filter with stainless steel netting
- Adjustable plastic filter is easy to change high pressure water systems and low pressure water systems
- NBR 90 O-ring is permanent and protect leaking
- Individual packing or bulk packing is available
- Stamping or laser printing logo is available



NL768 Automatic steel ball poultry water nipple drinker for chicken

Description

- Stainless steel and plastic material, with one steel ball inside
- With 360 degree sensitivity, no rusty, leakage and guarantee water flux smoothly
- Easier to been dismounted and replaced
- Adjust the right amount of water flux to meet different climate and room conditions



NL773 Poultry water nipple drinker

Description

- Stainless steel and plastic material, with one steel ball inside
- With 360 degree sensitivity, no rusty, leakage and guaranteen water flux smoothly
- Easier to been sidmointed and replaced
- Poultry water nipples can easy install on the pipe or bucket, saving much labor



N1 N2 N3 N4 N5 N6 N7

N8 N9 N10 N11 N12 N13





NL779 Adjustable stainless steel drinker pipe

Description

- Adjustable height pipes and brackets-fastening brackets that can be adjusted up and down by hand! No tools required! No more rusted bolts to loosen!
- Material: SS304
- Size: Outer dia.21mm, thickness:2mm height:65cm, customized size is available
- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is available

NL780 Stainless steel fixed height drinking pipe

Description

- Fixed height drinker pipes with welded plates for solid mounting
- Material: SS304
- Size:Outer dia.21mm,thickness:2mm height: 65cm, customized size also available
- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is available

NL781 Stainless steel pig drinking pipe

Description

- Material: SS304
- Outer dia.21mm, thickness:2mm height:40cm
- Feet part 5-6cm, angle: 90-95degree
- Customized size is available
- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is available

NL782 Stainless steel pig drinking pipe

Description

- L shape
- Material: SS304
- Outer dia:21mm, thickness:2mm, height:50cm
- Customized size is available
- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is available

NL783 Stainless steel pig drinking pipe

Description

- Material:SS304
- Outer dia:21mm, thickness:2mm, height:60cm
- Customized size is available
- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is available

NL784 Stainless steel pig drinking pipe with hang ring

Description

- S shape
- Material: SS304
- Outer dia.21mm, thickness:2mm,height:48cm
- Customized size is available
- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is available