


NL901 Plastic scoop

Description

- Plastic scoop is made of ABS or PP
- Kinds of color is available
- Ergonomic handle

Code	Spec.
NL901-1	Plastic scoop 35 x 15 x 9cm
NL901-2	Plastic scoop 21 x 13.5 x 15cm
NL901-3	Plastic scoop 35 x 16 x 8.5cm



NL9014 Plastic scoop

Description

- Material: PP
- High quality plastic scoop
- Printing or insert logo is available
- Color: red, yellow, blue, green, white

Code	Spec.
NL9014-1	Capacity 1.0L, weight: 140g
NL9014-2	Capacity 2.0L, weight: 240g



NL902 Aluminium ice scoop

Description

- Ice scoop is made of aluminium
- Serve for ice and dry good
- Secure finger grip handle
- Mirror polished surface

Code	Spec.
NL902-1	Small ice scoop 24oz
NL902-2	Medium ice scoop 38oz
NL902-3	Large ice scoop 58oz
NL902-4	Extra large ice scoop 85oz



NL939 Aluminium ice scoop

Description

- Ice scoop is made of aluminium
- Serve for ice and dry goods
- Secure finger grip handle
- S,M,L sizes are all available
- Mirror polish surface

Code	Spec.
NL939-1	Small ice scoop 24oz
NL939-2	Medium ice scoop 58oz
NL939-3	Large ice scoop 85oz



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL983-1 NL983-2

NL983 Galvanized scoop

Description

- Material: galvanized sheet

Code	Spec.
NL983-1	2L Size: φ12 × H24cm
NL983-2	4.5L Size: φ17 × H28.5cm



NL903 Hoof knives

Description

- Excellent quality hoof knives are made of high quality alloy steel 4CV14
- Treated to reduce or prevent corrosion
- Hardwood handle is securely riveted to the blade
- These knives feature an extra-fine tip
- Ideal for exploration of holes in the hoof without creating a major excavation
- A different shape hoof knife used for planing off flat areas of over-grown hoof, without skinning your knuckles
- Laser printing logo

Code	Spec.
NL903-R	Right side hoof knife
NL903-L	Left side hoof knife
NL903-D	Double side hoof knife



NL904 Hoof trimmer

Description

- A well-priced hoof trimmer most suitable for the non-professional farrier
- Head design features a flat hammering surface
- Pointed handles are useful for cleaning hoof and for stone removal
- Flush-cut type jaws
- Length: 30cm
- Weight: 730gm



NL9111 Hoof trimmer

Description

- Material: Zinc alloy(high-hardness material)
- Length: 41.5cm
- These hoof pliers are specifically designed for hoof trimming tasks.
- Hoof trimming tool the rubber handle is designed in line with
- Ergonomics, non-slip, comfortable grip, saving time and effort.



NL959 Duckbilled clincher

Description

- Material: 45# steel,with PVC handle
- Size: 14"



NL905 Hand shear

Description

- Smallest size B&B shear, ideal for dagging and trimming of lambs
- Also very useful for any clipping work on other animals-dogs,cows, horses
- Length: 31cm
- Blade length: 9cm



NL907 Bloodless castration tools

Description

- High quality castration tools
- For use only by experienced herdsmen or under the supervision of a veterinarian
- Dimensions are length , and jaw width
- Supplied complete with service spanner



NL908 Piglet tooth cutter

Description

- Piglet tooth cutter is made of hard alloy steel 4cv14
- With spring sheet
- Length of tooth cutter 14cm
- Hardness of blade 56-58HRC
- Each piece with one neutral box
- OEM packaging is available



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL909 Tail cutter

Description

- Knives are made of hard alloy steel
- Sandy handle is made of soft plastic
- Metal lock part easy for operation
- Color for handle is available (normal color: black)
- Packaging: each piece with one neutral box
- OEM box is available



NL9112 Tail trimming scissors with large handle area

Description

- Option: Tail cutting & animal grooming
- Material: ABS plastic handle, stainless steel serrated blade
- Length: 22cm o.a. (overall length)
- Features: big thick ABS plastic handles for comfortable use; serrated blade reduces slippage, ideal for tail cutting and other animal grooming work
- Heavy-duty design, durable and easy to operate



NL9101 NL9102

NL910 Bull leaders


Description

NL9101 bull leader with chain

- This design features a chain closure, and locking hook, for quick and easy action in all conditions
- Chain is 40cm long, with large end-link for attachment of rope (not supplied)
- Pliers are alloy steel, length 20cm
- Packaging: each piece with one neutral box

NL9102 bull leader without chain

- The old favourite bull holder you don't need a degree to work
- Pliers are alloy steel, length 20cm
- Packaging: each piece with one neutral box



NL911 Bull rings

Description

- Bull rings are made of brass
- Long lasting, totally proven in use
- Thumbscrew-type locking pin, broken off when tight
- Reveals cross-slot for screw driver

Code	Spec.
NL911-1	64 x 8mm
NL911-2	70 x 8mm
NL911-3	80 x 8mm



NL913-1 NL913-2

NL913 Rumen magnet with plastic cage

Description

- Used worldwide as an effective remedy for hardware disease
- Classic northern hemisphere style with spaces for accumulating hardware within the plastic cage
- Color of plastic is available
- Packaging: 10pcs with one neutral box, 200pcs per carton
- OEM packaging is available


Code	Spec.
NL913-1	100 x 37mm
NL913-2	100 x 25mm



NL914 Stainless steel rumen magnet

Description

- Used worldwide as an effective remedy for hardware disease
- The outer of rumen cow magnet is made of SUS304 sheet
- Bright, metal finish, non-toxic, non-corrosive in use
- Inner with strong magnet
- Size: dia1/2″ x 3″ long
- Packaging: 12pcs with one neutral box (OEM packaging is available)



NL915 Heavy-duty rumen magnet

Description

- Durable structure: Plated, solid steel end caps prevent corrosion and a solid steel connector rod through the core reduces breakage during shipping and handling. No plastic parts involved
- Stronger Magnetization before assembly creates a consistent
- pulling force from each section along the length of the magnet and enhances its overall strength
- Superior Characteristically, These qualities make it easier for the magnet to travel to the stomach and stay there.
- Size: 1-7/8″(48mm)
- Packaging: 12pcs per neutral packaging



NL916 Ceramic rumen magnet

Description

- This rectangular rumen magnet is made of Ceramic 5 (Strontium Ferrite) magnet material
- Its special magnetization pattern causes nails and other sharp metal objects line up along the length of the magnet where they are no longer a danger to the cow
- Rounded corners ensure safe and easy passage to the reticulum
- Size: 1/2″ x 3/4″ x 2-3/4″ long
- Packaging: 12pcs per foam box



NL926 Rumen magnet with plastic cage

Description

- Used world wide as an effective remedy for hardware disease
- Classic northern hemisphere style with space for accumulating hard ware with the plastic cage
- OEM packaging is available



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL981 Plastic balling gun

Description

- Economical, reusable semi-disposable balling gun made of durable plastic
- For Calf/Lamb/Colt - made of low-density plastic ensures gentle touch
- Material: plastic

Code	Spec.
NL981-1	Size: 12″, Small plastic balling gun
NL981-2	Size: 16″, Large plastic balling gun



NL9136 Bolus launcher for calves and sheep

Description

- Durable construction for long-lasting performance
- Curved design for easy use
- Easy to clean and sanitize
- The bolus launcher is an essential tool for safely administering boluses to calves and sheep
- Designed to meet the needs of each animal, it combines precision robustness, and practicality, thus facilitating the work of breeders



NL972 Wirerope

Description

- High quality wirerope
- Suitable for NL917 saw wire handle

Code	Spec.
NL972-1	Stainless steel wirerope 12m x 1.35mm, with white plastic box, size: 7.7 x 7.7 x 2.7cm
NL972-2	Galvanized steel wirerope, zinc-coated wire, size: 12m x 1.35mm, without box



NL917 Saw wire handle

Description


- Economy stainless steel handles are very comfortable to use
- Simple screw action clamps wire into groove
- Length: 10.5cm



NL990 Hand winch

Description

- For pulling and moving of loads
- Stable toothed wheel construction
- Internally lubricated reel and toothed wheel rings
- Easy-to-turn, mould-cast lever
- Translation ratio (toothed wheel ratio) 3:1



NL918 Nylon pulleys

Description

- Pulley shell is made of stainless steel SUS 304
- Pulley is made of PA66, with UV additive
- With strong stainless steel hook
- Color of pulley is available (normal color is yellow)

Code	Spec.
NL918-1	Nylon pulley size: Ø20mm with closed hook
NL918-2	Nylon pulley size: Ø40mm with big open Hook
NL918-3	Nylon pulley size: Ø44mm with hook
NL918-4	Nylon pulley size: Ø90mm without hook
NL918-5	Iron pulley size: 1-7/8"(48MM)
NL918-6	Iron pulley size: 3-1/2"(89MM)
NL918-7	Nylon pulley size: Ø90mm with galvanized holder Total size: 15.5 x 9.5 x 4.5cm
NL918-8	Nylon pulley size: Ø20mm with galvanized holder



NL919 Pig holders

Description

- ''S''or"T" shape handle
- It's made of stainless steel pipe
- Strong steel string with PVC coating protecting animals hurting
- Professional locker design easy for operation

Code	Spec.
NL919-1	Stainless steel pig holder with locker("S" handle)
NL919-2	Stainless steel pig holder with locker ("T" handle)
NL919-3	Economy pig holder



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL920 Sorting paddle

Description

- Sorting paddle consists of a hollow 30 x 16cm paddle
- With noise-making beads inside
- Lightweight, highly visible and noisy
- Nice soft rubber grip or PPR grip
- Metal grip with paint spray or soft PPR grip available
- Color of paddle is available

Code	Spec.
NL920-1	107cm sorting paddle
NL920-2	122cm sorting paddle
NL920-3	75cm sorting paddle



NL937 Pig sorting board

Description

- HDPE material
- Ideal for weaners to market-ready pigs
- Also ideal for fully grown sows or boars

Code	Spec.
NL937-1	Pig sorting board 120 x 76cm, size: L
NL937-2	Pig sorting board 94 x 76cm, size: M
NL937-3	Pig sorting board 76 x 46cm, size: S



NL938 Short handle plastic pig sorting paddle

Description

- Material: high quality plastic
- Length: 50cm
- Whip animals by sound
- 4 plastic flaps rattle when strike, ratting sounds, to drive animal more easily
- Animals won't feel painful owing to the sponge on the paddle



NL927 Warm mat for piglets

Description

- Warm mat for piglets(adjustable)
- Material: Glass fiber reinforced plastic
- Size: 50 x 90cm
- 220V x 150W




NL930 Dog collar

Description

- Material: high quality nylon or stainless steel
- With foam pad, zinc alloy metal fasteners
- Colors are available

Code	Spec.
NL930-1	Size: 1.5 x 40cm nylon
NL930-2	Size: 2.0 x 50cm nylon
NL930-3	Size: 2.5 x 60cm nylon
NL930-4	Size: 2.5 x 70cm nylon
NL930-5	Size: 4.0 x 66cm stainless steel




NL941 Dog mask

Description

- Material: leather belt
- Pet muzzle
- Strong and durable

Code	Spec.	Code	Spec.
NL941-1	Dia: 6.0cm	NL941-5	Dia: 11.0cm
NL941-2	Dia: 7.0cm	NL941-6	Dia: 12.5cm
NL941-3	Dia: 8.0cm	NL941-7	Dia: 14.5cm
NL941-4	Dia: 9.5cm		



NL945 Stainless steel dog mask

Description

- Stainless steel material with PU belt
- Stop barking, prevent biting
- Strong and durable



NL946 Plastic dog mask

Description

- Material: plastic
- Stop barking, prevent biting
- Strong and durable



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL962 Ewe spoon with 3 tie feature

Description

- Material: PP
- With strap
- Help to prevent the existing problem of it tilting upwards once inside
- The product can be kept clean using warm soapy water
- Avoid using abrasive cleaners on the plastic as any resulting scratches may harbour bacteria
- The bearing retainer can be sterilized chemically or in boiling water
- Different color for choice



NL963 Tail clamp for cows

Description


- Made of light metal, galvanized
- Easy, safe and quick to put on



NL9108 ABS tick remover

Description


- Material: ABS
- Sizes: 3pcs(6.4cm, 6.3cm, 4.9cm)to cover various tick types & sizes
- Function: Assists tick removal with simple twist & pull motion
- Packaging: 3PCS/set, Professional hanging packaging (paper with plastic link)



NL9109 Pet tick tweezers

Description

- Option: Blue & Red Tick Clamp
- Material: Plastic, lightweight and durable
- Length: 9.3cm (suitable for Pet Fleas & Mites Removal)
- Features: EO sterilization, easy to use and safe
- Ideal for safely catching and removing fleas and mites from pets



NL9110 Stainless steel tick remover

Description

- Option: Curved tip
- Material: Stainless steel, anti-static, anti-corrosion and durable
- Tip type: Rounded needle tip, high elasticity and high accuracy
- Features: Fine craftsmanship, anti-static coating, compact and easy to carry
- Ideal for safely removing ticks, fleas and mites from pets

Code	Spec.	Code	Spec.
NL9110-1	12cm	NL9110-4	12cm
NL9110-2	14cm	NL9110-5	10.5cm
NL9110-3	14cm		



NL928 Infrared lamp

Description

- Color: clear, red, blue, green, yellow
- Waterproof, hard glass
- Lifetime: 3500hrs
- Accept OEM
- Each piece with one polybag, then with one middle box, 12boxes with one export carton

Code	Spec.
NL928-1	Infrared lamp 220V, 100W
NL928-2	Infrared lamp 220V, 150W
NL928-3	Infrared lamp 220V, 175W



NL957 Infrared lamp BR-38

Description

- Color: red and transparent
- BR-38
- Each item with one polybag, then put in a white middle box
- OEM package is available

Code	Spec.
NL957-1	240V 100W
NL957-2	240V 150W
NL957-3	240V 175W



NL958 Ceramic lamp

Description

- Material: Ceramic
- Color: white or black

Code	Spec.
NL9581-1	"T" shape 220V 75W
NL9581-2	"T" shape 220V 150W
NL9581-3	"T" shape 220V 250W
NL9582-1	"Cone" shape 220V 75W
NL9582-2	"Cone" shape 220V 150W
NL9582-3	"Cone" shape 220V 250W



NL971 Aluminium lamp shade

Description

- Material: Aluminum
- With thick aluminum sheet
- Durable and high quality

Code	Spec.
NL971-1	5m cable+2m chain+3way switch(100%,50% and off)
NL972-2	5m cable+2m chain+2way switch(on and off)
NL973-3	5m cable+2m chain (NO SWITCH)



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144




NL973 Polishing lamp shade turn outside

Description

- Material: aluminium with polishing
- Without wire guard
- With ceramics lamp holder

Code	Spec.
NL973-1	5m cable+2m chain+3way switch(100%,50%and off)
NL973-2	5m cable+2m chain+2way switch(on and off)
NL973-3	5m cable+2m chain (NO SWITCH)




NL974 Polishing lamp shade turn inside

Description

- Material: aluminium with polishing
- With wire guard
- With ceramics lamp holder


Code	Spec.
NL974-1	5m cable+2m chain+3 way switch(100%,50% and off)
NL974-2	5m cable+2m chain+2 way switch(on and off)
NL974-3	5m cable+2m chain (NO SWITCH)



NL954 Golden alu lampshade

Description

- Size: 21.5 x 31cm
- 220V/50HZ, 275W; E27
- Lampshade holder: ALU alloy
- 2.5m cable + 2m chain+3ways switch(100%,50% and off)



NL955 Golden alu lampshade

Description

- Size: 30 x 32cm
- 220V/50HZ, 275W; E27
- Lampshade holder: ALU alloy
- 2.5m cable + 2m chain+3ways switch(100%,50% and off)



NL931/NL943 Animal feeding bottle 2.0L

Description

- Animal feeding bottle 2.0L
- Made of nontoxic plastic material
- With feeding teat
- Used for livestock

Code	Spec.
NL931	Slip type teat feeding bottle
NL943	Screw type teat feeding bottle



NL933/NL944 Animal Feeding bottle with handle

Description

- Animal feeding bottle 2.0L
- Made of nontoxic plastic material
- With feeding teat
- Used for livestock

Code	Spec.
NL933	Slip type teat feeding bottle
NL944	Screw type teat feeding bottle



NL934 Animal feeding bottle 2.5L with handle

Description

- Animal feeding bottle 2.5L
- Made of nontoxic plastic material
- With feeding teat
- Used for livestock
- Two teats for choice

Code	Spec.
NL934-1	Slip type teat feeding bottle
NL934-2	Screw type teat feeding bottle




NL935 Animal feeding bottle

Description

- With feeding teat, used for livestock
- Material: PP

Code	Spec.
NL935-1S	With short teat 2.5L
NL935-1L	With long teat 2.5L
NL935-2S	With short teat 4L
NL935-2L	With long teat 4L



NL952 Animal feeding bottle 3L with exhaust valve on the handle

Description

- Material: PE
- Capacity: 3L
- With feeding teat
- Used for livestock



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL9134 Animal feeding bottle

Description

- Long lasting and hard wearing
- Easy to use-snaps on to the bottle
- Suitable for use by other animals
- Capacity:3L
- Size: 36.5 x 11 x 110cm
- Material: PE



NL996 Animal feeding bottle

Description

- Long lasting and hard wearing
- Easy to use-snaps on to the bottle
- Suitable for use by other animals
- Capacity: 3Qt milk bottle
- Size: 3.5 x 3.5 x 15in (8.89 x 8.89 x 38.1cm)
- Material: PE



NL979 Feeding bottle with teat for lamb 1L

Description

- Capacity: 1L
- Material: PE



NL994 Lamb bottle 500ML

Description

- Large and safe to cook
- Complete with teat and collar
- Calibrated for precise feeding
- Wide neck for easy filling
- Material: PE
- Capacity: 500ml



NL995 Lamb bottle 300ml with tube

Description

- With plastic cover and tube
- Clear scale on the bottle
- Could be packed together or separately
- Material: PE material
- Capacity: 300ml



NL924 Teats

Description

- The lamb feeding teat is known around the world. it is ideal for new-born lambs, kids and other small animals
- Made of soft latex rubber
- Cap will fit all standard PET plastic pop bottles (28mm thread)
- The lamb feeding teat features a cone tip which is cut off at lower levels to provide faster flow
- A ball valve allows air inlet to the bottle

NL9244 Feeding rubber teat with monolayer

- This calf teat has been marketed in the world for many years
- It is generally fitted into a 20-21mm diameter drilled hole in any plastic or metal container

NL9245-1 Teat Calf Soda Bottle

- Real rubber teat to fit most soda bottles.
- Cut an X in the tip with razor blade or knife, or melt hole with hot nail
- Long lasting, heavy duty teat

Code	Spec.
NL924-1	Teat system for lamb feeding bucket
NL924-2	Spare teat for lamb feeding bucket
NL924-3	Lamb feeding teat
NL9245-2	Feeding rubber teat
NL924-6	Feeding rubber teat
NL924-7	Feeding rubber teat
NL924-8	Feeding rubber teat
NL924-9	Feeding rubber teat



NL9113 Milk strainer(500ML)

Description

- Material: plastic material
- Size: 19.5 x 12.3cm
- Dia: 16cm



NL960 Collapsible pet bowl

Description

- Material: Silicon
- Size: 19 x 12 x 18cm
- Capacity: 1000ml
- Weigh: 160g
- Color: Blue/Green/Red/Yellow



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL925 Teat dip cups

Description

- As well as pre-dipping and post-dipping of teats at milking time to reduce mastitis infections, teat dip cups are very useful for treatment of black-pock and other teat lesions
- Capacity:300ml

Code	Spec.
NL925-1	Teat no-return dip cup
NL925-2	Teat nunc dip cup
NL925-3	Teat foaming dip cup



NL9135 Cow mouth opener

Description

- Material: galvanized iron

Code	Spec.
NL9135-1	25.5 x 18cm
NL9135-2	36cm x 23cm



NL978 Piglet teething ring

Description

- Robust teething ring to reduce aggression in the pig shed
- Soothes and distracts
- Bite-resistant material
- Material: PE
- Size: 14 × 18 cm
- Chain length approx: 70 cm

Code	Spec.
NL978-1	Plastic
NL978-2	Metal



NL929 Plastic weaner

Description

- Plastic weaner for cow calves
- It is easy to adjust the screw, can use again
- Avoid the mavericks suck behavior, avoid spreading the disease
- Used to prevent the calves to suck the breast
- Used to prevent calves to lick bellybutton of each other

Code	Spec.
NL929-1	9 x 8cm
NL929-2	10.5 x 9cm



NL997 Egg collection basket

Description

- Capacity: 3dozens eggs
- Material: steel wire dia 3mm&2.5mm
- Size: top dia 20.5cm, bottom dia 15cm, height 12cm
- Surface treatment: powder coating
- Wire spacing 1.5cm
- Weight: 300g



NL998 Egg collection basket

Description

- Material: steel wire dia3 x 2.5mm
- Size: top dia 22cm, bottom dia 15.5cm, height 13.5cm
- Surface treatment: powder coating
- Wire spacing 2.2cm
- Weight:250g



NL999 Egg candler

Description

- Small pen size portable light
- Household candling lamp–this portable and practical egg candle easy to carry and can be used indoors or outdoors
- Suit for almost all types of eggs, you can check about once or twice a week




NL9100 Egg tester

Description

- Checking the development of the embryo in the egg
- Features the latest generation of high intensity LED light
- Max power: 15W
- Mains power supply or 3AA batteries with a USB power cord
- With two rubber tips for small and large eggs
- Equipped with the latest generation of high-power LEDs and a very powerful lens
- Can check for cracks in the shell and check whether the egg has been fertilised, as well as the stage of development of the embryo during incubation



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL9101 Egg tray

Description

- Material: HDPE
- Size: 30 x 30 x 5cm
- Weight: 160g
- Holds 30 eggs
- Can be stacked together
- Allow an easy and safe transport of the eggs



NL9102 180pcs-Egg shifting crate(egg type)

Description

- Size: 38.3 x 37.8 x 36.7cm
- Capacity:180pcs eggs
- Use together with egg tray
- Package: 100sets per pack



NL9103 Double egg transport box

Description

- Material: PP plastic, lightweight and durable
- Size: 68 x 36 x 37cm (suitable for egg transfer and storage)
- Features: Stable structure to protect eggs, smooth burr-free surface, bright color, easy to take and clean
- Ideal for safely transferring and storing poultry eggs



NL936 Fake poultry egg

Description

- Made of high quality ceramic or plastic
- White color or natural color for choice

Code	Spec.
NL936-1	Plastic egg with sandy in it, size is 6 x4.2cm Packed in opp bag or blister paper
NL936-2	Ceramic egg, size is 5.5 x 4.2cm, packed in blister paper
NL936-3	Plastic egg without sandy in it, size is 6 x4.2cm Packed in opp bag or blister paper
NL936-4	Plastic pigeon egg, size is 4 x 3cm Packed in opp bag or blister paper
NL936-5	PP egg



NL975 Surgical blade handle

Description

- High quality surgical blade handle
- Use for handle surgical blade

NL976 Surgical blade

Description

- High quality surgical blade
- With full sizes to choose
- Stainless steel material or carbon steel material for choice



NL987 Piglet tooth grinder

Description

- Material: Diamond grinding head alloy sheath
- Voltage: 220V 50/60Hz, Power: 130W
- Rotating speed:8000-32000r/min
- Quick and painless for newborn piglets grinding teeth
- Can reduce the oral odor, improve animal food intake
- Can prevent the pig hurt when fighting each other, and reduce the risk of piglet death
- Packed in an independent box, convenient to carry



NL977 Electric beak cutter

Description

- This machine is applicable to quickly cut chicken beak
- Staunch blood for chickens with different ages
- Voltage applicable: 220V±10%
- Power consumption: 200-250W
- Temperature of movable knife: 600-800℃
- Time of stopping knife and staunching blood: 0-4 seconds
- Weight: 8.5kg



NL984 Cow lifting frame

Description

Code	Spec.
NL984-1	For medium and smaller breeds to max.900kg
NL984-2	For tall breeds and beef cattle to max.1500kg




NL942 Electric sheep clipper

Description

- Delivered in a carrying case and with comb and cutter
- Light and easy to handle
- Power:350W, Speed: 2600Rpm, Frequency: 50/602Hz
- Voltage:230V
- Machine dimension:35 x10 x 8.5cm
- Net weight:1.9KGS



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL912 OB chain

Description

- Strong stainless steel handle to use with our calving chains
- Hooks in end loops or between any links
- Top quality manufacture
- Plastic grip. Two required for correct use

Code	Spec.
NL912-1	30″ OB chain with nickel plated
NL912-2	30″ stainless steel OB chain

- Tested to over 500kg. Hardened
- Oval end loop for easy internal use. Supplied as each

Code	Spec.
NL912-3-1	60″ OB chain with nickel plated
NL912-3-2	60″ stainless steel OB chain



NL980 Handling

Description

- Soft, safe, non-burning handling
- Easily machine washed(cold water) and improves with every wash
- Excellent lunging or thowing rope. Keep hidden when not in use
- Length 5m or 9m.etc
- With eye splices at both ends



NL9131 Calving rope

Description


- Material: PP
- Dia: 9mm
- Length: 0.85m, 1.9m, 2m, 3m



NL964 Cow immobilizer standard

Description

- Material: Carbon steel
- When positioned correctly, this restraint prevents animals from thrashing around
- Adjustable for different animal sizes
- The 45° offset of the hole series and the ø9mm thick locking bolts ensure ergonomic length adjustment and prevent inadvertent opening



NL9120 Sheep restrainer

Description

- The sheep restrainers are simple devices that are useful to humanely restrain sheep and goats
- Suitable for lambing, foot trimming, transportation, health checks and many other uses
- There are two sizes available, which make the restraining devices is suitable for lambs, sheep, goats and calves

Code	Spec.
NL9120-1	Width of 175mm
NL9120-2	Width of 225mm



NL9104/9105 Shepherds crooks


Description

- Option: Neck & Leg
- Material: Solid aluminium, hardened for extra strength
- Features: Equipped with rubber grip handle and end tip; excellent for catching lambs (for use on back legs)
- Length: NL9104: 1370mm; NL9105: 1150mm

NL9106 Plastic shepherds crooks

Description

- Option: Neck & Leg
- Material: PVC plastic, lightweight and durable
- Diameter: 25.4mm
- Features: Smooth plastic surface, corrosion-resistant and easy to clean
- Ideal for safely catching and guiding lambs
- Length: 1000mm



NL9121 Lambing aid for sheep

Description

- A handy tool to assist lambing
- Snare can be placed over head or leg, then pull firm and gently pull the lamb out
- Lambing aid is low maintenance and sturdy, being made out of plastic and nylon
- Length: 37cm



NL961 Lamb blanket

Description

- For protecting newborn lambs in cold weather
- Helps reduce hypothermia and mortality rates
- Wind and water repellent
- Pulls over the head and secured around all four legs
- One size fits all,red color



NL9116 Calf blankets

Description

- Outer: high-quality water-resistant Oxford fabric
- Inner: 210D Polyester taffeta (Sponge)
- Feature: keeps calves/cows warm in cold weather
- Size: 82 × 71cm
- Ideal for calf/cow winter protection



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL9117 Calf blankets

Description

- 10 Denier highly water repellent polyester (210D Oxford fabric)
- 240gsm polar fleece bonded with 5mm thick foam
- Highly breathable polyester fleece (240g polar fleece)
- Opp bag with manual
- Size: 75 x 103cm



NL9119 Calf cover

Description

- Outer: high-quality water-resistant Oxford fabric
- Inner: polyester taffeta (sponge)
- Feature: keeps calves/cows warm in cold weather
- Size: 85 x 70cm
- Ideal for calf/cow winter protection



NL9123 Pink eye patch

Description

- Pink Eye Patches aids in the treatment of pinkeye in cattle
- Calf & adult

Code	Spec.
NL9123-1	Big
NL9123-2	Small



NL9128 Shoe for hoof

Description

- Material: PVC
- Size: W12 x L20cm
- Price for one pair



NL9129 Scratch brush

Description

- Natural grooming & scratching
- Promotes coat cleanliness & comfort
- Versatile for cattle, horses & livestock
- Easy wall/post mounting, indoor/outdoor use
- Durable polyamide bristles, gentle on coats

Code	Spec.
NL9129-1	20 x 43cm
NL9129-2	20 x 43cm (slim in the middle)
NL9129-3	30 x 43cm



NL947 Plastic garden pressure sprayer

Description

- Long-spraying head
- More flux,better atomizing
- Practical, safe and labor saving
- Reasonable design, simple and portable
- Suitable for garden and household cleaning
- Capacity:5Liter, 8Liter, 10Liter
- Working pressure: 2-3 bar

Code	Spec.
NL947-1	5L
NL947-2	8L
NL947-3	10L



NL948 Plastic garden pressure sprayer

Description

- Long-spraying head
- More flux,better atomizing
- Practical, safe and labor saving
- Reasonable design, simple and portable
- Suitable for garden and household cleaning
- Capacity:12Liter 16Liter 20Liter
- Working pressure 2-4 bar

Code	Spec.
NL948-1	12L PE
NL948-2	16L PP
NL948-3	20L PE



NL940 Garden pressure sprayer

Description

- Made of high quality new raw plastic
- Capacity: 1.5L, 1L, 2L
- Perfect pump sprayer with off-stream-spray-off function
- Print logo is available

Code	Spec.
NL940-1	1.5L
NL940-2	1L
NL940-3	2L