




NL1001 Liquid nitrogen containers

Description

- High-strength aluminum alloy structure, light empty weight
- Hinged handle (except YDS-5-200) is portable
- The lockable device can be installed to the container lid upon customers requirement so as to protect biological samples stored (limit for 30mm, 50mm, 80mm calibers)
- Encoding system is applied on canisters for easy recognition and convenient accessing of samples
- More than 5-year vacuum quality guarantee is ensured with the multi-layer thermal isolation design


Model	Unit	YDS-1-30	YDS-2-30	YDS-3	YDS-5-200	YDS-6	YDS-10	YDS-10-80	YDS-10A	YDS-13
Capacity	L	1.0	2.0	3.15	5.0	6.0	10.0	10.0	11.0	13.0
Empty Weight	kg	2.0	2.9	3.4	5.3	5.0	6.2	6.5	6.8	7.0
Full Weight	kg	2.8	4.6	5.9	9.3	9.9	14.3	14.6	15.7	17.5
Neck Diameter	mm	30	30	50	200	50	50	80	50	50
Outer Diameter	mm	180	217	224	287	287	303	303	287	303
Height	mm	320	365	425	325	445	530	545	615	615
Static Evaporation Loss Mass	L/d	0.067	0.067	0.105	1.667	0.100	0.100	0.175	0.100	0.103
Static Holding Time	mm	15	30	30	3	60	100	57	110	126
Canister Outer Diameter	mm	26	19	38	—	38	38	63	38	38
Canister Height(single/double)	Nos	120	120	120	—	120	120	120	120/276	120/276
Number of Canisters: n	0.5ml	1	3	3~6	—	3~6	3~6	3~6	3~6	3~6
Straw Holding	0.5ml	52	90	132×n	—	132×n	132×n	360×n	132×n	132×n
Capacity(single level)	0.25ml	110	204	298×n	—	298×n	298×n	846×n	298×n	298×n
Straw Holding	0.5ml	—	—	—	—	—	—	—	214×n	214×n
Capacity(double level)	0.25ml	—	—	—	—	—	—	—	472×n	472×n



NL1002 Semen gun

Description

- Made by high quality stainless steel
- It can be used in straw semen AI and there are three specifications of 0.25ml, 0.5ml and universal
- Its special is to lock sheath by a wire lock and easy to lock and unlock sheath
- Spring type locking system or imv type to choose
- Spring type for 0.25ml, 0.5ml and universal
- IMV type for 0.25ml, 0.5ml
- Spring type locking system




NL1003 Foam tip catheters

Description

- Foam tip, injuries excluded, flexible
- Each piece with one polybag, 50pcs with one big polybag
- Private packaging, OEM packaging is available
- Blue, yellow, etc color is available
- Match up with NL1025

Code	Spec.
NL1003-1	Small size foam tip catheter without cover
NL1003-2	Small size foam tip catheter with cover
NL1003-3	Big size foam tip catheter without cover
NL1003-4	Big size foam tip catheter with cover




NL1020 Spiral catheters

Description

- Foam tip, injuries excluded, flexible
- Each piece with one polybag, 10pcs with one big polybag
- Private packaging, OEM packaging is available
- Different color is available


Code	Spec.
NL1020-1	Foam tip catheters without cover
NL1020-2	Foam tip catheters with cover



NL1023 AI Sheaths

Description


- Material: PP or PVC pipe with inner set
- Length: 44.5cm
- Color: transparent



NL1025 PVC Catheters tube

Description

- A long section of PVC tubing designed for extending the length between the sponge catheter and the semen bottle, semen tube or semen bag
- Match up with NL1003, NL1020



NL1033 Disposable pig semen catheter for artificial insemination

Description

- Material of tube: PP
- Material of foam tip: EVA
- Used for: multiparous sow
- Colour: yellow, blue
- Package: 500pcs/caton



NL1005 Ear tag cutter

Description

- Very handy knife for removing ear tags, but also great twine cutter
Many other uses on the farm
- Length 20cm, with 3cm long double razor sharp
- Stainless steel cutting blades
- Safe for your pocket



NL1004 Semen bottle

Description

- Semen bottle is made of food grade material
- Scale on body easy for checking
- Color of cap is available

Code	Spec.
NL1004-1	40ml semen bottle
NL1004-2	60ml semen bottle
NL1004-3	80ml semen bottle
NL1004-4	100ml semen bottle



NL1018 Semen bag

Description

- Semen bag with filter paper 2000ml
- Thickness: 0.055mm (18gm/pcs)
- Square measures: 240mmx240m
- Composition: polypropylene homopoly
- Properties: obstetric appliances
- Easy to tear when collecting semen



NL1022 Semen bag

Description

- Material: PP
- Capability: 100ml
- Application: artificial insemination
- Feature: moisture proof, with holes to die cut
- Packaging: 250pcs in one roll



NL1021 Cast padding bandage

Description

- The most effective, safe and widely used products in orthopaedics
- 100% cotton
- Highly absorbent

Code	Spec.
NL1021-1	Cast padding bandage size:60 x 3m
NL1021-2	Cast padding bandage size:10 x 3m



NL1026 Semen filter paper

Description

- 100% cotton material
- Filtering paper function: filter boar
- Make sure the semen pure & clean
- Offers the flexibility needed to adapt to any collection setup
- The special seams will not tear out with excessive get output
- Semen filters are also super colostrum filters
- Non-spermicidal, fast flow, and excellent gel retention



NL1035 Ice package

Description

- Easy to carry
- PU foam insulation layer
- For keeping warm and cold
- Convenient handle for portable use
- Size: 38 x 22.5 x 27cm
- Capacity: 13L



NL1036 Electronic Ice package

Description

- Capacity: 12L
- Voltage: 220V
- Vehicle voltage: 24V
- Power: vehicle 60-75W
- Cryogenic temperature: -5°C
- Heating temperature: 55~65°C
- Inner size: 35 x 17.5 x 20cm, outer size: 41 x 29 x 29.5cm
- Weight: 5.3kg



NL1037 Semen collection cup

Description

- Material: plastic
- Capacity: 450ml or 1000ml for choice
- New PU thermal insulation material could keep warm with 6hours
- Outer shell material is PE, pressure resistance, long service time

Code	Spec.
NL1037-1	Basic funds 500ml
NL1037-2	Basic funds 1000ml
NL1037-3	37 degree constant temperature 1000ml



NL1038 Laboratory thermostatic water bath 6 holes

Description

- Power: 1500W
- The temperature control accuracy: RT-100°C
- Size: 47 x 31 x 13cm, digital display
- Used to provide precise and constant temperature and auxiliary heating for gene amplification in laboratory, medical and industry



NL1006 Arm length gloves

Description

- Shoulder gloves is 92cm length
- 35% EVA and 60% LDPE
- Super sensitive and very strong
- 28 microns thickness
- 100pcs with one dispenser box
- Green, orange etc. different colors are available
- OEM packaging is favorable



NL1030 Arm length long gloves

Description

- 125cm length, link with neck and 12g in weight
- 30% EVA plus 70% LDPE
- Super sensitive, flexibility and strong in using, it could hold 1L water pressure testing
- 50pcs gloves per dispenser box, green color box or neutral white box available
- Factory direct price and OEM color design available



NL1007 Nitrile disposable glove

Description

- 100pcs gloves per dispenser box
- Recommended for milking
- Powder-free
- Hypo-allergenic
- Higher resistance to chemicals than latex
- Antiseptic
- Excellent quality gloves for veterinarians, dairy farmers, pig producers
- Semen collection and for other hygiene purposes



NL1008 Disposable examination vinyl gloves

Description

- 100pcs per dispenser box
- Powdered or powder free
- Size: S, M, L, XL
- Color: transparent or other colors
- OEM packaging is available



NL1024 Latex examination gloves

Description

- 100pcs gloves per dispenser box
- Powder or powder-free
- Protection from unwanted or dangerous substances
- Easy donning and helps prevent roll back
- Softness provides superior comfort and natural fit
- Beaded cuff makes donnings easy
- Ambidextrous and straights fingers
- Gloves sizes: Small, Medium, Large
- OEM packaging is available



NL1017 Boot sheets

Description

- Material: EVA+PE
- Color: blue and white are available

Code	Spec.
NL1017-1	Boot sheets thickness: 0.07mm, size: 45 x 45cm, N/W: 16g/PC
NL1017-2	Boot sheets thickness: 0.12mm, size: 45 x 45cm, N/W: 28g/PC



NL1032 Overshoe

Description

- Material: PP+CPE
- Size: 40 x 16cm



NL1014 Castrating band

Description

- Silicon material
- Strong, nontoxic
- Applied with castrating band applicator
- 500pcs per polybag. less than 15kgs per export carton

NL1014-1 Plastic steel castrating band applicator


- The applicator is especially suitable for the breeder with a small number of animals to dock or castrate
- It is a perfectly satisfactory tool at a very low price
- No need to pay more if you do not need more. Pins open to 45mm/40mm x 34mm (sides)

NL1014-2 Zinc alloy (steel) castrating band applicator

- Applicators are made in many places in many different qualities
- Ours is high quality at a low price, guaranteed to give very good service
- Smoothen easy operation. Check it for yourself. Pins open to 50mm/40mm x 30mm (sides)

NL1014-3 Castrating band-O ring

- Material: High quality import rubber
- Size: outer dia: 13.5mm, inner dia: 5mm



NL1027 Artificial insemination holder

Description

- Made of high quality plastic
- With light weight and easy to use
- Flexible and adjustable
- Hold the flank of sow, improve the absorption of semen by sow





NL1009 Non-woven self-adhesive bandage

Description

- Excellent tear resistance, shock-absorbing under strenuous activity, firm support, non-slip
- When applied correctly the bandage provides safe support without blocking the blood flow, easy to apply, even on difficult areas, suitable for all animals
- Very porous lightweight bandage, barely perceptible, skin breathes while the wound is healing
- Self-adhesive, therefore no grips, does not stick to the coat, easy to remove using bandage scissors, providing support, protection and security
- Size: 2.5cm x 4.5m, 5cm x 4.5m, 7.5cm x 4.5m, 10cm x 4.5m, 15cm x 4.5m for choice
- Color: different color is available
- Packaging: 12 rolls in convenient sale box
- OEM packaging is available



NL1043 Double sides adhesive tape

Description

- Material: cotton
- Size: 5cm x 25m
- Shrink package
- Highly adhesive



NL1044 One-side adhesive tape

Description

- Material: cotton
- Size: 5cm x 25m
- Shrink package
- Highly adhesive



NL1045 Leg&tail tape

Description

- Tear resistant and durable
- Polyethylene coated waterproof cloth backed tape
- 1pcs/shrink wrap with sticker
- 12pcs/inner box, 6 inner box per outer master carton
- 35 mesh or 50 mesh to choose

Code	Spec.
NL1045-1	Length 10m, width 48mm
NL1045-2	Length 25m, width 48mm



NL1046 Gypsona bandage

Description

- 1pc per bag

Code	Spec.
NL1046-1	7.5 x 2.7m
NL1046-2	10 x 2.7m
NL1046-3	15 x 2.7m



NL1010 Bandage scissors

Description

- Special lower blade on these is for slipping down
- Inside bandage to prevent injury to body underneath whilst cutting
- Useful cutting almost anything else. 19cm o.a



NL1011 Veterinary I.V. set

Description

- Transparent vial holder and tube is made of silicone
- White clamp for easy adjusting the flux
- Brass+chrome plated connection
- Luer lock adaptor with needle
- Each set with one neutral box , 100pcs per carton (OEM packaging is available)



NL1012 Veterinary I.V. set

Description

- Yellow vial holder and tube is made of super quality latex,
- White clamp for easy adjusting the flux;
- Brass+chrome plated connection
- Luer lock adaptor with needle;
- Each set with one neutral box, 100pcs per carton (OEM packaging is available)



NL1039 Microscope cover glass

Description

- Material: medical glass
- Size is 18 x 18mm, thickness is 0.13-0.17mm
- 100pcs per neutral pack



NL1016 XSZ-N107 series biological microscope

Description

- XSZ-N107 series microscope is improved on the basis of XSZ-107BN series such as adding
- Anti-mould device and some decoration
- It looks nice and much modern

		N106	N107	N207	N107E	N107CCD
Viewing Head	Monocular Head Inclined at 45°, 360° Rotatable	●				
	Sliding Binocular Head Inclined at 45°, 360° Rotatable; Anti-mould		●			
	Compensation Free Binocular Head Inclined at 30°, 360° Rotatable; Anti-mould			●		
	Trinocular Head for Photography				●	
	Trinocular Head for Video Camera (C Mount)					●
Eyeiece	Wide Field Eyepiece WF10×、P16 ×	●	●	●	●	●
Objective	Achromatic Objective 4×、10×、40× (S)、100×(S, Oil)	●	●	●	●	●
Nosepiece	Quadruple Nosepiece	●	●	●	●	●
Stage	Double Layer Mechanical Stage 140×140mm/ 75×50mm	●	●	●	●	●
Focusing	Coaxial Coarse & Fine Adjustment, Moving Range 28mm, Fine Division 0.002mm	●	●	●	●	●
	Abbe NA 1.25 with Iris Diaphragm & Filter	●	●	●	●	●
	Dark Field Condenser NA 0.9 (Dry)	○	○	○	○	○
Condenser	Dark Field Condenser (Oil) NA 1.25-1.36	○	○	○	○	○
	Built-in Illumination, Halogen Lamp 6V/20W	●	●	●	●	●
	Plan-concave Mirror	●	●	●	●	●
Illumination	Kohler lighting fixtures	○	○	○	○	○

Note: ● Standard Outfit, ○ Optional

NL1015 N-800M Laboratory biological microscope

Description

- With infinite optical system, kohler illumination, providing excellent optical quality and making image perfect
- With low and forward position coaxial focus system, focusing knobs and brightness adjustable knob within reaching location, stable integral structure, reasonable ergonomic design, making
- Operator feel more comfortable and effective

Specification



NDFA-D Dark Field
Condenser (Dry)



NPHA Turret Phase
Contrast Kit



NDFA-O Dark Field
Condenser (Oil)



Polarization
Attachment

Features

			N-800M
Viewing Head	Seidentopf Binocular Head		○
	Seidentopf Trinocular Head		●
Eyeiece	Extra Wide Field Eyepiece EW10×/ 22		●
Nosepiece	Backward Quintuple Nosepiece		●
	Backward Sextuple Nosepiece		○
Objective		4×	●
		10×	●
		20×	○
		40×	●
		100×	●
		Objectives for Dark Field	100×
Condenser	Swing-out Condenser NA 0.9/ 0.25		●
Stage	Double Layers Mechanical Stage 185×142/ 75×55		●
Illumination	External Illumination, Aspherical Collector, Halogen Lamp6V/ 30W		●
	50W/ 100W Power Supply		○
Photo Attachment			○
Video Adapter	C Mount 1×		○
	C Mount 0.5×		○
Filter	Blue Filter		●
	Green Filter		●
Multi Viewing Attachments	Multi Viewing Attachments for 5 persons		○
	Multi Viewing Attachments for 3 persons		○
	Multi Viewing Attachments for 2 persons		○
Polarization Attachment			○
Phase Contrast Kit	Turret Phase Contrast Kit		○
Dark Field Attachment			○
Epi-fluorescent Attachment			○
Temperature Controlled Stage			○
Drawing Attachment			○

Note: ● Standard Outfit ○ Optional

Specification



Comfortably observing with compensation free trinocular head inclined at 30°; Suitable for observer with wide interpupillary range of 48-75mm;



Larger viewing area with extra wide field eyepiece EW10×/22; Focus control with diopter adjustable;



Big operating space with backward quintuple nosepiece;



Rectangle double layers mechanical stage 1 85×142mm, moving range 75×55mm; Comfortable operation with low position adjustable knobs;



Perfect image with infinite plan achromatic objective



Overcoming illumination asymmetry at low magnification observation



With aspherical condenser and kohler illumination, providing enough, even and high contrast illumination for various objective observations.



External illumination, halogen lamp 12V/30W, brightness adjustable



NL1040 Microscope slides

Description

- Material: medical glass
- Size is 76 x 25mm(3 x 1"), thickness is 1.0-1.2mm
- 50pcs per neutral pack



NL1028 Veterinary B-ultrasound scanner

Description

- High resolution linear/convex ultrasound scanner
- Adopts micro-computer control and digital scan converter
- Video output and high speed USB port
- Jet molding enclosure with hand-held structure
- Different probe suitable for different animals
- Dimension: 265(L) x 153(W) x 46(H) mm
- Weight: 0.8kg
- Specification: 7000AV
- Three heads are available



NL1029 Ultrasound gel

Description


- Main material: water-soluble high polymer
- 250ml/5L to choose



NL1031 Mastitis test paddle

Description

- For a quick mastitis detection
- Material: strong plastic
- Color: white or black



NL1047 Mastitis test paddle X spurt

Description

- The mastitis test paddle X spurt is used as part of the milk test to detect cases of sub clinical mastitis in cattle
- The handle holds the fluid, when the handle is squeezed equal portions of the fluid are dispensed into each well
- This makes the test cleaner and quicker to administer