


NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL12101 NL12102 NL12103 NL12105

NL12101 Fence post

Description

- It's made of square steel pipe
- With powder coating
- Length: 105cm, size can also be made as customer's requirement
- Packaging: bulk packaging with pallet

NL12102 Fence post

Description

- It's made of round steel rod
- Powder coating or hot drop galvanized is available
- Length: 122cm, size can also be made as customer's requirement
- U shape foot can be used in the ground directly
- With reflexible mark at the top
- Packaging: bulk packaging with pallet

NL12103 Fence post

Description

- It's made of round steel rod
- Powder coating or hot drop galvanized is available
- Length: 120cm, size can also be made as customer's requirement
- With reflexible mark at the top
- Packaging: bulk packaging with pallet

NL12105 Fence post

Description

- It's made of round steel rod
- Powder coating or hot drop galvanized is available
- Length: 113cm, size can also be made as customer's requirement
- With step can be entered into the ground directly
- Packaging: bulk packaging with pallet

NL12111 Rebar steel fence post

Description

- It's made of rebar steel rod
- Be widely used for large animals
- Length: 106cm, size can also be made as customer's requirement
- Frame finishing: powder coated
- Packaging: bulk packaging with pallet

NL12112 Round steel fence post

Description

- It's made of round steel rod
- Provide quick, easy, low-cost installation for electric fence Frame finishing: powder coated
- Length: 110cm, size can also be made as customer's requirement
- Different color is available
- Packaging: bulk packaging with pallet

NL12113 Rebar steel fence post


Description

- It's made of rebar steel rod
- Length: 105cm, size can also be made as customer's requirement
- Frame finishing: powder coated
- Packaging: bulk packaging with pallet

NL12115 Rebar steel fence post

Description

- It's made of rebar steel rod
- Length: 110cm, size can also be made as customer's requirement
- Frame finishing: powder coated
- Packaging: bulk packaging with pallet



NL12111 NL12112 NL12113 NL12115



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL12104 NL12107 NL12110 NL12114

NL12104 Fence post

Description

- It's made of round steel rod
- Powder coating or hot-dip galvanized is available
- Length: 122cm, size can also be made as customer's requirement
- With step can be entered into the ground directly
- Packaging: bulk packaging with pallet

NL12107 Fence post

Description

- It's made of round steel rod
- Powder coating or hot-dip galvanized is available
- Length: 106cm, size can also be made as customer's requirement
- With step can be entered into the ground directly
- With insulating pigtail handle
- Packaging: bulk packaging with pallet

NL12110 Plastic fence post

Description

- It's made of PP material with UV resistance
- For all commonly available tapes, ropes, stranded or solid wires
- Length: 122cm
- High stability through additional longitudinal struts
- Packaging: bulk packaging with pallet

NL12114 Steel pigtail fence post

Description

- It's made of steel material with UV additive
- With white finishing
- Length: 105cm, size can also be made as customer's requirement
- With step can be entered into the ground directly
- With insulating pigtail handle
- Packaging: bulk packaging with pallet

NL12116 Steel T-post

Description

- It's made of robust steel
- Green/White painted
- Length: 152cm, size can also be made as customer's requirement
- Packaging: bulk packaging with pallet

NL12117 Steel Y-post

Description

- It's made of Y-shaped steel rod
- Well suited for soft, moist or deep grounds
- Length: 135cm, size can also be made as customer's requirement
- Packaging: bulk packaging with pallet

NL12106 Post driver

Description

- It's made of Y-shaped steel rod
- Well suited for soft, moist or deep grounds
- Length: 135cm, size can also be made as customer's requirement
- Packaging: bulk packaging with pallet



NL12116



NL12117



NL12106



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL12201 Fence gate handle

Description

- With positive non-slip grip
- High tensile galvanized spring
- Works with high tensile wire
- Poly wire or a replacement handle for patriot spring gate in permanent and temporary fence



NL12202



NL12203

NL12202/NL12203 Fence gate handle

Description

- Fully insulated electric fence spring gate handle
- With positive non-slip grip
- High tensile galvanized spring
- Works with high tensile wire, poly wire or a replacement handle for patriot spring gate in permanent and temporary fence



NL12204



NL12205

NL12204/NL12205 Fence gate handle

Description

- Fully insulated electric fence spring gate handle
- With positive non-slip grip
- High tensile galvanized spring
- Works with high tensile wire, poly wire or a replacement handle for patriot spring gate in permanent and temporary fence



NL12223 Spring gate

Description

- It's made of high tension steel
- With zinc plating
- One side with closed hook, another side with open hook
- Outside with insulating PVC



NL12222 Spring gate

Description

- Insulated gate handle
- Material: steel or stainless steel
- Finish: zinc plated and powder coated
- Extends up to 5 meters



NL12228 Fence gate handle

Description

- Material: PP with UV resistance
- Galvanised steel spring extends up to 5m
- Open the fences access without ground contact being made

WOOD POST INSULATORS



NL12206/NL12207 Fence insulator

- For attaching rope products to wood posts and trees
- Prevents the possibility of the conductor escaping from the insulator



NL12209/NL12210 Fence insulator

- For attaching rope products to wood posts and trees
- Self-screw with zinc plated, easy for entry



NL12213/NL12215 Fence insulator

- For attaching rope products to wood posts and trees
- It's made of polypropylene with UV additive



NL12214 Fence insulator

- For attaching rope products to wood posts and trees



NL12229 Fence insulator

- It's made of carbon steel with zinc plating
- With insulating pigtail handle
- Easy for electric wire
- Bulk packaging



NL12224 Fence insulator

- It's made of carbon steel with zinc plating
- With insulating pigtail handle
- Easy for electric wire



NL12230 Ring insulator

- Ring insulator extra, with support inside insulating part
- Very high dielectric strength and support with wood thread



NL12231 Tape insulator

- Ideal for polytapes up to 20mm
- Sturdy galvanized 6mm support



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL12232 Ring insulator

- Metal rod flush flat and plastic RADIUS design, more solid and durable
- For polywire and wire, screws on wood



NL12216 Fence insulator

- For attaching rope products to wood posts and trees
- It's made of polypropylene with UV additive



NL12233...NL12241 Offset fence insulator

- Offset insulator for ropes and tapes, with support of 22cm length
- Keeps live wires away from the posts



NL12242 Screw-in or nail on insulator

- Screw-in or nail-on insulator, tape passes through
- Easy straining of hot tape over longer runs of fence



NL12243 Rope insulator

- Rope insulator, screw in or nail on, heavy-duty insulator made of break-proof plastic
- Ideal for electric ropes up to 8mm and premium horse wire



NL12244 Rope insulator

- Rope insulator euro cord, ideal for steel wires
- Professional insulator for permanent fencing



NL12245 Rope insulator

- Rope insulator euro cord, screw in or nail on
- Ideal for electric ropes up to 8mm and premium horse wire



NL12246 Pinlock insulator

- Heavy-duty insulator
- Ideal for all ropes up to ø8mm poly wires and steel wires



NL12247 Pinlock insulator

- Heavy-duty insulator
- Ideal for all ropes up to ø8mm poly wires and steel wires




NL12248 Staple insulator

- One-piece moulding reduces risk of shorting
- Can be added after the wire has been laid out
- UV-stabilised for long life



NL12249 Tape insulator

- Wide tape insulator with all round reinforcement
- For nail-on and screw-in



NL12250 Combi-insulator

- Galvanized 6mm metal support for tapes up to 40mm and ropes up to 6mm
- Improved clip mechanism thanks to 2 locking points



NL12251 Insulator for tapes

- Insulator for tapes up to 40mm, screw-in or nail-on insulator
- Tape passes through-thus easy straining of hot tape over longer runs of fence



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL12297 Insulator for tapes

- Material: PE with UV additive
- For ropes up to 8mm and for wire up to 4mm
- For screwing or nailing on



NL12252 Clip insulator easy tape

- Insulator ranger for screwing in or nailing on, UV stabilized
- Can also fix with cable ties, for tapes up to 40mm, ropes up to ø8mm



NL12253 Clip insulator easy tape

- The slip-proof rubber pad holds tapes up to 40mm eliminating tape wear
- Allows fatigueless integration in already installed fence systems



NL12254 Clip insulator easy tape

- For tapes up to max. 40mm as well as polywires up to Ø6mm
- Ideal fence line insulator, improved clip mechanism thanks to 2 locking points



NL12255 Screw bit for insulator

- For drills and battery screwdrivers
- Easily screwed in due to its round shape
- Suitable for all ring insulators



NL12256 Steel ring insulator tool

- Use to install ring insulators onto wood posts
- Works with a drill
- Galvanized steel for corrosion resistance





TEE POST INSULATORS



NL12208 Fence insulator

- For attaching rope products to wood posts and trees
- It's made of polypropylene with UV additive



NL12257 Combi-insulator

- Unites four different conductive material applications in one insulator
- It has proven its worth more than a hundred thousand times



NL12258 Angle post insulator

- Angle post insulator for angle steel posts with 2mm and 3mm



NL12283 Splint insulator with metal splint

- Material: PP with UV additive
- For stranded wire up to 4 mm
- For angle steel posts with 2mm-3mm



NL12260 T-Post tape insulator

- T-Post tape insulator for tapes and ropes, simplifies fastening to the T-post
- Top-quality posts in varying lengths, easily driven in, for durable application



NL12259 Pinlock insulator

- Pinlock insulator for rope, poly wire and wire
- Insulator with wooden thread for twines and permanent fencing twines





NL12296-1

NL12296 Pin-lock insulator

- Material: PE with UV additive
- Insulator for screwing and nailing
- For stranded wire up to diameter 2.5mm and solid wire diameter 1.6 and diameter 2.5mm
- Top-quality posts in varying lengths, easily driven in, for durable application

NL12296-1 Connection plate
Material: Stainless steel material



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144



NL12261 T-Post pinlock insulator

- Top-quality T-Posts in varying lengths, easily driven in, for durable application
- Insulators are fastened by clipping firmly to the T-Post at the desired heights



NL12262 Pinlock insulator

- Pinlock insulator for rope, poly wire and wire
- Insulator with wooden thread for twines and permanent fencing twines




NL12263 T-Post tape insulator

- T-Post tape insulator for tapes up to 50mm
- Improved clip system-simplifies fastening to the T-post




NL12264 Vario classic ring insulator

- Vario classic ring insulator
- Fast and tool-free installation, impact-resistant plastic



NL12236/NL12238 Offset fence insulator

- Offset insulator for ropes and tapes, with support of 22cm length
- Keeps live wires away from the posts



ROUND POST INSULATORS



NL12265 Fence insulator

- For attaching rope products to wood posts and trees
- With galvanized steel sheet wing easy for assembling



NL12266 Vario classic ring insulator

- For metal or plastic posts up to 20mm diameter
- Fast and tool-free installation, impact-resistant plastic



NL12267 Tape insulator

- Tape insulator to screw for tapes up to 40mm, locking tab to secure tape in place
- For round posts up to ø12mm, for wires and ropes up to ø6mm



NL12268 Vario classic ring insulator

- For metal or plastic posts from 7 to 19 mm diameter
- Easy to tighten/fix in place by winding the conductor material around the insulator









NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144

CORNER POST INSULATORS



NL12211 Fence insulator

- For attaching rope products to wood posts and trees
- Allow for easy entry of conductor into smooth channel



NL12217 Egg insulator individual

- It's made of Polypropylene with UV additive
- Color of egg insulator individual is available



NL12269 Slit insulator

- Excellent insulation qualities for polywire and wire
- Galvanized support and screws on wood



NL12270 Strain insulator

- Strain insulator polyamide for steel wire with breglass reinforcement
- Suitable as corner and strain insulator impermanent fencing (plain wire)



NL12271 Gate handle insulator

- Gate insulator for tapes profi, kit consists of: 4 insulators and 4 tape joiners
- Solid tape insulator with S.S tape joiner for gate handle and fencer connection



NL12272 Corner insulator

- Corner insulator with buckles for tapes 40~60 mm
- Screw-in or nail-on insulator, forks off in different directions



NL12273 Corner insulator

- Corner insulator with pare buckle for tapes 40~60 mm
- Forks off in different directions, easy to hang in gate handles



NL12274 Corner insulator

- Corner insulator for tapes 40~60 mm
- For tapes up to 40mm, forks off in different directions

CORNER POST INSULATORS



NL12275 Corner and distance insulator

- Anti-slip by alternating rubber pad structure, mounts easily and strains tapes
- Electrically conductive rubber inlays through carbon fibres secure the tape very gently but reliably



NL12276 Classic insulator

- Classic pulley shape design with metal part reinforcement
- Strain insulator polyamide for steel wire
- Suitable as corner and strain insulator impermanent fencing (plain wire)



NL12277 Head insulator

- Head insulator suits all conventional tapes, ropes, polywires and wires
- Prevents animals from injuring themselves at the post top



NL12278 Strain insulator

- Strain insulator polyamide for steel wire with metal part reinforcement
- Suitable as corner and strain insulator impermanent fencing (plain wire)



NL12279 Porcelain corner insulators

- Regular duty porcelain corner and end post insulator
- Weight: 72g



NL12280 Porcelain corner insulators

- Professional corner insulator
- Weight: 50g
- Withstands extreme tensile loads



NL12281 Porcelain strain insulator

- Extremely durable starting and end insulator for fence wires
- Withstands extreme tensile loads
- Weight: 98g



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144




NL12108/NL12109 Galvanized high tensile wire

Description

- Class 3 galvanized wire


Code	Spec.
NL12108	Size: 14 gauge 16 gauge available 1000m/Roll; economy packaging with pallet
NL12109	Size: 16 gauge 400m/Roll; with plastic spool packaging



NL12226 Electric fence poly tape

Description

- Electric fence poly tape
- UV-stabilized
- Stainless steel wire or copper wire to choose
- Width 8mm-50mm to choose
- Normal length is 200m and 400m.
- Customized width, length, wire, and color are available



NL12227 Electric fence poly rope

Description

- Made of high quality polyester and PE
- Stainless steel wire or copper wire to choose
- Normal diameter 2mm, 3mm, 6mm, 8.5mm
- Normal length is 200m and 400m
- Customized diameter, length, wire and color are available



NL12284 Fence reel

Description

- Non-geared ratio 1:1
- Light weight and strong
- Can be attached to reel stand
- Material: PP



NL12285 Fence reel

Description

- Geared & Non-geared
- 50mm wide spool, can hold 750m poly wire or 300m tape
- Geared ratio 3:1 or non-geared ratio 1:1 available
- Galvanized steel frame, spool insulated
- With carry handle and steel locking system

FENCE ACCESSORIES



NL12219 Clamp

- L shape clamp
- With hot dip galvanized
- Positive clamping action



NL12220 Clamp

- Line clamp with screw easy for operation
- Hot dip galvanized



NL12286-1



NL12286-2



NL12286-3



NL12286-4



NL12286-5

NL12286-1 Fence tape connector

- Application:Fence wire
- Holder up to 40mm tape Packing

NL12286-2 Tape buckle

- Made of stainless steel, never rust
- For various tape application
- For tape up to 1 - 1/2"

NL12286-3 Rope connector single

- For a secured and durable connection of polywire and electrified rope
- Made in stainless steel or galvanized steel
- Different sizes available

NL12286-4 Rope connector duplex

- For a secured and durable connection of polywire and electrified rope
- Made in stainless steel or galvanized steel
- Different sizes available


NL12286-5 Tape gate buckle

- Connection with tape and gate handle
- Made in stainless steel wire
- For tape width 10, 20, 40 mm



NL12221 Wire grip

- Wire grip is made of steel die-casting
- With hot drop galvanized
- Easy for wire tensioning device



NL12225 Tension springs

- Material: stainless steel, hot-dip galvanized and zinc-plated to choose
- Size can be customized



NEWLANDVET
E-mail: admin@hk-newland.com
Tel: +86-574-87661144

FENCE ACCESSORIES



NL12287 NL12288

NL12287/NL12288 White plastic tightener

- Molded of engineering grade polymer
- Tightens tape up to 1″ wide tape



NL12289 NL12290

NL12289/NL12290 Gate anchor & activator plate

- An anchor for gate handle, easily mounts using 2 nails on a wood post
- Galvanized and stainless metal fittings for maximum life
- 180 degree swivel for easy access



NL12291 Cut-out switch

- Heavy duty cut-out switch for fencers with over 12J output



NL12292 Fence switch

- PP+UV resistance,140g
- To switch current independently from the fence
- Two outlets can be controlled



NL12293 Wire cutter

- Drop-forged jaws for cutting 12.5 gauge fence wire
- 8″ in length, comfortably shaped handles



NL12294 Strainer handle

- To tighten wire with strainer cog teeth or square protrusion
- Detachable pin with two positions on frame
- Electroplating or powder coating finish



NL12295 Fence light tester 8-light 7k V

- Pocket size for convenience
- Rugged case design, with built-in earth probe
- 8 level indication to 7,000V(600-1,000-2,000-3,000 4,000-5,000-6,000-7,000)