



NL12401 Female thread



NL12402 Male thread

NL12401/NL12402 Stainless steel hose adapters

Description

- 1/2" Female thread with different size braided hose barb

NL12401/NL12402	1/8"
NL12401/NL12402	1/4"
NL12401/NL12402	3/8"
NL12401/NL12402	1/2"
NL12401/NL12402	3/4"
NL12401/NL12402	1"
NL12401/NL12402	1-1/4"
NL12401/NL12402	1-1/2"
NL12401/NL12402	2"
- Note: 3/4", 1", etc. Female thread with different size braided hose barb are available



NL12403
Stainless steel couplings



NL12404
Stainless steel Tee's



NL12405
Stainless steel crosses



NL12406
Stainless steel Unions

Description

NL12403-1/2"	L: 33mm	NL12404-1/2"	L: 25mm	NL12405-1/2"	L: 50mm	NL12406-1/2"	L: 43mm
NL12403-3/4"	L: 38mm	NL12404-3/4"	L: 29mm	NL12405-3/4"	L: 56mm	NL12406-3/4"	L: 48mm
NL12403-1"	L: 41mm	NL12404-1"	L: 34mm	NL12405-1"	L: 66mm	NL12406-1"	L: 50mm
NL12403-1-1/4"	L: 48mm	NL12404-1-1/4"	L: 40mm	NL12405-1-1/4"	L: 80mm	NL12406-1-1/4"	L: 56mm
NL12403-1-1/2"	L: 52mm	NL12404-1-1/2"	L: 44mm	NL12405-1-1/2"	L: 87mm	NL12406-1-1/2"	L: 59mm
NL12403-2"	L: 58mm	NL12404-2"	L: 52mm	NL12405-2"	L: 102mm	NL12406-2"	L: 65mm



NL12407
Stainless steel 90 street elbow



NL12408
Stainless steel reducing coupling



NL12409
Stainless steel street socket

Description

NL12407-1/2"	L: 53mm	NL12408-1/2" x 3/4"	NL12409-1/2"
NL12407-3/4"	L: 60mm	NL12408-1/2" x 1"	NL12409-3/4"
NL12407-1"	L: 69mm	NL12408-1/2" x 2"	NL12409-1"
		NL12408-3/4" x 1"	
		NL12408-3/4" x 2"	
		NL12408-1" x 2"	



NL12410 Stainless steel bushing

Description

NL12410-3/8" x 1/4"
 NL12410-1/2" x 1/4"
 NL12410-1/2" x 3/8"
 NL12410-1" x 1/2"
 NL12410-1" x 3/4"
 NL12410-1-1/4" x 1"
 NL12410-2" x 1"
 NL12410-2" x 1-1/4"
 NL12410-2" x 1-1/2"



NL12411
 Stainless steel cap



NL12412
 Stainless steel plug



NL12413
 Stainless steel 45 degree elbow



NL12414
 Stainless steel 90 degree elbow

Description

NL12411-1/2"
 NL12411-3/4"
 NL12411-1"

NL12412-1/2"
 NL12412-3/4"
 NL12412-1"

NL12413-1/2"
 NL12413-3/4"
 NL12413-1"
 NL12413-1-1/4"
 NL12413-1-1/2"
 NL12413-2"

NL12414-1/2"
 NL12414-3/4"
 NL12414-1"
 NL12414-1-1/4"
 NL12414-1-1/2"
 NL12414-2"



NL12415 1/2" stainless steel 30 degree elbow



NL12416 Stainless steel close pipe nipple



NL12418 3/4" x 3/4" Stainless steel bracket



NL12419 3/4" x 1/2" Stainless steel bracket

Description

• G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable

1/2" stainless steel close pipe nipple
 3/4" stainless steel close pipe nipple
 1" stainless steel close pipe nipple

• G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable

• G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable



NL12417 Steel pipe

Description

1/2" stainless steel pipe nipple

1/2" x 2"
1/2" x 2.5"
1/2" x 3"
1/2" x 3.5"
1/2" x 4"

3/4" stainless steel pipe nipple

3/4" x 2"
3/4" x 2.5"
3/4" x 3"
3/4" x 3.5"
3/4" x 4"
3/4" x 4.5"
3/4" x 5"
3/4" x 5.5"
3/4" x 6"

1" stainless steel pipe nipple

1" x 2"
1" x 2.5"
1" x 3"
1" x 3.5"
1" x 4"
1" x 4.5"
1" x 5"
1" x 5.5"
1" x 6"



NL12420
Nylon hose adapters



NL12421
Nylon hose adapter



NL12422
Nylon hose adapter

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is available
- Fitting with 3/8" tubing

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- 1/2" male thread with 3/8" tubing connector (Tees and coupling)

- It's made of PA6
- With UV additive
- Fitting with 1/4" tubing



NL12423
Stainless steel 3pcs ball valve



NL12424
Stainless steel 2pcs ball valve



NL12425
Stainless steel 1pc ball valve

Description

NL12423 1/2" 3pcs ball valve
NL12423 3/4" 3pcs ball valve
NL12423 1" 3pcs ball valve
NL12423 1-1/4" 3pcs ball valve
NL12423 1-1/2" 3pcs ball valve
NL12423 2" 3pcs ball valve
NL12423 2-1/2" 3pcs ball valve
NL12423 3" 3pcs ball valve
NL12423 4" 3pcs ball valve

NL12424 1/2" 2pcs ball valve
NL12424 3/4" 2pcs ball valve
NL12424 1" 2pcs ball valve
NL12424 1-1/4" 2pcs ball valve
NL12424 1-1/2" 2pcs ball valve
NL12424 2" 2pcs ball valve
NL12424 2-1/2" 2pcs ball valve
NL12424 3" 2pcs ball valve
NL12424 4" 2pcs ball valve

NL12425 1/2" 1pc ball valve
NL12425 3/4" 1pc ball valve
NL12425 1" 1pc ball valve
NL12425 1-1/4" 1pc ball valve
NL12425 1-1/2" 1pc ball valve
NL12425 2" 1pc ball valve
NL12425 2-1/2" 1pc ball valve
NL12425 3" 1pc ball valve
NL12425 4" 1pc ball Valve

NL12426

NL12427

NL12426/NL12427 Stainless steel pipe

Description

- It's made from SUS304 stainless steel
- OD :21mm , thickness 2.5mm; with polishing
- 1/2" outside thread for two sides G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- Each piece with blister bag , bulk packaging with the wooden case

Length: 500mm; 750mm; 1000mm; 1200mm

NL12428 Braided hose

Description

- It's made of PVC material
- With antifreeze additive
- Inside with strong braided polywire

ID	0.250"	0.375"	0.500"	0.675"	0.750"	1.000"	1.25"	1.25"	2"
OD	0.438"	0.594"	0.750"	0.875"	1.030"	1.300"	1.625"	1.937"	2.49"

NL12429 1/2"X1/2" Stainless steel bracket

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable

Code	Spec.
NL12429-45	45 degree stainless steel bracket
NL12429-60	60 degree stainless steel bracket
NL12429-75	75 degree stainless steel bracket
NL12429-90	90 degree stainless steel bracket

NL12430 1/2"X1/2" Stainless steel bracket

Description

- G-1/2" thread (European pipe thread) or NPT-1/2" (American pipe thread) is favorable
- With 90 degree elbow
- Strong and thick stainless steel die-casting